

AINVITATION FOR BID  
IFB C4DNCS19  
Data Networks and Communications Services  
**CATEGORY 20 – MPLS DATA NETWORK**  
AT&T Enterprises, LLC.

Statement of Work

**TECHNICAL REQUIREMENTS**

March 5, 2020

BAFO

Issued by:

STATE OF CALIFORNIA

California Department of Technology Statewide  
Procurement

PO Box 1810

Rancho Cordova, CA 95741

**Disclaimer: The original PDF version and any subsequent addendums of the IFB released by the Procurement Official of this Bid remain the official version. In the event of any inconsistency between the Bidder's versions, articles, attachments, specifications or provisions which constitute the Contract, the official State version of the IFB in its entirety shall take precedence.**

## AMENDMENT LOG

| <b>Amendment #</b> | <b>Date</b> | <b>Amendment Description</b>   |
|--------------------|-------------|--|
| 4                  | 12/15/20    | <p>Added Header</p> <p>Updated Table 20.2.9.2.b - Unsolicited MPLS Port and Access Bundled Transport Speeds</p> <p>Updated Table 20.2.9.3.b - Unsolicited MPLS Port, Access and Layer 3 Routing Device Bundled Transport Speeds</p> <p>Updated Table 20.2.10 - Unsolicited MPLS Services and Features</p> <p>Deleted entire Table 20.3.2.2 – Unsolicited Services Related Infrastructure</p> <p>Updated available Services in Sections 20.4.8.2, 20.4.8.3, 20.4.8.4, 20.4.8.6, 20.4.8.7, 20.4.8.9, 20.4.8.10</p> |
| 8                  | 8/20/21     | <p>Updated Header</p> <p>Updated Table 20.2.10 - Unsolicited MPLS Services and Features to add Professional Services</p>   |
| 25                 | 11/07/2025  | Changed contractor name from AT&T Corp. to AT&T Enterprises, LLC.  |

---

Table of Contents

|  |            |
|--|------------|
| <b>20.1 OVERVIEW .....</b>   | <b>5</b>   |
| 20.1.1 Bidder Response Requirements .....  | 5          |
| 20.1.2 Designation of Requirements .....   | 6          |
| 20.1.3 Pacific Time Zone .....   | 6          |
| <b>20.2 MULTI-PROTOCOL LABEL SWITCHING (MPLS) SERVICES .....</b>                     | <b>6</b>   |
| 20.2.1 MPLS Service Functionality .....  | 6          |
| 20.2.2 MPLS WAN VPN Configurations.....  | 7          |
| 20.2.3 MPLS Industry Security Standards.....   | 7          |
| 20.2.3.1 MPLS Physical Security .....  | 8          |
| 20.2.3.2 Protection against Unauthorized Access .....                                | 8          |
| 20.2.3.3 Data Breach Reporting .....   | 8          |
| 20.2.4 MPLS WAN VPN Standards .....  | 9          |
| 20.2.5 MPLS Performance Metrics .....  | 9          |
| 20.2.6 MPLS Geographic Service Areas .....   | 9          |
| 20.2.7 MPLS Network Designs and Diagrams .....                                       | 20         |
| 20.2.8 MPLS Technical Requirements .....   | 21         |
| 20.2.8.1 Network Operations Center.....  | 24         |
| 20.2.8.2 Contractor Wi-Fi Hotspot Service Offerings .....                            | 24         |
| 20.2.9 MPLS Transport Speeds .....   | 25         |
| 20.2.9.1 MPLS Port Transport Speeds .....  | 25         |
| 20.2.9.2 MPLS Port and Access Bundled Transport Speeds.....                          | 38         |
| 20.2.9.3 MPLS Port, Access and Layer 3 Routing Device Bundled Transport Speeds ..... | 47         |
| 20.2.9.4 MPLS Backup Options.....  | 61         |
| 20.2.10 Additional Unsolicited MPLS Services and Features.....                       | 61         |
| <b>20.3 OTHER SERVICES .....</b>   | <b>193</b> |
| 20.3.1 Hourly Rates for Services .....   | 193        |
| 20.3.2 Services Related Infrastructure (SRI) .....                                   | 194        |
| 20.3.2.1 Extended Demarcation Wiring Services .....                                  | 194        |
| 20.3.3 Services Related Hourly Support .....   | 204        |
| <b>20.4 SERVICE LEVEL AGREEMENTS (SLA) .....</b>                                     | <b>207</b> |
| 20.4.1 Service Level Agreement Format .....  | 207        |
| 20.4.2 Technical Requirements versus SLA Objectives .....                            | 208        |
| 20.4.3 Methods of Outage Reporting: Customer or Contractor .....                     | 208        |
| 20.4.4 Bidder Response to Service Level Agreements.....                              | 209        |
| 20.4.5 Contractor SLA Management Plan .....  | 209        |
| 20.4.6 Technical SLA General Requirements .....                                      | 210        |
| 20.4.7 Trouble Ticket Stop Clock Conditions .....                                    | 212        |

---

|   |     |
|---|-----|
| 20.4.8 Technical Service Level Agreements (SLAs) .....                | 217 |
| 20.4.8.1 Availability (M-S) .....                                     | 217 |
| 20.4.8.2 Catastrophic Outage 1 (CAT 1) (M-S) .....                    | 218 |
| 20.4.8.3 Catastrophic Outage 2 (CAT 2) (M-S) .....                    | 220 |
| 20.4.8.4 Catastrophic Outage 3 (CAT 3) (M-S) .....                    | 221 |
| 20.4.8.5 Delay – Round Trip Transmission for MPLS Services (M-S)..... | 223 |
| 20.4.8.6 Excessive Outage (M-S).....                                  | 225 |
| 20.4.8.7 Managed Service Proactive Notification (M-S) .....           | 226 |
| 20.4.8.8 Notification .....   | 228 |
| 20.4.8.9 Provisioning (M-S) .....                                     | 229 |
| 20.4.8.10 Time to Repair (TTR)(M-S) .....                             | 232 |
| 20.4.8.11 Unsolicited Service Enhancement SLAs .....                  | 233 |
| 20.4.8.12 Proposed Unsolicited Offerings.....                         | 233 |
| 20.4.8.13 Contract Amendment Service Enhancement SLAs .....           | 234 |

## TECHNICAL REQUIREMENTS

### Category 20 – MPLS DATA NETWORK

#### 20.1 OVERVIEW

This Category 20 IFB C4DNCS19 (IFB) provides the State's solicitation for best value solutions for MPLS Data Network Services. This IFB also describes the CALNET technical requirements necessary to support the CALNET program requirements.

This IFB will be awarded to Bidders that meet the award criteria as described in IFB Part 1, Bid Evaluation. The CALNET Data Network and Communication Services (DNCS) Contract(s) that result from the award of this IFB will be managed on a day-to-day basis by the CALNET Contractor Management Organization (CALNET CMO).

#### 20.1.1 Bidder Response Requirements

Throughout this IFB, Bidders are required to acknowledge acceptance of the requirements described herein by responding to one of the following:

1. Example A (for responses that require confirmation that the Bidder understands and accepts the requirement):

**“Bidder understands this requirement and shall meet or exceed it? Yes”**

Or,

2. Example B (for responses that require the Bidder to provide a description or written response to the requirement):

**Bidder understands this requirement and shall meet or exceed it? Yes**

**Bidder's Description:**

Or,

3. Example C (for responses contained in Technical Feature and/or Service Tables):

| Line Item | Feature Name | Feature Description | Bidder's Product Description, Restrictions and Limitations | Bidder's Product Identifier | Bidder Meets or Exceeds? Yes or No. |
|-----------|--------------|---------------------|--|-----------------------------|-------------------------------------|
| 1         |              |                     |  |                             | Yes                                 |

### 20.1.2 Designation of Requirements

All Technical Requirements specified in this IFB are Mandatory and must be responded to as identified in IFB Part 1, SOW Mandatory Technical Requirements by the Bidder. Additionally, some Mandatory requirements are "Mandatory-Scorable" and are designated as "(M-S)".

Costs associated with services shall be included in the prices provided by the Bidder for the individual items included in the Category Cost Worksheets. Items not listed in the Category Cost Worksheets will not be billable by the Contractor. If additional unsolicited items include the features described in this IFB and are not included as billable in the Category Cost Worksheets, the cost associated with the features shall not be included in the unsolicited price.

Services and features included in the Category Cost Worksheets are those that the Bidder must provide. All Bidders must provide individual prices as indicated in the Category Cost Worksheets in the Bidder's Final Proposal. Items submitted with no price will be considered as offered at no cost.

### 20.1.3 Pacific Time Zone

Unless specified otherwise, all times stated herein are times in the Pacific Time Zone.

**Bidder understands this requirement and shall meet or exceed it? Yes**

## **20.2 MULTI-PROTOCOL LABEL SWITCHING (MPLS) SERVICES**

Bidders shall confirm that the Contractor's Multi-Protocol Label Switching (MPLS) Wide Area Network (WAN) Virtual Private Network (VPN) service will meet all of the requirements described below.

### 20.2.1 MPLS Service Functionality

1. Contractors shall provide a private MPLS WAN VPN service for the networking of all voice, video and data applications.

**Bidder understands this requirement and shall meet or exceed it? Yes**

2. The MPLS WAN VPN service shall support voice, video and data applications over a single access connection with individual Class of Service (CoS) to allow each set of applications to be transported within its service specifications.

**Bidder understands this requirement and shall meet or exceed it? Yes**

---

- 3. The MPLS WAN VPN service shall support the ability to assign specific application priority over other applications.

**Bidder understands this requirement and shall meet or exceed it? Yes**

- 4. The MPLS WAN VPN service shall provide any-to-any connectivity.

**Bidder understands this requirement and shall meet or exceed it? Yes**

- 5. The MPLS WAN VPN service shall not use the public Internet for transport. Remote access to this solution may use the public Internet.

**Bidder understands this requirement and shall meet or exceed it? Yes**

- 6. The MPLS WAN VPN service shall be a fully Managed Service that includes the Customer edge layer 3 routing device.

**Bidder understands this requirement and shall meet or exceed it? Yes**

#### 20.2.2 MPLS WAN VPN Configurations

The Bidder's MPLS WAN VPN service shall support the following configurations:

- 1. Port only configuration;

**Bidder understands this requirement and shall meet or exceed it? Yes**

- 2. Bundled port and access configuration; and,

**Bidder understands this requirement and shall meet or exceed it? Yes**

- 3. Bundled port, access and Customer edge layer 3 routing device configuration.

**Bidder understands this requirement and shall meet or exceed it? Yes**

#### 20.2.3 MPLS Industry Security Standards

- 1. Upon request by the CALNET CMO, Contractor will provide for viewing at Contractor's facility the security controls in force for the MPLS WAN infrastructure as well as independent audit results of those controls for authorized State personnel (under NDA). This will include the full scope of controls NIST SP 800-53, ISO/IEC 27001, or equivalent. Where NDAs are not sufficient to allow access to Contractor's facility, the Contractor shall provide independent audit results to the State Information Security Officer.

**Bidder understands this requirement and shall meet or exceed it? Yes**

- 2. If Contractor determines that a breach of data has occurred within the Contractor's MPLS WAN that may involve CALNET Customer data, the nature and scope of the breach (as it affects Customer data) must be

---

reported to both the Customer and the CALNET CMO within 24 hours of that determination.

**Bidder understands this requirement and shall meet or exceed it? Yes**

3. If Contractor determines that a breach of infrastructure has occurred within the Contractor's MPLS WAN that may involve CALNET Customer data, the nature and scope of the breach (as it affects Customer data) must be reported to both the Customer and the CALNET CMO within 24 hours of that determination.

**Bidder understands this requirement and shall meet or exceed it? Yes**

4. Contractor shall apply available patches and/or updates which remediate published vulnerabilities in accordance CVSS v3.0 Base Score.

**Bidder understands this requirement and shall meet or exceed it? Yes**

5. Contractor shall provide to the CALNET CMO a report upon request detailing all (if any) actual violations of security protections, policies, practices, and/or procedures involving Contractor managed Customer edge devices and what remediation was implemented.

**Bidder understands this requirement and shall meet or exceed it? Yes**

#### 20.2.3.1 MPLS Physical Security

Contractor shall physically secure all data and networking facilities through which data traverses Contractor's MPLS network complying with the physical security controls of NIST SP 800-53, ISO/IEC 27001, or equivalent standards.

**Bidder understands this requirement and shall meet or exceed it? Yes**

#### 20.2.3.2 Protection against Unauthorized Access

Contractor shall provide access controls for all equipment through which data traverses Contractor's MPLS WAN complying with the physical security controls of NIST SP 800-53, ISO/IEC 27001, or equivalent standards.

**Bidder understands this requirement and shall meet or exceed it? Yes**

#### 20.2.3.3 Data Breach Reporting

If Contractor determines that a breach of data has occurred that may involve CALNET Customer data, the nature and scope of the breach (as it

---

affects Customer data) shall be reported to both the Customer and the CALNET CMO within 24 hours of that determination.

**Bidder understands this requirement and shall meet or exceed it? Yes**

#### 20.2.4 MPLS WAN VPN Standards

Bidders shall confirm that the Contractor's CALNET MPLS WAN VPN services meet all International Engineering Task Force (IETF) Standards and Request for Comments (RFC's).

**Bidder understands this requirement and shall meet or exceed it? Yes**

#### 20.2.5 MPLS Performance Metrics

Bidders shall confirm that the Contractor's solution will meet all of the requirements described below.

1. Service availability shall be 99.9% measured port to port.

**Bidder understands this requirement and shall meet or exceed it? Yes**

2. MPLS shall have a packet loss of <0.2% measured port to port.

**Bidder understands this requirement and shall meet or exceed it? Yes**

3. MPLS shall have jitter <10ms measured port to port.

**Bidder understands this requirement and shall meet or exceed it? Yes**

#### 20.2.6 MPLS Geographic Service Areas

The Contractor shall provide the service where commercially available through Contractor owned facilities, third-party agreements, and as allowed by State or Federal regulations. Commitment to provide service is subject to facility availability as determined by the Bidder at time of bid submission and may be reassessed by Contractor at time of service order.

Special construction charges that may be required to provide this service are not included in this offering or contained within the CALNET contracts and must be acquired by the customer directly through other procurement means.

Table 20.2.6 – Bidder's MPLS Service Locations

| Line Item | Service Location – City or ZIP Code |
|-----------|-------------------------------------|
| 1         | Agoura Hills                        |

| <b>Line Item</b> | <b>Service Location – City or ZIP Code</b> |
|------------------|--|
| 2                | Alameda                                    |
| 3                | Albany                                     |
| 4                | Alhambra                                   |
| 5                | Aliso Viejo                                |
| 6                | American Canyon                            |
| 7                | Anaheim                                    |
| 8                | Anderson                                   |
| 9                | Antioch                                    |
| 10               | Arcadia                                    |
| 11               | Arcata                                     |
| 12               | Arroyo Grande                              |
| 13               | Arvin                                      |
| 14               | Atascadero                                 |
| 15               | Atherton                                   |
| 16               | Atwater                                    |
| 17               | Auburn                                     |
| 18               | Avalon                                     |
| 19               | Avenal                                     |
| 20               | Bakersfield                                |
| 21               | Baldwin Park                               |
| 22               | Bell                                       |
| 23               | Bellflower                                 |
| 24               | Belmont                                    |
| 25               | Belvedere                                  |
| 26               | Benicia                                    |
| 27               | Berkeley                                   |
| 28               | Beverly Hills                              |
| 29               | Biggs                                      |
| 30               | Blue Lake                                  |
| 31               | Brawley                                    |
| 32               | Brea                                       |
| 33               | Brentwood                                  |
| 34               | Brisbane                                   |
| 35               | Buena Park                                 |
| 36               | Burbank                                    |

| <b>Line Item</b> | <b>Service Location – City or ZIP Code</b> |
|------------------|--|
| 37               | Burlingame                                 |
| 38               | Calabasas                                  |
| 39               | Calexico                                   |
| 40               | Calipatria                                 |
| 41               | Calistoga                                  |
| 42               | Camarillo                                  |
| 43               | Campbell                                   |
| 44               | Capitola                                   |
| 45               | Carlsbad                                   |
| 46               | Carmel-By-The-Sea                          |
| 47               | Carson                                     |
| 48               | Ceres                                      |
| 49               | Chico                                      |
| 50               | Chino                                      |
| 51               | Chowchilla                                 |
| 52               | Chula Vista                                |
| 53               | Citrus Heights                             |
| 54               | Claremont                                  |
| 55               | Clayton                                    |
| 56               | Clearlake                                  |
| 57               | Cloverdale                                 |
| 58               | Coalinga                                   |
| 59               | Colma                                      |
| 60               | Colton                                     |
| 61               | Commerce                                   |
| 62               | Compton                                    |
| 63               | Concord                                    |
| 64               | Corning                                    |
| 65               | Corona                                     |
| 66               | Coronado                                   |
| 67               | Corte Madera                               |
| 68               | Costa Mesa                                 |
| 69               | Cotati                                     |
| 70               | Cudahy                                     |
| 71               | Culver City                                |

| <b>Line Item</b> | <b>Service Location – City or ZIP Code</b> |
|------------------|--|
| 72               | Cupertino                                  |
| 73               | Cypress                                    |
| 74               | Daly City                                  |
| 75               | Dana Point                                 |
| 76               | Danville                                   |
| 77               | Davis                                      |
| 78               | Del Mar                                    |
| 79               | Del Rey Oaks                               |
| 80               | Delano                                     |
| 81               | Diamond Bar                                |
| 82               | Dinuba                                     |
| 83               | Dixon                                      |
| 84               | Downey                                     |
| 85               | Dublin                                     |
| 86               | Dunsmuir                                   |
| 87               | East Palo Alto                             |
| 88               | El Cajon                                   |
| 89               | El Centro                                  |
| 90               | El Cerrito                                 |
| 91               | El Monte                                   |
| 92               | El Paso De Robles                          |
| 93               | El Segundo                                 |
| 94               | Elk Grove                                  |
| 95               | Emeryville                                 |
| 96               | Encinitas                                  |
| 97               | Escalon                                    |
| 98               | Escondido                                  |
| 99               | Eureka                                     |
| 100              | Fairfax                                    |
| 101              | Fairfield                                  |
| 102              | Farmersville                               |
| 103              | Fillmore                                   |
| 104              | Firebaugh                                  |
| 105              | Folsom                                     |
| 106              | Fontana                                    |

| <b>Line Item</b> | <b>Service Location – City or ZIP Code</b> |
|------------------|--|
| 107              | Fort Bragg                                 |
| 108              | Fortuna                                    |
| 109              | Foster City                                |
| 110              | Fountain Valley                            |
| 111              | Fremont                                    |
| 112              | Fresno                                     |
| 113              | Fullerton                                  |
| 114              | Galt                                       |
| 115              | Garden Grove                               |
| 116              | Gardena                                    |
| 117              | Gilroy                                     |
| 118              | Glendale                                   |
| 119              | Glendora                                   |
| 120              | Gonzales                                   |
| 121              | Grand Terrace                              |
| 122              | Grass Valley                               |
| 123              | Greenfield                                 |
| 124              | Gridley                                    |
| 125              | Grover Beach                               |
| 126              | Gustine                                    |
| 127              | Half Moon Bay                              |
| 128              | Hanford                                    |
| 129              | Hawthorne                                  |
| 130              | Hayward                                    |
| 131              | Healdsburg                                 |
| 132              | Hercules                                   |
| 133              | Hermosa Beach                              |
| 134              | Hidden Hills                               |
| 135              | Highland                                   |
| 136              | Hillsborough                               |
| 137              | Hollister                                  |
| 138              | Holtville                                  |
| 139              | Hughson                                    |
| 140              | Huntington Beach                           |
| 141              | Huntington Park                            |

| <b>Line Item</b> | <b>Service Location – City or ZIP Code</b> |
|------------------|--|
| 142              | Huron                                      |
| 143              | Imperial                                   |
| 144              | Imperial Beach                             |
| 145              | Inglewood                                  |
| 146              | Ione                                       |
| 147              | Irvine                                     |
| 148              | Jackson                                    |
| 149              | King City                                  |
| 150              | Kingsburg                                  |
| 151              | La Canada Flintridge                       |
| 152              | La Habra                                   |
| 153              | La Mesa                                    |
| 154              | La Mirada                                  |
| 155              | La Puente                                  |
| 156              | Lafayette                                  |
| 157              | Laguna Beach                               |
| 158              | Laguna Hills                               |
| 159              | Laguna Niguel                              |
| 160              | Laguna Woods                               |
| 161              | Lake Elsinore                              |
| 162              | Lake Forest                                |
| 163              | Lakeport                                   |
| 164              | Lakewood                                   |
| 165              | Lancaster                                  |
| 166              | Larkspur                                   |
| 167              | Lemon Grove                                |
| 168              | Lemoore                                    |
| 169              | Lincoln                                    |
| 170              | Live Oak                                   |
| 171              | Livermore                                  |
| 172              | Livingston                                 |
| 173              | Lodi                                       |
| 174              | Lomita                                     |
| 175              | Long Beach                                 |
| 176              | Loomis                                     |

| <b>Line Item</b> | <b>Service Location – City or ZIP Code</b> |
|------------------|--|
| 177              | Los Alamitos                               |
| 178              | Los Altos                                  |
| 179              | Los Altos Hills                            |
| 180              | Los Angeles                                |
| 181              | Los Banos                                  |
| 182              | Los Gatos                                  |
| 183              | Loyalton                                   |
| 184              | Lynwood                                    |
| 185              | Madera                                     |
| 186              | Manhattan Beach                            |
| 187              | Marina                                     |
| 188              | Martinez                                   |
| 189              | Marysville                                 |
| 190              | Maywood                                    |
| 191              | Mendota                                    |
| 192              | Menlo Park                                 |
| 193              | Merced                                     |
| 194              | Mill Valley                                |
| 195              | Millbrae                                   |
| 196              | Milpitas                                   |
| 197              | Mission Viejo                              |
| 198              | Modesto                                    |
| 199              | Monrovia                                   |
| 200              | Montague                                   |
| 201              | Montclair                                  |
| 202              | Montebello                                 |
| 203              | Monterey                                   |
| 204              | Monterey Park                              |
| 205              | Moorpark                                   |
| 206              | Moraga                                     |
| 207              | Morgan Hill                                |
| 208              | Morro Bay                                  |
| 209              | Mount Shasta                               |
| 210              | Mountain View                              |
| 211              | Napa                                       |

| <b>Line Item</b> | <b>Service Location – City or ZIP Code</b> |
|------------------|--|
| 212              | National City                              |
| 213              | Nevada City                                |
| 214              | Newark                                     |
| 215              | Newman                                     |
| 216              | Newport Beach                              |
| 217              | Norco                                      |
| 218              | Norwalk                                    |
| 219              | Novato                                     |
| 220              | Oakdale                                    |
| 221              | Oakland                                    |
| 222              | Oakley                                     |
| 223              | Oceanside                                  |
| 224              | Ojai                                       |
| 225              | Ontario                                    |
| 226              | Orange                                     |
| 227              | Orange Cove                                |
| 228              | Orinda                                     |
| 229              | Orland                                     |
| 230              | Oroville                                   |
| 231              | Oxnard                                     |
| 232              | Pacific Grove                              |
| 233              | Pacifica                                   |
| 234              | Palmdale                                   |
| 235              | Palo Alto                                  |
| 236              | Paradise                                   |
| 237              | Paramount                                  |
| 238              | Parlier                                    |
| 239              | Pasadena                                   |
| 240              | Petaluma                                   |
| 241              | Pico Rivera                                |
| 242              | Piedmont                                   |
| 243              | Pinole                                     |
| 244              | Pismo Beach                                |
| 245              | Pittsburg                                  |
| 246              | Placentia                                  |

| <b>Line Item</b> | <b>Service Location – City or ZIP Code</b> |
|------------------|--|
| 247              | Placerville                                |
| 248              | Pleasant Hill                              |
| 249              | Pleasanton                                 |
| 250              | Plymouth                                   |
| 251              | Point Arena                                |
| 252              | Pomona                                     |
| 253              | Port Hueneme                               |
| 254              | Porterville                                |
| 255              | Portola                                    |
| 256              | Portola Valley                             |
| 257              | Poway                                      |
| 258              | Rancho Cordova                             |
| 259              | Rancho Cucamonga                           |
| 260              | Rancho Santa Margarita                     |
| 261              | Red Bluff                                  |
| 262              | Redding                                    |
| 263              | Redondo Beach                              |
| 264              | Redwood City                               |
| 265              | Rialto                                     |
| 266              | Richmond                                   |
| 267              | Rio Dell                                   |
| 268              | Ripon                                      |
| 269              | Riverbank                                  |
| 270              | Riverside                                  |
| 271              | Rocklin                                    |
| 272              | Rohnert Park                               |
| 273              | Rolling Hills                              |
| 274              | Rosemead                                   |
| 275              | Roseville                                  |
| 276              | Ross                                       |
| 277              | Sacramento                                 |
| 278              | Salinas                                    |
| 279              | San Anselmo                                |
| 280              | San Bernardino                             |
| 281              | San Bruno                                  |

| <b>Line Item</b> | <b>Service Location – City or ZIP Code</b> |
|------------------|--|
| 282              | San Buenaventura                           |
| 283              | San Carlos                                 |
| 284              | San Clemente                               |
| 285              | San Diego                                  |
| 286              | San Fernando                               |
| 287              | San Francisco                              |
| 288              | San Gabriel                                |
| 289              | San Jose                                   |
| 290              | San Juan Bautista                          |
| 291              | San Juan Capistrano                        |
| 292              | San Leandro                                |
| 293              | San Luis Obispo                            |
| 294              | San Marcos                                 |
| 295              | San Marino                                 |
| 296              | San Mateo                                  |
| 297              | San Pablo                                  |
| 298              | San Rafael                                 |
| 299              | San Ramon                                  |
| 300              | Sand City                                  |
| 301              | Santa Ana                                  |
| 302              | Santa Clara                                |
| 303              | Santa Clarita                              |
| 304              | Santa Cruz                                 |
| 305              | Santa Fe Springs                           |
| 306              | Santa Maria                                |
| 307              | Santa Monica                               |
| 308              | Santa Rosa                                 |
| 309              | Santee                                     |
| 310              | Saratoga                                   |
| 311              | Sausalito                                  |
| 312              | Scotts Valley                              |
| 313              | Seaside                                    |
| 314              | Sebastopol                                 |
| 315              | Selma                                      |
| 316              | Shafter                                    |

| <b>Line Item</b> | <b>Service Location – City or ZIP Code</b> |
|------------------|--|
| 317              | Shasta Lake                                |
| 318              | Simi Valley                                |
| 319              | Solana Beach                               |
| 320              | Soledad                                    |
| 321              | Sonoma                                     |
| 322              | Sonora                                     |
| 323              | South El Monte                             |
| 324              | South Gate                                 |
| 325              | South Lake Tahoe                           |
| 326              | South Pasadena                             |
| 327              | South San Francisco                        |
| 328              | Stanton                                    |
| 329              | Stockton                                   |
| 330              | Suisun City                                |
| 331              | Sunnyvale                                  |
| 332              | Sutter Creek                               |
| 333              | Tehachapi                                  |
| 334              | Tehama                                     |
| 335              | Temple City                                |
| 336              | Thousand Oaks                              |
| 337              | Tiburon                                    |
| 338              | Torrance                                   |
| 339              | Tracy                                      |
| 340              | Trinidad                                   |
| 341              | Truckee                                    |
| 342              | Tulare                                     |
| 343              | Turlock                                    |
| 344              | Tustin                                     |
| 345              | Ukiah                                      |
| 346              | Union City                                 |
| 347              | Upland                                     |
| 348              | Vacaville                                  |
| 349              | Vallejo                                    |
| 350              | Vernon                                     |
| 351              | Villa Park                                 |

| Line Item | Service Location – City or ZIP Code |
|-----------|-------------------------------------|
| 352       | Visalia                             |
| 353       | Vista                               |
| 354       | Walnut Creek                        |
| 355       | Wasco                               |
| 356       | Waterford                           |
| 357       | Watsonville                         |
| 358       | Weed                                |
| 359       | West Covina                         |
| 360       | West Hollywood                      |
| 361       | West Los Angeles                    |
| 362       | West Sacramento                     |
| 363       | Westlake Village                    |
| 364       | Westminster                         |
| 365       | Westmorland                         |
| 366       | Wheatland                           |
| 367       | Whittier                            |
| 368       | Willits                             |
| 369       | Willows                             |
| 370       | Windsor                             |
| 371       | Winters                             |
| 372       | Woodlake                            |
| 373       | Woodland                            |
| 374       | Woodside                            |
| 375       | Yorba Linda                         |
| 376       | Yountville                          |
| 377       | Yreka                               |
| 378       | Yuba City                           |

**Bidder understands this requirement and shall meet or exceed it? Yes**

#### 20.2.7 MPLS Network Designs and Diagrams

Bidders shall provide network designs and diagrams for the network and MPLS services.

*Bidders shall provide one electronic copy with their proposal. Electronic drawings shall be in .dwg, .dfx, .vsd, .pdf or any mutually agreed format. Drawings must*

---

identify how the Contractor's network(s) deployed for each service type will address the following:

1. **Redundancy** – Having one or more circuits/systems deployed in case of failure of the main circuits/systems; and
2. **Diversity** – Backbone network paths and infrastructure offered in such a way as to minimize the chance of a single point of failure.

The Contractor shall provide soft and hard copy revisions upon CALNET CMO request.

Drawings shall include both topology and logical representations of all critical network backbone elements to include but not be limited to the following:

1. Geographic location of equipment;
2. Type and capacity of equipment at each location including any backup systems;
3. Service type;
4. Unique identifier for each element;
5. Circuit type; and,
6. General circuit route

**Bidder understands this requirement and shall meet or exceed it? Yes**

#### 20.2.8 MPLS Technical Requirements

Bidder shall confirm that its MPLS solution to be deployed for CALNET DNCS will include the technical features and functionality described below.

1. Contractor shall be able to scale the number of VPNs supported by the network.

**Bidder understands this requirement and shall meet or exceed it? Yes**

2. Contractor shall support multiple VPNs per access.

**Bidder understands this requirement and shall meet or exceed it? Yes**

3. Contractor shall support multiple VPNs across the MPLS network.

**Bidder understands this requirement and shall meet or exceed it? Yes**

4. Contractor shall provide the rapid service restoration practices for all MPLS deployments in accordance with the SLAs in the Technical Service Level Agreements Section.

**Bidder understands this requirement and shall meet or exceed it? Yes**

5. Contractor shall provide redundant network circuits in the backbone network.

**Bidder understands this requirement and shall meet or exceed it? Yes**

6. Contractor shall provide network diversity to eliminate single points of failure in the backbone network.

**Bidder understands this requirement and shall meet or exceed it? Yes**

7. Contractor shall provide a remote access service that allows an out of band access to any Customer site contained within the same VPN. The solution may utilize the public Internet.

**Bidder understands this requirement and shall meet or exceed it? Yes**

8. The remote access service shall be secured.

**Bidder understands this requirement and shall meet or exceed it? Yes**

9. The MPLS WAN VPN service shall support controlled and monitored connections between the MPLS network and the public Internet via a hardened trusted managed firewall.

**Bidder understands this requirement and shall meet or exceed it? Yes**

10. The MPLS WAN VPN service shall be resilient.

**Bidder understands this requirement and shall meet or exceed it? Yes**

11. Contractor shall provide support for multiple Layer 2 access protocols.

**Bidder understands this requirement and shall meet or exceed it? Yes**

12. Contractor shall provide segregation of Customer traffic in a VPN environment.

**Bidder understands this requirement and shall meet or exceed it? Yes**

13. The MPLS WAN VPN service shall support IPv4/v6 capability.

**Bidder understands this requirement and shall meet or exceed it? Yes**

14. The Contractor shall provide MPLS port diversity capability within the same MPLS PoP.

**Bidder understands this requirement and shall meet or exceed it? Yes**

15. The Contractor shall provide MPLS PoP diversity capability.

**Bidder understands this requirement and shall meet or exceed it? Yes**

---

16. The Contractor shall provide out-of-band backup capability to support routing of traffic outside of the MPLS network in case of MPLS network failure.

**Bidder understands this requirement and shall meet or exceed it? Yes**

17. The MPLS WAN VPN service shall support IP Multicasting.

**Bidder understands this requirement and shall meet or exceed it? Yes**

18. The MPLS WAN VPN service shall provide Multiple CoS to support the prioritization of Customer applications and traffic flows.

**Bidder understands this requirement and shall meet or exceed it? Yes**

19. The MPLS WAN VPN service shall support the division of an MPLS port into multiple logical channels such that each logical channel can be used to support a VPN.

**Bidder understands this requirement and shall meet or exceed it? Yes**

20. The MPLS WAN VPN service shall support multiple Layer 2 protocols.

**Bidder understands this requirement and shall meet or exceed it? Yes**

21. The MPLS WAN VPN service shall support wireless Customer access capability to the MPLS network.

**Bidder understands this requirement and shall meet or exceed it? Yes**

22. The Contractor shall provide out-of-band emergency access capability for emergency access to the managed Layer 3 routing device. The solution shall include any data communications equipment as required.

**Bidder understands this requirement and shall meet or exceed it? Yes**

23. Bidder shall confirm that its MPLS solution to be deployed for CALNET DNCS will provide fully managed Layer 3 routing device service bundles that include the following:

24. Layer 3 Routing Device Maintenance. Proactively detect, isolate and resolve hardware, software and firmware faults associated with the managed Layer 3 routing device and modem used for access to the managed Layer 3 routing device. The Contractor shall also respond to Customer reported faults. Layer 3 routing device maintenance shall be provided 24x7. If dispatch is required, a Field Service Repair Technician shall arrive within four hours of isolating the fault to the managed Layer 3 routing device. Customer shall be notified of Layer 3 routing device faults and be provided trouble status at one hour intervals.

**Bidder understands this requirement and shall meet or exceed it? Yes**

---

25. Layer 3 Routing Device Monitoring. Proactively detect, isolate and resolve logical faults associated with the managed Layer 3 routing device. Layer 3 routing device monitoring shall be provided 24x7.

**Bidder understands this requirement and shall meet or exceed it? Yes**

26. Layer 3 Routing Device Configuration Management. This includes passwords, access lists and configuration changes due to moves, adds, changes and deletes.

**Bidder understands this requirement and shall meet or exceed it? Yes**

27. The Contractor shall provide full read only access to the managed Layer 3 routing device.

**Bidder understands this requirement and shall meet or exceed it? Yes**

28. Network Monitoring. Proactively detect, isolate and resolve network faults. Network monitoring shall be provided 24x7. Customer shall be notified of network faults and be provided trouble status at one hour intervals.

**Bidder understands this requirement and shall meet or exceed it? Yes**

#### 20.2.8.1 Network Operations Center

The Contractor shall maintain a Network Operations Center (NOC) that is staffed 24x7 that coordinates and manages all data traffic.

The Contractor shall be responsible for the following:

1. Fault management (trouble identification, isolation and notification); and,

**Bidder understands the Requirement and shall meet or exceed it? Yes**

2. Monitoring of Contractor's network performance in near real-time to identify capacity blockages and implement controls to optimize network health and performance immediately.

**Bidder understands this requirement and shall meet or exceed it? Yes**

#### 20.2.8.2 Contractor Wi-Fi Hotspot Service Offerings

The Contractor shall not configure services utilizing state-funded (or leased) infrastructure or resources to provide Contractor branded Wi-Fi hotspots for a fee/subscription to the general public. Use of any publicly funded power,

facilities, or infrastructure in State leased or owned buildings to provide Contractor fee based Wi-Fi services is considered a gift of public funds.

The Contractor shall not provide Contractor branded Wi-Fi hotspot services for non-CALNET users by piggybacking onto CALNET Customer primary installations or by any other means that utilize publicly funded assets. This restriction includes but is not limited to installation of secondary equipment, circuits, or data channels both land based and wireless.

**Bidder understands this requirement and shall meet or exceed it? Yes**

#### 20.2.9 MPLS Transport Speeds

Bidder's CALNET MPLS solution shall include transport options to one endpoint for each of the speeds detailed in Tables 20.2.9.1 through 20.2.9.5. The Bidder shall identify the delivery method in the Bidder's Product Description (e.g., Ethernet, T1, etc.) Pricing for each of these speeds shall be provided by the Bidder in the response to the Category Cost Worksheets. Alternative delivery methods that differ from those the Bidder has identified in Tables 20.2.9.1.a, 20.2.9.2.a, and 20.2.9.3.a may be proposed in the corresponding unsolicited tables.

##### 20.2.9.1 MPLS Port Transport Speeds

Table 20.2.9.1.a – MPLS Port Transport Speeds

| Line Item | Feature Name                | Feature Description                              | Bidder's Product Description, Restrictions and Limitations  | Bidder's Product Identifier | Bidder Meets or Exceeds? Yes or No. |
|-----------|-----------------------------|--|---|-----------------------------|-------------------------------------|
| 1         | MPLS Port Service at 1 Mbps | MPLS Port service at minimum line rate of 1 Mbps | MPLS Port service at minimum line rate of 1 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 19617                       | Yes                                 |

| <b>Line Item</b> | <b>Feature Name</b>         | <b>Feature Description</b>                       | <b>Bidder's Product Description, Restrictions and Limitations</b>   | <b>Bidder's Product Identifier</b> | <b>Bidder Meets or Exceeds? Yes or No.</b> |
|------------------|-----------------------------|--|---|------------------------------------|--|
| 2                | MPLS Port service at 3 Mbps | MPLS Port service at minimum line rate of 3 Mbps | MPLS Port service at minimum line rate of 3 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 19618                              | Yes  |
| 3                | MPLS Port service at 4 Mbps | MPLS Port service at minimum line rate of 4 Mbps | MPLS Port service at minimum line rate of 4 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 19619                              | Yes  |
| 4                | MPLS Port service at 5 Mbps | MPLS Port service at minimum line rate of 5 Mbps | MPLS Port service at minimum line rate of 5 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 17995                              | Yes  |
| 5                | MPLS Port service at 7 Mbps | MPLS Port service at minimum line rate of 7 Mbps | MPLS Port service at minimum line rate of 7 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 19621                              | Yes  |

| <b>Line Item</b> | <b>Feature Name</b>          | <b>Feature Description</b>                        | <b>Bidder's Product Description, Restrictions and Limitations</b>  | <b>Bidder's Product Identifier</b> | <b>Bidder Meets or Exceeds? Yes or No.</b> |
|------------------|------------------------------|---|--|------------------------------------|--|
| 6                | MPLS Port service at 9 Mbps  | MPLS Port service at minimum line rate of 9 Mbps  | MPLS Port service at minimum line rate of 9 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities.  | 19623                              | Yes  |
| 7                | MPLS Port service at 10 Mbps | MPLS Port service at minimum line rate of 10 Mbps | MPLS Port service at minimum line rate of 10 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 17999                              | Yes  |
| 8                | MPLS Port service at 12 Mbps | MPLS Port service at minimum line rate of 12 Mbps | MPLS Port service at minimum line rate of 12 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 18003                              | Yes  |
| 9                | MPLS Port service at 15 Mbps | MPLS Port service at minimum line rate of 15 Mbps | MPLS Port service at minimum line rate of 15 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 18005                              | Yes  |

| <b>Line Item</b> | <b>Feature Name</b>          | <b>Feature Description</b>                        | <b>Bidder's Product Description, Restrictions and Limitations</b>  | <b>Bidder's Product Identifier</b> | <b>Bidder Meets or Exceeds? Yes or No.</b> |
|------------------|------------------------------|---|--|------------------------------------|--|
| 10               | MPLS Port service at 20 Mbps | MPLS Port service at minimum line rate of 20 Mbps | MPLS Port service at minimum line rate of 20 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 18007                              | Yes  |
| 11               | MPLS Port service at 30 Mbps | MPLS Port service at minimum line rate of 30 Mbps | MPLS Port service at minimum line rate of 30 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 18009                              | Yes  |
| 12               | MPLS Port service at 40 Mbps | MPLS Port service at minimum line rate of 40 Mbps | MPLS Port service at minimum line rate of 40 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 19624                              | Yes  |
| 13               | MPLS Port service at 50 Mbps | MPLS Port service at minimum line rate of 50 Mbps | MPLS Port service at minimum line rate of 50 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 18010                              | Yes  |

| <b>Line Item</b> | <b>Feature Name</b>          | <b>Feature Description</b>                        | <b>Bidder's Product Description, Restrictions and Limitations</b>  | <b>Bidder's Product Identifier</b> | <b>Bidder Meets or Exceeds? Yes or No.</b> |
|------------------|------------------------------|---|--|------------------------------------|--|
| 14               | MPLS Port service at 60 Mbps | MPLS Port service at minimum line rate of 60 Mbps | MPLS Port service at minimum line rate of 60 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 19625                              | Yes  |
| 15               | MPLS Port service at 70 Mbps | MPLS Port service at minimum line rate of 70 Mbps | MPLS Port service at minimum line rate of 70 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 19626                              | Yes  |
| 16               | MPLS Port service at 80 Mbps | MPLS Port service at minimum line rate of 80 Mbps | MPLS Port service at minimum line rate of 80 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 19627                              | Yes  |
| 17               | MPLS Port service at 90 Mbps | MPLS Port service at minimum line rate of 90 Mbps | MPLS Port service at minimum line rate of 90 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 19628                              | Yes  |

| <b>Line Item</b> | <b>Feature Name</b>           | <b>Feature Description</b>                         | <b>Bidder's Product Description, Restrictions and Limitations</b>   | <b>Bidder's Product Identifier</b> | <b>Bidder Meets or Exceeds? Yes or No.</b> |
|------------------|-------------------------------|--|---|------------------------------------|--|
| 18               | MPLS Port service at 100 Mbps | MPLS Port service at minimum line rate of 100 Mbps | MPLS Port service at minimum line rate of 100 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 18014                              | Yes  |
| 19               | MPLS Port service at 150 Mbps | MPLS Port service at minimum line rate of 150 Mbps | MPLS Port service at minimum line rate of 150 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 19629                              | Yes  |
| 20               | MPLS Port service at 200 Mbps | MPLS Port service at minimum line rate of 200 Mbps | MPLS Port service at minimum line rate of 200 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 18016                              | Yes  |
| 21               | MPLS Port service at 250 Mbps | MPLS Port service at minimum line rate of 250 Mbps | MPLS Port service at minimum line rate of 250 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 20410                              | Yes  |

| <b>Line Item</b> | <b>Feature Name</b>           | <b>Feature Description</b>                         | <b>Bidder's Product Description, Restrictions and Limitations</b>   | <b>Bidder's Product Identifier</b> | <b>Bidder Meets or Exceeds? Yes or No.</b> |
|------------------|-------------------------------|--|---|------------------------------------|--|
| 22               | MPLS Port service at 300 Mbps | MPLS Port service at minimum line rate of 300 Mbps | MPLS Port service at minimum line rate of 300 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 18017                              | Yes  |
| 23               | MPLS Port service at 400 Mbps | MPLS Port service at minimum line rate of 400 Mbps | MPLS Port service at minimum line rate of 400 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 18018                              | Yes  |
| 24               | MPLS Port service at 500 Mbps | MPLS Port service at minimum line rate of 500 Mbps | MPLS Port service at minimum line rate of 500 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 18019                              | Yes  |
| 25               | MPLS Port service at 600 Mbps | MPLS Port service at minimum line rate of 600 Mbps | MPLS Port service at minimum line rate of 600 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 18020                              | Yes  |

| <b>Line Item</b> | <b>Feature Name</b>           | <b>Feature Description</b>                         | <b>Bidder's Product Description, Restrictions and Limitations</b>   | <b>Bidder's Product Identifier</b> | <b>Bidder Meets or Exceeds? Yes or No.</b> |
|------------------|-------------------------------|--|---|------------------------------------|--|
| 26               | MPLS Port service at 700 Mbps | MPLS Port service at minimum line rate of 700 Mbps | MPLS Port service at minimum line rate of 700 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 18022                              | Yes  |
| 27               | MPLS Port service at 1 Gbps   | MPLS Port service at minimum line rate of 1 Gbps   | MPLS Port service at minimum line rate of 1 Gbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities.   | 18025                              | Yes  |
| 28               | MPLS Port service at 2 Gbps   | MPLS Port service at minimum line rate of 2 Gbps   | MPLS Port service at minimum line rate of 2 Gbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities.   | 21943                              | Yes  |
| 29               | MPLS Port service at 3 Gbps   | MPLS Port service at minimum line rate of 3 Gbps   | MPLS Port service at minimum line rate of 3 Gbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities.   | 21945                              | Yes  |

| <b>Line Item</b> | <b>Feature Name</b>         | <b>Feature Description</b>                       | <b>Bidder's Product Description, Restrictions and Limitations</b>   | <b>Bidder's Product Identifier</b> | <b>Bidder Meets or Exceeds? Yes or No.</b> |
|------------------|-----------------------------|--|---|------------------------------------|--|
| 30               | MPLS Port service at 4 Gbps | MPLS Port service at minimum line rate of 4 Gbps | MPLS Port service at minimum line rate of 4 Gbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 21947                              | Yes  |
| 31               | MPLS Port service at 5 Gbps | MPLS Port service at minimum line rate of 5 Gbps | MPLS Port service at minimum line rate of 5 Gbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 21949                              | Yes  |
| 32               | MPLS Port service at 6 Gbps | MPLS Port service at minimum line rate of 6 Gbps | MPLS Port service at minimum line rate of 6 Gbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 21951                              | Yes  |
| 33               | MPLS Port service at 7 Gbps | MPLS Port service at minimum line rate of 7 Gbps | MPLS Port service at minimum line rate of 7 Gbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 21953                              | Yes  |

| <b>Line Item</b> | <b>Feature Name</b>          | <b>Feature Description</b>                        | <b>Bidder's Product Description, Restrictions and Limitations</b>  | <b>Bidder's Product Identifier</b> | <b>Bidder Meets or Exceeds? Yes or No.</b> |
|------------------|------------------------------|---|--|------------------------------------|--|
| 34               | MPLS Port service at 8 Gbps  | MPLS Port service at minimum line rate of 8 Gbps  | MPLS Port service at minimum line rate of 8 Gbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities.  | 21955                              | Yes  |
| 35               | MPLS Port service at 9 Gbps  | MPLS Port service at minimum line rate of 9 Gbps  | MPLS Port service at minimum line rate of 9 Gbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities.  | 21957                              | Yes  |
| 36               | MPLS Port service at 10 Gbps | MPLS Port service at minimum line rate of 10 Gbps | MPLS Port service at minimum line rate of 10 Gbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. | 21959                              | Yes  |

The Contractor may offer additional unsolicited MPLS Port Transport Speeds in Table 20.2.9.1.b.

Table 20.2.9.1.b – Unsolicited MPLS Port Transport Speeds

| <b>Line Item</b> | <b>Feature Name</b>              | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|----------------------------------|------------------------------------|---|
| 1                | MPLS Port Service at 1.544 Mbps  | 17986                              | MPLS Port Service at 1.544 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities.  |
| 2                | MPLS Port Service at 3.088 Mbps  | 17990                              | MPLS Port Service at 3.088 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities.  |
| 3                | MPLS Port Service at 4.632 Mbps  | 17992                              | MPLS Port Service at 4.632 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities.  |
| 4                | MPLS Port Service at 6.176 Mbps  | 17994                              | MPLS Port Service at 6.176 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities.  |
| 5                | MPLS Port Service at 7.720 Mbps  | 17996                              | MPLS Port Service at 7.720 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities.  |
| 6                | MPLS Port Service at 9.264 Mbps  | 17998                              | MPLS Port Service at 9.264 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities.  |
| 7                | MPLS Port Service at 10.808 Mbps | 18001                              | MPLS Port Service at 10.808 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. |
| 8                | MPLS Port Service at 45 Mbps     | 18013                              | MPLS Port Service at 45 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities.     |

| <b>Line Item</b> | <b>Feature Name</b>           | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|-------------------------------|------------------------------------|--|
| 9                | MPLS Port Service at 155 Mbps | 18015                              | MPLS Port Service at 155 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. |
| 10               | MPLS Port Service at 622 Mbps | 18021                              | MPLS Port Service at 622 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. |
| 11               | MPLS Port Service at 6 Mbps   | 19620                              | MPLS Port Service at 6 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities.   |
| 12               | MPLS Port Service at 8 Mbps   | 19622                              | MPLS Port Service at 8 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities.   |
| 13               | MPLS Port Service at 900 Mbps | 18024                              | MPLS Port Service at 900 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. |
| 14               | MPLS Port Service at 25 Mbps  | 18008                              | MPLS Port Service at 25 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities.  |
| 15               | MPLS Port Service at 75 Mbps  | 18011                              | MPLS Port Service at 75 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities.  |
| 16               | MPLS Port Service at 450 Mbps | 20401                              | MPLS Port Service at 450 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. |

| <b>Line Item</b> | <b>Feature Name</b>           | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|-------------------------------|------------------------------------|--|
| 17               | MPLS Port Service at 800 Mbps | 18023                              | MPLS Port Service at 800 Mbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. |
| 18               | MPLS Port Service at 2.5 Gbps | 21944                              | MPLS Port Service at 2.5 Gbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. |
| 19               | MPLS Port Service at 3.5 Gbps | 21946                              | MPLS Port Service at 3.5 Gbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. |
| 20               | MPLS Port Service at 4.5 Gbps | 21948                              | MPLS Port Service at 4.5 Gbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. |
| 21               | MPLS Port Service at 5.5 Gbps | 21950                              | MPLS Port Service at 5.5 Gbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. |
| 22               | MPLS Port Service at 6.5 Gbps | 21952                              | MPLS Port Service at 6.5 Gbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. |
| 23               | MPLS Port Service at 7.5 Gbps | 21954                              | MPLS Port Service at 7.5 Gbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. |
| 24               | MPLS Port Service at 8.5 Gbps | 21956                              | MPLS Port Service at 8.5 Gbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. |

| <b>Line Item</b> | <b>Feature Name</b>           | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|-------------------------------|------------------------------------|--|
| 25               | MPLS Port Service at 9.5 Gbps | 21958                              | MPLS Port Service at 9.5 Gbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. |
| 26               | MPLS Port Service at 20 Gbps  | 98225                              | MPLS Port Service at 20 Gbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities.  |
| 27               | MPLS Port Service at 30 Gbps  | 98226                              | MPLS Port Service at 30 Gbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities.  |
| 28               | MPLS Port Service at 40 Gbps  | 98227                              | MPLS Port Service at 40 Gbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities.  |
| 29               | MPLS Port Service at 50 Gbps  | 98228                              | MPLS Port Service at 50 Gbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities.  |
| 30               | MPLS Port Service at 60 Gbps  | 98229                              | MPLS Port Service at 60 Gbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities.  |
| 31               | MPLS Port Service at 100 Gbps | 98233                              | MPLS Port Service at 100 Gbps. Class of Service options are included. Access must be ordered separately to connect the MPLS port. Access is subject to availability of facilities. |

#### 20.2.9.2 MPLS Port and Access Bundled Transport Speeds

Table 20.2.9.2.a – MPLS Port and Access Bundled Transport Speeds

| Line Item | Feature Name                           | Feature Description   | Bidder's Product Description, Restrictions and Limitations   | Bidder's Product Identifier | Bidder Meets or Exceeds? Yes or No |
|-----------|--|---|--|-----------------------------|------------------------------------|
| 1         | MPLS Port and Access service at 1 Mbps | MPLS Port and Access service at minimum line rate of 1 Mbps | MPLS Port and Access on-net bundled service at minimum line rate of 1 Mbps. Class of Service options are included. | B7986                       | Yes                                |
| 2         | MPLS Port and Access service at 3 Mbps | MPLS Port and Access service at minimum line rate of 3 Mbps | MPLS Port and Access on-net bundled service at minimum line rate of 3 Mbps. Class of Service options are included. | B0002                       | Yes                                |
| 3         | MPLS Port and Access service at 4 Mbps | MPLS Port and Access service at minimum line rate of 4 Mbps | MPLS Port and Access on-net bundled service at minimum line rate of 4 Mbps. Class of Service options are included. | B4111                       | Yes                                |
| 4         | MPLS Port and Access service at 5 Mbps | MPLS Port and Access service at minimum line rate of 5 Mbps | MPLS Port and Access on-net bundled service at minimum line rate of 5 Mbps. Class of Service options are included. | B5111                       | Yes                                |
| 5         | MPLS Port and Access service at 7 Mbps | MPLS Port and Access service at minimum line rate of 7 Mbps | MPLS Port and Access on-net bundled service at minimum line rate of 7 Mbps. Class of Service options are included. | B7111                       | Yes                                |

| <b>Line Item</b> | <b>Feature Name</b>                     | <b>Feature Description</b>                                   | <b>Bidder's Product Description, Restrictions and Limitations</b>   | <b>Bidder's Product Identifier</b> | <b>Bidder Meets or Exceeds? Yes or No</b> |
|------------------|---|--|---|------------------------------------|---|
| 6                | MPLS Port and Access service at 9 Mbps  | MPLS Port and Access service at minimum line rate of 9 Mbps  | MPLS Port and Access on-net bundled service at minimum line rate of 9 Mbps. Class of Service options are included.  | B9111                              | Yes                                       |
| 7                | MPLS Port and Access service at 10 Mbps | MPLS Port and Access service at minimum line rate of 10 Mbps | MPLS Port and Access on-net bundled service at minimum line rate of 10 Mbps. Class of Service options are included. | B1011                              | Yes                                       |
| 8                | MPLS Port and Access service at 12 Mbps | MPLS Port and Access service at minimum line rate of 12 Mbps | MPLS Port and Access on-net bundled service at minimum line rate of 12 Mbps. Class of Service options are included. | B12111                             | Yes                                       |
| 9                | MPLS Port and Access service at 15 Mbps | MPLS Port and Access service at minimum line rate of 15 Mbps | MPLS Port and Access on-net bundled service at minimum line rate of 15 Mbps. Class of Service options are included. | B15111                             | Yes                                       |
| 10               | MPLS Port and Access service at 20 Mbps | MPLS Port and Access service at minimum line rate of 20 Mbps | MPLS Port and Access on-net bundled service at minimum line rate of 20 Mbps. Class of Service options are included. | B2011                              | Yes                                       |

| <b>Line Item</b> | <b>Feature Name</b>                     | <b>Feature Description</b>                                   | <b>Bidder's Product Description, Restrictions and Limitations</b>   | <b>Bidder's Product Identifier</b> | <b>Bidder Meets or Exceeds? Yes or No</b> |
|------------------|---|--|---|------------------------------------|---|
| 11               | MPLS Port and Access service at 30 Mbps | MPLS Port and Access service at minimum line rate of 30 Mbps | MPLS Port and Access on-net bundled service at minimum line rate of 30 Mbps. Class of Service options are included. | B3011                              | Yes                                       |
| 12               | MPLS Port and Access service at 40 Mbps | MPLS Port and Access service at minimum line rate of 40 Mbps | MPLS Port and Access on-net bundled service at minimum line rate of 40 Mbps. Class of Service options are included. | B4011                              | Yes                                       |
| 13               | MPLS Port and Access service at 50 Mbps | MPLS Port and Access service at minimum line rate of 50 Mbps | MPLS Port and Access on-net bundled service at minimum line rate of 50 Mbps. Class of Service options are included. | B5011                              | Yes                                       |
| 14               | MPLS Port and Access service at 60 Mbps | MPLS Port and Access service at minimum line rate of 60 Mbps | MPLS Port and Access on-net bundled service at minimum line rate of 60 Mbps. Class of Service options are included. | B6011                              | Yes                                       |
| 15               | MPLS Port and Access service at 70 Mbps | MPLS Port and Access service at minimum line rate of 70 Mbps | MPLS Port and Access on-net bundled service at minimum line rate of 70 Mbps. Class of Service options are included. | B7011                              | Yes                                       |

| <b>Line Item</b> | <b>Feature Name</b>                      | <b>Feature Description</b>                                    | <b>Bidder's Product Description, Restrictions and Limitations</b>  | <b>Bidder's Product Identifier</b> | <b>Bidder Meets or Exceeds? Yes or No</b> |
|------------------|--|---|--|------------------------------------|---|
| 16               | MPLS Port and Access service at 80 Mbps  | MPLS Port and Access service at minimum line rate of 80 Mbps  | MPLS Port and Access on-net bundled service at minimum line rate of 80 Mbps. Class of Service options are included.  | B8011                              | Yes                                       |
| 17               | MPLS Port and Access service at 90 Mbps  | MPLS Port and Access service at minimum line rate of 90 Mbps  | MPLS Port and Access on-net bundled service at minimum line rate of 90 Mbps. Class of Service options are included.  | B9011                              | Yes                                       |
| 18               | MPLS Port and Access service at 100 Mbps | MPLS Port and Access service at minimum line rate of 100 Mbps | MPLS Port and Access on-net bundled service at minimum line rate of 100 Mbps. Class of Service options are included. | B1001                              | Yes                                       |
| 19               | MPLS Port and Access service at 150 Mbps | MPLS Port and Access service at minimum line rate of 150 Mbps | MPLS Port and Access on-net bundled service at minimum line rate of 150 Mbps. Class of Service options are included. | B1501                              | Yes                                       |
| 20               | MPLS Port and Access service at 200 Mbps | MPLS Port and Access service at minimum line rate of 200 Mbps | MPLS Port and Access on-net bundled service at minimum line rate of 200 Mbps. Class of Service options are included. | B2001                              | Yes                                       |

| <b>Line Item</b> | <b>Feature Name</b>                      | <b>Feature Description</b>                                    | <b>Bidder's Product Description, Restrictions and Limitations</b>  | <b>Bidder's Product Identifier</b> | <b>Bidder Meets or Exceeds? Yes or No</b> |
|------------------|--|---|--|------------------------------------|---|
| 21               | MPLS Port and Access service at 250 Mbps | MPLS Port and Access service at minimum line rate of 250 Mbps | MPLS Port and Access on-net bundled service at minimum line rate of 250 Mbps. Class of Service options are included. | B2501                              | Yes                                       |
| 22               | MPLS Port and Access service at 300 Mbps | MPLS Port and Access service at minimum line rate of 300 Mbps | MPLS Port and Access on-net bundled service at minimum line rate of 300 Mbps. Class of Service options are included. | B3001                              | Yes                                       |
| 23               | MPLS Port and Access service at 400 Mbps | MPLS Port and Access service at minimum line rate of 400 Mbps | MPLS Port and Access on-net bundled service at minimum line rate of 400 Mbps. Class of Service options are included. | B4001                              | Yes                                       |
| 24               | MPLS Port and Access service at 500 Mbps | MPLS Port and Access service at minimum line rate of 500 Mbps | MPLS Port and Access on-net bundled service at minimum line rate of 500 Mbps. Class of Service options are included. | B5001                              | Yes                                       |
| 25               | MPLS Port and Access service at 600 Mbps | MPLS Port and Access service at minimum line rate of 600 Mbps | MPLS Port and Access on-net bundled service at minimum line rate of 600 Mbps. Class of Service options are included. | B6001                              | Yes                                       |

| <b>Line Item</b> | <b>Feature Name</b>                      | <b>Feature Description</b>                                    | <b>Bidder's Product Description, Restrictions and Limitations</b>  | <b>Bidder's Product Identifier</b> | <b>Bidder Meets or Exceeds? Yes or No</b> |
|------------------|--|---|--|------------------------------------|---|
| 26               | MPLS Port and Access service at 700 Mbps | MPLS Port and Access service at minimum line rate of 700 Mbps | MPLS Port and Access on-net bundled service at minimum line rate of 700 Mbps. Class of Service options are included. | B7001                              | Yes                                       |
| 27               | MPLS Port and Access service at 1 Gbps   | MPLS Port and Access service at minimum line rate of 1 Gbps   | MPLS Port and Access on-net bundled service at minimum line rate of 1 Gbps. Class of Service options are included.   | B1222                              | Yes                                       |
| 28               | MPLS Port and Access service at 2 Gbps   | MPLS Port and Access service at minimum line rate of 2 Gbps   | MPLS Port and Access on-net bundled service at minimum line rate of 2 Gbps. Class of Service options are included.   | B2222                              | Yes                                       |
| 29               | MPLS Port and Access service at 3 Gbps   | MPLS Port and Access service at minimum line rate of 3 Gbps   | MPLS Port and Access on-net bundled service at minimum line rate of 3 Gbps. Class of Service options are included.   | B3222                              | Yes                                       |
| 30               | MPLS Port and Access service at 4 Gbps   | MPLS Port and Access service at minimum line rate of 4 Gbps   | MPLS Port and Access on-net bundled service at minimum line rate of 4 Gbps. Class of Service options are included.   | B4222                              | Yes                                       |

| <b>Line Item</b> | <b>Feature Name</b>                    | <b>Feature Description</b>                                  | <b>Bidder's Product Description, Restrictions and Limitations</b>  | <b>Bidder's Product Identifier</b> | <b>Bidder Meets or Exceeds? Yes or No</b> |
|------------------|--|---|--|------------------------------------|---|
| 31               | MPLS Port and Access service at 5 Gbps | MPLS Port and Access service at minimum line rate of 5 Gbps | MPLS Port and Access on-net bundled service at minimum line rate of 5 Gbps. Class of Service options are included. | B5222                              | Yes                                       |
| 32               | MPLS Port and Access service at 6 Gbps | MPLS Port and Access service at minimum line rate of 6 Gbps | MPLS Port and Access on-net bundled service at minimum line rate of 6 Gbps. Class of Service options are included. | B6222                              | Yes                                       |
| 33               | MPLS Port and Access service at 7 Gbps | MPLS Port and Access service at minimum line rate of 7 Gbps | MPLS Port and Access on-net bundled service at minimum line rate of 7 Gbps. Class of Service options are included. | B7222                              | Yes                                       |
| 34               | MPLS Port and Access service at 8 Gbps | MPLS Port and Access service at minimum line rate of 8 Gbps | MPLS Port and Access on-net bundled service at minimum line rate of 8 Gbps. Class of Service options are included. | B8222                              | Yes                                       |
| 35               | MPLS Port and Access service at 9 Gbps | MPLS Port and Access service at minimum line rate of 9 Gbps | MPLS Port and Access on-net bundled service at minimum line rate of 9 Gbps. Class of Service options are included. | B9222                              | Yes                                       |

| <b>Line Item</b> | <b>Feature Name</b>                     | <b>Feature Description</b>                                   | <b>Bidder's Product Description, Restrictions and Limitations</b>   | <b>Bidder's Product Identifier</b> | <b>Bidder Meets or Exceeds? Yes or No</b> |
|------------------|---|--|---|------------------------------------|---|
| 36               | MPLS Port and Access service at 10 Gbps | MPLS Port and Access service at minimum line rate of 10 Gbps | MPLS Port and Access on-net bundled service at minimum line rate of 10 Gbps. Class of Service options are included. | B1022                              | Yes                                       |

The Contractor may offer additional unsolicited MPLS Port and Access Transport Speeds in Table 20.2.9.2.b.

Table 20.2.9.2.b – Unsolicited MPLS Port and Access Bundled Transport Speeds

| <b>Line Item</b> | <b>Feature Name</b>                         | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>                           |
|------------------|---|------------------------------------|---|
| 1                | MPLS Port and Access service at 3.088 Mbps  | B7990                              | MPLS Port and Access bundled service at 3.088 Mbps. Class of Service options are included.  |
| 2                | MPLS Port and Access service at 4.632 Mbps  | B7992                              | MPLS Port and Access bundled service at 4.632 Mbps. Class of Service options are included.  |
| 3                | MPLS Port and Access service at 6.176 Mbps  | B7994                              | MPLS Port and Access bundled service at 6.176 Mbps. Class of Service options are included.  |
| 4                | MPLS Port and Access service at 7.720 Mbps  | B7996                              | MPLS Port and Access bundled service at 7.720 Mbps. Class of Service options are included.  |
| 5                | MPLS Port and Access service at 9.264 Mbps  | B7998                              | MPLS Port and Access bundled service at 9.264 Mbps. Class of Service options are included.  |
| 6                | MPLS Port and Access service at 12.352 Mbps | B8003                              | MPLS Port and Access bundled service at 12.352 Mbps. Class of Service options are included. |

| Line Item | Feature Name                            | Bidder's Product Identifier | Bidder's Product Description, Restrictions and Limitations                              |
|-----------|---|-----------------------------|---|
| 7         | MPLS Port and Access service at 25 Mbps | B8008                       | MPLS Port and Access bundled service at 25 Mbps. Class of Service options are included. |
| 8         | MPLS Port and Access service at 45 Mbps | B8013                       | MPLS Port and Access bundled service at 45 Mbps. Class of Service options are included. |

### 20.2.9.3 MPLS Port, Access and Layer 3 Routing Device Bundled Transport Speeds

Table 20.2.9.3.a – MPLS Port, Access and Layer 3 Routing Device Bundled Transport Speeds

| Line Item | Feature Name   | Feature Description   | Bidder's Product Description, Restrictions and Limitations   | Bidder's Product Identifier | Bidder Meets or Exceeds? Yes or No |
|-----------|--|---|--|-----------------------------|------------------------------------|
| 1         | MPLS port, access and Layer 3 routing device bundled service at 1 Mbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 1 Mbps | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 1 Mbps. Class of Service options are included. | BM007                       | Yes                                |
| 2         | MPLS port, access and Layer 3 routing device bundled service at 3 Mbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 3 Mbps | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 3 Mbps. Class of Service options are included. | BM006                       | Yes                                |

| Line Item | Feature Name   | Feature Description   | Bidder's Product Description, Restrictions and Limitations   | Bidder's Product Identifier | Bidder Meets or Exceeds? Yes or No |
|-----------|--|---|--|-----------------------------|------------------------------------|
| 3         | MPLS port, access and Layer 3 routing device bundled service at 4 Mbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 4 Mbps | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 4 Mbps. Class of Service options are included. | BE104                       | Yes                                |
| 4         | MPLS port, access and Layer 3 routing device bundled service at 5 Mbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 5 Mbps | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 5 Mbps. Class of Service options are included. | BE105                       | Yes                                |
| 5         | MPLS port, access and Layer 3 routing device bundled service at 7 Mbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 7 Mbps | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 7 Mbps. Class of Service options are included. | BE107                       | Yes                                |
| 6         | MPLS port, access and Layer 3 routing device bundled service at 9 Mbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 9 Mbps | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 9 Mbps. Class of Service options are included. | BE109                       | Yes                                |

| Line Item | Feature Name  | Feature Description  | Bidder's Product Description, Restrictions and Limitations  | Bidder's Product Identifier | Bidder Meets or Exceeds? Yes or No |
|-----------|---|--|---|-----------------------------|------------------------------------|
| 7         | MPLS port, access and Layer 3 routing device bundled service at 10 Mbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 10 Mbps | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 10 Mbps. Class of Service options are included. | BE110                       | Yes                                |
| 8         | MPLS port, access and Layer 3 routing device bundled service at 12 Mbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 12 Mbps | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 12 Mbps. Class of Service options are included. | BE158                       | Yes                                |
| 9         | MPLS port, access and Layer 3 routing device bundled service at 15 Mbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 15 Mbps | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 15 Mbps. Class of Service options are included. | BE159                       | Yes                                |
| 10        | MPLS port, access and Layer 3 routing device bundled service at 20 Mbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 20 Mbps | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 20 Mbps. Class of Service options are included. | BE111                       | Yes                                |

| Line Item | Feature Name  | Feature Description  | Bidder's Product Description, Restrictions and Limitations  | Bidder's Product Identifier | Bidder Meets or Exceeds? Yes or No |
|-----------|---|--|---|-----------------------------|------------------------------------|
| 11        | MPLS port, access and Layer 3 routing device bundled service at 30 Mbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 30 Mbps | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 30 Mbps. Class of Service options are included. | BE112                       | Yes                                |
| 12        | MPLS port, access and Layer 3 routing device bundled service at 40 Mbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 40 Mbps | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 40 Mbps. Class of Service options are included. | BE113                       | Yes                                |
| 13        | MPLS port, access and Layer 3 routing device bundled service at 50 Mbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 50 Mbps | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 50 Mbps. Class of Service options are included. | BE114                       | Yes                                |
| 14        | MPLS port, access and Layer 3 routing device bundled service at 60 Mbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 60 Mbps | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 60 Mbps. Class of Service options are included. | BE115                       | Yes                                |

| Line Item | Feature Name   | Feature Description   | Bidder's Product Description, Restrictions and Limitations   | Bidder's Product Identifier | Bidder Meets or Exceeds? Yes or No |
|-----------|--|---|--|-----------------------------|------------------------------------|
| 15        | MPLS port, access and Layer 3 routing device bundled service at 70 Mbps  | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 70 Mbps  | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 70 Mbps. Class of Service options are included.  | BE116                       | Yes                                |
| 16        | MPLS port, access and Layer 3 routing device bundled service at 80 Mbps  | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 80 Mbps  | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 80 Mbps. Class of Service options are included.  | BE117                       | Yes                                |
| 17        | MPLS port, access and Layer 3 routing device bundled service at 90 Mbps  | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 90 Mbps  | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 90 Mbps. Class of Service options are included.  | BE118                       | Yes                                |
| 18        | MPLS port, access and Layer 3 routing device bundled service at 100 Mbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 100 Mbps | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 100 Mbps. Class of Service options are included. | BE119                       | Yes                                |

| Line Item | Feature Name   | Feature Description   | Bidder's Product Description, Restrictions and Limitations   | Bidder's Product Identifier | Bidder Meets or Exceeds? Yes or No |
|-----------|--|---|--|-----------------------------|------------------------------------|
| 19        | MPLS port, access and Layer 3 routing device bundled service at 150 Mbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 150 Mbps | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 150 Mbps. Class of Service options are included. | BE120                       | Yes                                |
| 20        | MPLS port, access and Layer 3 routing device bundled service at 200 Mbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 200 Mbps | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 200 Mbps. Class of Service options are included. | BE121                       | Yes                                |
| 21        | MPLS port, access and Layer 3 routing device bundled service at 250 Mbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 250 Mbps | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 250 Mbps. Class of Service options are included. | BE122                       | Yes                                |
| 22        | MPLS port, access and Layer 3 routing device bundled service at 300 Mbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 300 Mbps | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 300 Mbps. Class of Service options are included. | BE123                       | Yes                                |

| Line Item | Feature Name   | Feature Description   | Bidder's Product Description, Restrictions and Limitations   | Bidder's Product Identifier | Bidder Meets or Exceeds? Yes or No |
|-----------|--|---|--|-----------------------------|------------------------------------|
| 23        | MPLS port, access and Layer 3 routing device bundled service at 400 Mbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 400 Mbps | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 400 Mbps. Class of Service options are included. | BE124                       | Yes                                |
| 24        | MPLS port, access and Layer 3 routing device bundled service at 500 Mbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 500 Mbps | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 500 Mbps. Class of Service options are included. | BE126                       | Yes                                |
| 25        | MPLS port, access and Layer 3 routing device bundled service at 600 Mbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 600 Mbps | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 600 Mbps. Class of Service options are included. | BE127                       | Yes                                |
| 26        | MPLS port, access and Layer 3 routing device bundled service at 700 Mbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 700 Mbps | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 700 Mbps. Class of Service options are included. | BE128                       | Yes                                |

| Line Item | Feature Name   | Feature Description   | Bidder's Product Description, Restrictions and Limitations   | Bidder's Product Identifier | Bidder Meets or Exceeds? Yes or No |
|-----------|--|---|--|-----------------------------|------------------------------------|
| 27        | MPLS port, access and Layer 3 routing device bundled service at 1 Gbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 1 Gbps | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 1 Gbps. Class of Service options are included. | BE131                       | Yes                                |
| 28        | MPLS port, access and Layer 3 routing device bundled service at 2 Gbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 2 Gbps | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 2 Gbps. Class of Service options are included. | BE132                       | Yes                                |
| 29        | MPLS port, access and Layer 3 routing device bundled service at 3 Gbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 3 Gbps | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 3 Gbps. Class of Service options are included. | BE134                       | Yes                                |
| 30        | MPLS port, access and Layer 3 routing device bundled service at 4 Gbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 4 Gbps | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 4 Gbps. Class of Service options are included. | BE136                       | Yes                                |

| Line Item | Feature Name   | Feature Description   | Bidder's Product Description, Restrictions and Limitations   | Bidder's Product Identifier | Bidder Meets or Exceeds? Yes or No |
|-----------|--|---|--|-----------------------------|------------------------------------|
| 31        | MPLS port, access and Layer 3 routing device bundled service at 5 Gbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 5 Gbps   | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 5 Gbps. Class of Service options are included.   | BE138                       | Yes                                |
| 32        | MPLS port, access and Layer 3 routing device bundled service at 6 Gbps | MPLS port, access and Layer 3 routing device bundled service at a minimum line rate of 6 Gbps | MPLS port, access and Layer 3 routing device bundled on-net service at a minimum line rate of 6 Gbps. Class of Service options are included. | BE140                       | Yes                                |
| 33        | MPLS port, access and Layer 3 routing device bundled service at 7 Gbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 7 Gbps   | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 7 Gbps. Class of Service options are included.   | BE142                       | Yes                                |
| 34        | MPLS port, access and Layer 3 routing device bundled service at 8 Gbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 8 Gbps   | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 8 Gbps. Class of Service options are included.   | BE144                       | Yes                                |

| Line Item | Feature Name  | Feature Description   | Bidder's Product Description, Restrictions and Limitations  | Bidder's Product Identifier | Bidder Meets or Exceeds? Yes or No |
|-----------|---|---|---|-----------------------------|------------------------------------|
| 35        | MPLS port, access and Layer 3 routing device bundled service at 9 Gbps  | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 9 Gbps         | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 9 Gbps. Class of Service options are included.  | BE146                       | Yes                                |
| 36        | MPLS port, access and Layer 3 routing device bundled service at 10 Gbps | MPLS port, access and Layer 3 routing device bundled service at minimum line rate of 10 Gbps        | MPLS port, access and Layer 3 routing device bundled on-net service at minimum line rate of 10 Gbps. Class of Service options are included.   | BE148                       | Yes                                |
| 37        | Out-of-band access to the managed layer 3 routing device                | Out-of-band emergency access capability for emergency access to the managed layer 3 routing device. | Modem for Out of Band (OOB) Management for MRS router replaces analog OOB modem included with router. Eliminates need to provide separate phone line. Can only be used with AT&T Managed Router Solution (MRS) in Category 20 or AT&T Managed Router Solution (MRS) in Category 23. | MROOB                       | Yes                                |

The Contractor may offer additional unsolicited MPLS Port, Access and Layer 3 Routing Device Bundled Transport Speeds in Table 20.2.9.3.b.

Table 20.2.9.3.b – Unsolicited MPLS Port, Access and Layer 3 Routing Device Bundled Transport Speeds

| Line Item | Feature Name   | Bidder's Product Identifier | Bidder's Product Description, Restrictions and Limitations   |
|-----------|--|-----------------------------|--|
| 1         | MPLS port, access and Layer 3 routing device bundled service at 3.088 Mbps | BM008                       | MPLS port, access and Layer 3 routing device bundled service at 3.088 Mbps. Class of Service options are included. |
| 2         | MPLS port, access and Layer 3 routing device bundled service at 4.362 Mbps | BM009                       | MPLS port, access and Layer 3 routing device bundled service at 4.362 Mbps. Class of Service options are included. |
| 3         | MPLS port, access and Layer 3 routing device bundled service at 6.176 Mbps | BM013                       | MPLS port, access and Layer 3 routing device bundled service at 6.176 Mbps. Class of Service options are included. |
| 4         | MPLS port, access and Layer 3 routing device bundled service at 7.720 Mbps | BM011                       | MPLS port, access and Layer 3 routing device bundled service at 7.720 Mbps. Class of Service options are included. |

| <b>Line Item</b> | <b>Feature Name</b>   | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|---|------------------------------------|---|
| 5                | MPLS port, access and Layer 3 routing device bundled service at 9.264 Mbps        | BM012                              | MPLS port, access and Layer 3 routing device bundled service at 9.264 Mbps. Class of Service options are included.    |
| 6                | MPLS port, access and Layer 3 routing device bundled service at 12.352 Mbps       | BM014                              | MPLS port, access and Layer 3 routing device bundled service at 12.352 Mbps. Class of Service options are included.   |
| 7                | MPLS port, access and Layer 3 routing device bundled service at 25 Mbps           | BM018                              | MPLS port, access and Layer 3 routing device bundled service at 25 Mbps. Class of Service options are included.       |
| 8                | MPLS port, access and Layer 3 routing device bundled service at 45 Mbps           | BM021                              | MPLS port, access and Layer 3 routing device bundled service at 45 Mbps. Class of Service options are included.       |
| 9                | MPLS port, access and Layer 3 routing device bundled Eth On-Net service at 2 Mbps | BE102                              | MPLS port, on-net access and Layer 3 routing device bundled service at 2 Mbps. Class of Service options are included. |

| <b>Line Item</b> | <b>Feature Name</b>   | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|---|------------------------------------|---|
| 10               | MPLS port, access and Layer 3 routing device bundled Eth On-Net service at 6 Mbps   | BE106                              | MPLS port, on-net access and Layer 3 routing device bundled service at 6 Mbps. Class of Service options are included.   |
| 11               | MPLS port, access and Layer 3 routing device bundled Eth On-Net service at 8 Mbps   | BE108                              | MPLS port, on-net access and Layer 3 routing device bundled service at 8 Mbps. Class of Service options are included.   |
| 12               | MPLS port, access and Layer 3 routing device bundled Eth On-Net service at 450 Mbps | BE125                              | MPLS port, on-net access and Layer 3 routing device bundled service at 450 Mbps. Class of Service options are included. |
| 13               | MPLS port, access and Layer 3 routing device bundled Eth On-Net service at 800 Mbps | BE158                              | MPLS port, on-net access and Layer 3 routing device bundled service at 800 Mbps. Class of Service options are included. |
| 14               | MPLS port, access and Layer 3 routing device bundled Eth On-Net service at 900 Mbps | BE130                              | MPLS port, on-net access and Layer 3 routing device bundled service at 900 Mbps. Class of Service options are included. |

| <b>Line Item</b> | <b>Feature Name</b>   | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|---|------------------------------------|---|
| 15               | MPLS port, access and Layer 3 routing device bundled Eth On-Net service at 2.5 Gbps | BE133                              | MPLS port, on-net access and Layer 3 routing device bundled service at 2.5 Gbps. Class of Service options are included. |
| 16               | MPLS port, access and Layer 3 routing device bundled Eth On-Net service at 3.5 Gbps | BE135                              | MPLS port, on-net access and Layer 3 routing device bundled service at 3.5 Gbps. Class of Service options are included. |
| 17               | MPLS port, access and Layer 3 routing device bundled Eth On-Net service at 4.5 Gbps | BE137                              | MPLS port, on-net access and Layer 3 routing device bundled service at 4.5 Gbps. Class of Service options are included. |
| 18               | MPLS port, access and Layer 3 routing device bundled Eth On-Net service at 5.5 Gbps | BE139                              | MPLS port, on-net access and Layer 3 routing device bundled service at 5.5 Gbps. Class of Service options are included. |
| 19               | MPLS port, access and Layer 3 routing device bundled Eth On-Net service at 6.5 Gbps | BE141                              | MPLS port, on-net access and Layer 3 routing device bundled service at 6.5 Gbps. Class of Service options are included. |

| Line Item | Feature Name  | Bidder's Product Identifier | Bidder's Product Description, Restrictions and Limitations  |
|-----------|---|-----------------------------|---|
| 20        | MPLS port, access and Layer 3 routing device bundled Eth On-Net service at 7.5 Gbps | BE143                       | MPLS port, on-net access and Layer 3 routing device bundled service at 7.5 Gbps. Class of Service options are included. |
| 21        | MPLS port, access and Layer 3 routing device bundled Eth On-Net service at 8.5 Gbps | BE145                       | MPLS port, on-net access and Layer 3 routing device bundled service at 8.5 Gbps. Class of Service options are included. |
| 22        | MPLS port, access and Layer 3 routing device bundled Eth On-Net service at 9.5 Gbps | BE147                       | MPLS port, on-net access and Layer 3 routing device bundled service at 9.5 Gbps. Class of Service options are included. |

#### 20.2.9.4 MPLS Backup Options

If the Contractor provides LTE backup services for Managed Equipment the Contractor shall use current CALNET Cellular providers. All Bidders are required to indicate below that they understand the requirement regardless of their intent to provide LTE backup services.

**Bidder understands this requirement and shall meet or exceed it? Yes**

#### 20.2.10 Additional Unsolicited MPLS Services and Features

The Bidder may offer additional unsolicited MPLS Services and Features in Table 20.2.10.

Table 20.2.10 – Unsolicited MPLS Services and Features

| <b>Line Item</b> | <b>Feature Name</b>                                | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|--|------------------------------------|---|
| 1                | MPLS POP Diversity                                 | MPOPDIV                            | MPLS port POP Diversity. AT&T will provision each group of MPLS Ports to switches or routers at a different AT&T POPs or group of AT&T POPs. An MPLS Port may not be included in more than one POP Diversity Group.   |
| 2                | MPLS Port SDO                                      | PORTSDO                            | MPLS Port Switch Diversity Option<br>AT&T will provision each group of MPLS Ports to a different group of AT&T switches or routers at the same AT&T POP. An MPLS Port may not be included in more than one POP Diversity Group. Switch diversity is available up to 2 Gbps. |
| 3                | MPLS Unilink                                       | PORTUNI                            | Multiple logical connections on MPLS port; Allows multiple logical connections on AVPN port.  |
| 4                | Multi VPN Logical Channel Surcharge VPNs 1 - 20    | 23816                              | Multi VPN Logical Channel Surcharge VPNs 1 - 20   |
| 5                | Multi VPN Logical Channel Surcharge VPNs 21 - 80   | 23817                              | Multi VPN Logical Channel Surcharge VPNs 21 - 80  |
| 6                | Multi VPN Logical Channel Surcharge VPNs 81 - 150  | 23818                              | Multi VPN Logical Channel Surcharge VPNs 81 - 150   |
| 7                | Multi VPN Logical Channel Surcharge VPNs 151 - 350 | 23819                              | Multi VPN Logical Channel Surcharge VPNs 151 - 350  |
| 8                | Multi VPN Logical Channel Surcharge VPNs 351 - 500 | 23820                              | Multi VPN Logical Channel Surcharge VPNs 351 - 500  |

| <b>Line Item</b> | <b>Feature Name</b>              | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|----------------------------------|------------------------------------|---|
| 9                | AVPN Managed Router – Very Small | 18494                              | AVPN Managed Router (AT&T Owned) –Very Small. Installation of a Very Small size router, including basic inside wiring. Includes configuration, life-cycle maintenance and diagnostic monitoring. Base router with 4 FE LAN ports and 1 Ethernet WAN port. Includes LTE wireless. Supports up to 10 Mbps throughput. |
| 10               | AVPN Managed Router - Basic      | 18495                              | AVPN Managed Router (AT&T Owned) -Basic. Installation of a Basic size router, including basic inside wiring. Includes configuration, life-cycle maintenance and diagnostic monitoring. Supports 56kbps to 4xT1 WAN links.   |
| 11               | AVPN Managed Router -Small       | 18496                              | AVPN Managed Router (AT&T Owned) -Small. Installation of a Small size router, including basic inside wiring. Includes configuration, life-cycle maintenance and diagnostic monitoring. Supports 56kbps to 6xT1 WAN links.   |
| 12               | AVPN Managed Router -Medium      | 18497                              | AVPN Managed Router -Medium. Installation of a Medium size router, including basic inside wiring. Includes configuration, life-cycle maintenance and diagnostic monitoring. 56kbps to 8xT1 or WAN links.  |
| 13               | AVPN Managed Router- Large       | 18498                              | AVPN Managed Router (AT&T Owned) - Large .Installation of a Large size router, including basic inside wiring. Includes configuration, life-cycle maintenance and diagnostic   |

| <b>Line Item</b> | <b>Feature Name</b>                     | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|---|------------------------------------|---|
|                  |   |                                    | monitoring. Supports 56kbps to 8xT1, T3 or Ethernet to 100 Mbps WAN Link.   |
| 14               | AVPN Managed Router - XLarge            | 18499                              | AVPN Managed Router (AT&T Owned) - XLarge .Installation of an XLarge size router, including basic inside wiring. Includes configuration, life-cycle maintenance and diagnostic monitoring. Supports 56kbps to 8xT1, T3 or Ethernet to 100 Mbps WAN link.                |
| 15               | AVPN Managed Router - XLarge +          | 18500                              | AVPN Managed Router (AT&T Owned) - XLarge +. Installation of an XLarge+ size router, including basic inside wiring. Includes configuration, life-cycle maintenance and diagnostic monitoring. Supports 56kbps to 8xT1, T3, Ethernet to 200 Mbps, or OC3 WAN link.       |
| 16               | AVPN Managed Router - XXLarge           | 19205                              | AVPN Managed Router (AT&T Owned) - XXLarge. Installation of an XXLarge size router, including basic inside wiring. Includes configuration, life-cycle maintenance and diagnostic monitoring. Supports 56 Kbps to 8xT1, T3, Ethernet to 1000 Mbps, OC3 or OC12 WAN link. |
| 17               | AVPN Managed Internal CSU - Internal T1 | 18488                              | AVPN Managed Internal CSU (AT&T Owned) - Internal T1. Per serial port (<=T1 w/ CSU function) added & used on the router for either Frame Relay or Private Line connectivity.  |
| 18               | AVPN Managed Internal CSU- T3/DS3       | 18489                              | AVPN Managed Internal CSU (AT&T Owned) -T3/DS3. Per T3 port added & used on the router for Frame Relay connectivity.  |

| <b>Line Item</b> | <b>Feature Name</b>                       | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|---|------------------------------------|---|
| 19               | AVPN Managed Internal CSU - MLPPP         | 19926                              | AVPN Managed Internal CSU (AT&T Owned) - MLPPP. Per T1 port added & used on the router for MLPPP connectivity. One per MLPP port.   |
| 20               | AVPN Managed Internal CSU- T3/DS3 PPP     | 19928                              | AVPN Managed Internal CSU (AT&T Owned) - Internal T3/DS3 PPP protocol. Per T3 port added & used on the router for Private Line (PPP or Frame Encap) connectivity.   |
| 21               | AVPN Managed Internal CSU- Gig Eth- Low   | 21797                              | AVPN Managed Internal CSU (AT&T Owned) - Gig Ethernet - Low End. Gigabit Ethernet port with SFP LC connector and SX or LX/LH transceiver. Per port added.   |
| 22               | AVPN Managed Internal CSU- Gig Eth - High | 21798                              | AVPN Managed Internal CSU (AT&T Owned) - Gig Ethernet - High End. Gigabit Ethernet port Network Module with 1000BASE-T GBIC, or 1000BASE-SX Short Wavelength GBIC (Multimode only), or 1000BASE-LX/LH long haul GBIC (singlemode or multimode). Per port added. |
| 23               | AVPN Managed Internal CSU- Gig Eth Combo  | 21799                              | AVPN Managed Internal CSU (AT&T Owned) - Gig Ethernet Combo. Gigabit Ethernet port Network Module with 1000Base-ZX extended reach GBIC (singlemode). Per port added.  |
| 24               | AVPN Managed Internal CSU - OC3/STM1 ATM  | 21903                              | AVPN Managed Internal CSU (AT&T Owned) - OC3/STM1 ATM. Per OC3 ATM ports added.   |
| 25               | AVPN Managed Internal CSU- OC3/ STM1 PPP  | 21904                              | AVPN Managed Internal CSU (AT&T Owned) - OC3/ STM1 PPP. Per OC3 PPP ports added.  |
| 26               | AVPN Managed Internal CSU- OC12/ STM4 PPP | 21905                              | AVPN Managed Internal CSU (AT&T Owned) - OC12/ STM4 PPP. Per OC12 PPP ports added.  |

| <b>Line Item</b> | <b>Feature Name</b>                             | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|---|------------------------------------|--|
| 27               | AVPN Managed External CSU/DSU T1/E1             | 19933                              | External CSU/DSU per T1 port. V.35 connection to router. Required for Enhanced Reporting.  |
| 28               | AVPN Managed External In-line Probe NXT1/E1 PPP | 19935                              | External probed per NXT1 port for MLPPP connectivity. RJ45 connection to router. Required for Enhanced Reporting.  |
| 29               | AVPN Managed External Probe T3/E3 FR            | 19937                              | External Probe per T3 FR port. Coax interface to router. Required for Enhanced Reporting.  |
| 30               | AVPN Managed External Probe T3/E3 ATM           | 19936                              | External Probe per T3 ATM port. Coax interface to router. Required for Enhanced Reporting.   |
| 31               | AVPN Managed External Probe T3/E3 PPP           | 19938                              | External CSU per T3 PPP port. Coax interface to router. Required for Enhanced Reporting.   |
| 32               | AVPN Managed External Probe 10/100 Mbps         | 22663                              | External Probe per Ethernet 10/100 port. RJ-45 connection to router. Required for Enhanced Reporting.  |
| 33               | AVPN Managed External Probe 1 Gbps Ethernet     | 22664                              | External Probe per Ethernet 1 Gbps port. Fiber connection to router. Required for Enhanced Reporting.  |
| 34               | AVPN Managed Enhanced Reports                   | 19947                              | Enhanced network performance reporting. Requires external CSU/DSU or probe. Per CSU/DSU or probe. External CSU is required for AVPN Managed Enhanced Reports   |
| 35               | AVPN Managed Router - Add Protocol Support      | 18502                              | AVPN Managed (AT&T Owned) Router - Additional Protocol Support. SNA or IPX - Includes cost for additional IOS feature set required. In some cases additional router memory may be required in order to hold the IOS and allow the router to function. These additional memory costs are NOT covered under this charge, but will be charged under the Additional Memory feature |

| <b>Line Item</b> | <b>Feature Name</b>                  | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|--------------------------------------|------------------------------------|--|
| 36               | AVPN Managed Router- Add Serial Port | 18517                              | AVPN Managed (AT&T Owned) Router - Additional Serial Port. Per serial port added & used on the router  |
| 37               | AVPN Managed Router- Add LAN Port    | 18518                              | AVPN Managed (AT&T Owned) Router - Additional LAN Port .Per card added & used Token Ring, ethernet or Fast ethernet port in use on the router              |
| 38               | AVPN Managed Router- Add Memory XL   | 18516                              | AVPN Managed (AT&T Owned) Router - Additional Memory up to XL All available memory above the defaults are available at additional monthly recurring charge |
| 39               | AVPN Managed Router- Add Memory XL+  | 21906                              | AVPN Managed (AT&T Owned) Router - Additional Memory XL+. All available memory above the defaults are available at additional monthly recurring charge.    |
| 40               | AT&T Managed Router- Dual Power XL   | 23012                              | AT&T Managed (AT&T Owned) Router - Dual Power up to XL Added for routers equipped with dual power supplies.  |
| 41               | AT&T Managed Router- Dual Power XL+  | 21908                              | AT&T Managed (AT&T Owned) Router - Dual Power XL+ Added for routers equipped with dual power supplies.   |
| 42               | AT&T Managed Router- Dual Power XXL  | 21909                              | AT&T Managed (AT&T Owned) Router - Dual Power XXL. Added for routers equipped with dual power supplies.  |
| 43               | AVPN Managed Router- ISDN Backup BRI | 19728                              | AVPN Managed (AT&T Owned) Router- ISDN Backup BRI.Per BRI port in use on the router.   |
| 44               | AVPN Managed Router-ISDN Backup PRI  | 19729                              | AVPN Managed (AT&T Owned) Router-ISDN Backup PRI. Per PRI port in use on the router  |

| <b>Line Item</b> | <b>Feature Name</b>                        | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|--|------------------------------------|---|
| 45               | AT&T Managed Router-Multicast              | 22698                              | AT&T Managed (AT&T Owned) Router - Multicast .Added for routers configured with multicast feature.  |
| 46               | AVPN Managed-CSU Internal-Mobility         | 90081                              | 4G LTE EHWIC for ATT, 700 MHz Band 17 / HSPA+ for AVPN managed router.  |
| 47               | AVPN Managed Router Mobility-Failover-Low  | 90084                              | Wireless connection for sites with primary wireline access = 1M Ethernet & ≤ 1.5M (T1). Requires AVPN Managed Router with 90081, or AVPN Managed Very Small Router. AVPN Site Survey form - which confirms adequate signal strength - must be submitted to AT&T prior to test and turn-up. Customer self-survey available.  |
| 48               | AVPN Managed Router Mobility-Failover-High | 90088                              | For sites with primary wireline access = 2-5M Ethernet & 2xT1, 3xT1. Requires AVPN Managed Router with 90081, or AVPN Managed Very Small Router. AVPN Site Survey form – which confirms adequate signal strength - must be submitted to AT&T prior to test and turn-up. Customer self-survey available.   |
| 49               | ANIRA – VPN Manage Fee                     | 16940                              | ANIRA Monthly management fee for remote access users using Internet access. The AT&T Network Based IP VPN Remote Access (ANIRA) provides the ability to access AVPN. This service will provide remote access to AVPN. Customers using ANIRA can connect to a private VPN via wired or wireless internet service using the AT&T Global Network (AGN) Client. ANIRA uses dial-up, broadband |

| <b>Line Item</b> | <b>Feature Name</b>                  | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|--------------------------------------|------------------------------------|---|
|                  |                                      |                                    | (AT&T DSL or any third party), Wi-Fi, or cellular broadband to remotely access your data network without needing special VPN routers. Can only be used in conjunction with AT&T MPLS Port services in Category 20.  |
| 50               | ANIRA – Connection Type III 1 Mbps   | 22898                              | ANIRA – Bandwidth Connection Charge 1 Mbps. Connection to support aggregate bandwidth between gateway (VIG) and VPN. Monthly charge for redundant virtual connection from gateway to VPN. Sized for aggregate peak usage of connections per VPN. Can only be used in conjunction with AT&T MPLS Port services in Category 20.   |
| 51               | ANIRA – Connection Type III 1.5 Mbps | 22899                              | ANIRA – Bandwidth Connection Charge 1.5 Mbps. Connection to support aggregate bandwidth between gateway (VIG) and VPN. Monthly charge for redundant virtual connection from gateway to VPN. Sized for aggregate peak usage of connections per VPN. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 52               | ANIRA – Connection Type III 2 Mbps   | 22900                              | ANIRA – Bandwidth Connection Charge 2 Mbps. Connection to support aggregate bandwidth between gateway (VIG) and VPN. Monthly charge for redundant virtual connection from gateway to VPN. Sized for aggregate peak usage of connections per VPN. Can only be used in conjunction  |

| <b>Line Item</b> | <b>Feature Name</b>                | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|------------------------------------|------------------------------------|---|
|                  |                                    |                                    | with AT&T MPLS Port services in Category 20.  |
| 53               | ANIRA – Connection Type III 3 Mbps | 22901                              | ANIRA – Bandwidth Connection Charge 3 Mbps. Connection to support aggregate bandwidth between gateway (VIG) and VPN. Monthly charge for redundant virtual connection from gateway to VPN. Sized for aggregate peak usage of connections per VPN. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 54               | ANIRA – Connection Type III 4 Mbps | 22902                              | ANIRA – Bandwidth Connection Charge 4 Mbps. Connection to support aggregate bandwidth between gateway (VIG) and VPN. Monthly charge for redundant virtual connection from gateway to VPN. Sized for aggregate peak usage of connections per VPN. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 55               | ANIRA – Connection Type III 5 Mbps | 22903                              | ANIRA – Bandwidth Connection Charge 5 Mbps. Connection to support aggregate bandwidth between gateway (VIG) and VPN. Monthly charge for redundant virtual connection from gateway to VPN. Sized for aggregate peak usage of connections per VPN. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |

| <b>Line Item</b> | <b>Feature Name</b>                | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|------------------------------------|------------------------------------|---|
| 56               | ANIRA – Connection Type III 6 Mbps | 22904                              | ANIRA – Bandwidth Connection Charge 6 Mbps. Connection to support aggregate bandwidth between gateway (VIG) and VPN. Monthly charge for redundant virtual connection from gateway to VPN. Sized for aggregate peak usage of connections per VPN. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 57               | ANIRA – Connection Type III 7 Mbps | 22905                              | ANIRA – Bandwidth Connection Charge 7 Mbps. Connection to support aggregate bandwidth between gateway (VIG) and VPN. Monthly charge for redundant virtual connection from gateway to VPN. Sized for aggregate peak usage of connections per VPN. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 58               | ANIRA – Connection Type III 8 Mbps | 22906                              | ANIRA – Bandwidth Connection Charge 8 Mbps. Connection to support aggregate bandwidth between gateway (VIG) and VPN. Monthly charge for redundant virtual connection from gateway to VPN. Sized for aggregate peak usage of connections per VPN. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 59               | ANIRA – Connection Type III 9 Mbps | 22907                              | ANIRA – Bandwidth Connection Charge 9 Mbps. Connection to support aggregate bandwidth between gateway (VIG) and VPN. Monthly charge for redundant virtual connection from gateway to  |

| <b>Line Item</b> | <b>Feature Name</b>                 | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|-------------------------------------|------------------------------------|--|
|                  |                                     |                                    | VPN. Sized for aggregate peak usage of connections per VPN. Can only be used in conjunction with AT&T MPLS Port services in Category 20.   |
| 60               | ANIRA – Connection Type III 10 Mbps | 22908                              | ANIRA – Bandwidth Connection Charge 10 Mbps. Connection to support aggregate bandwidth between gateway (VIG) and VPN. Monthly charge for redundant virtual connection from gateway to VPN. Sized for aggregate peak usage of connections per VPN. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 61               | ANIRA – Connection Type III 20 Mbps | 22909                              | ANIRA – Bandwidth Connection Charge 20 Mbps. Connection to support aggregate bandwidth between gateway (VIG) and VPN. Monthly charge for redundant virtual connection from gateway to VPN. Sized for aggregate peak usage of connections per VPN. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 62               | ANIRA – Connection Type III 30 Mbps | 22910                              | ANIRA – Bandwidth Connection Charge 30 Mbps. Connection to support aggregate bandwidth between gateway (VIG) and VPN. Monthly charge for redundant virtual connection from gateway to VPN. Sized for aggregate peak usage of connections per VPN. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |

| <b>Line Item</b> | <b>Feature Name</b>                 | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|-------------------------------------|------------------------------------|--|
| 63               | ANIRA – Connection Type III 40 Mbps | 22911                              | ANIRA – Bandwidth Connection Charge 40 Mbps. Connection to support aggregate bandwidth between gateway (VIG) and VPN. Monthly charge for redundant virtual connection from gateway to VPN. Sized for aggregate peak usage of connections per VPN. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 64               | ANIRA – Connection Type III 50 Mbps | 22912                              | ANIRA – Bandwidth Connection Charge 50 Mbps. Connection to support aggregate bandwidth between gateway (VIG) and VPN. Monthly charge for redundant virtual connection from gateway to VPN. Sized for aggregate peak usage of connections per VPN. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 65               | ANIRA – Connection Type III 60 Mbps | 22913                              | ANIRA – Bandwidth Connection Charge 60 Mbps. Connection to support aggregate bandwidth between gateway (VIG) and VPN. Monthly charge for redundant virtual connection from gateway to VPN. Sized for aggregate peak usage of connections per VPN. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 66               | ANIRA – Connection Type III 70 Mbps | 22914                              | ANIRA – Bandwidth Connection Charge 70 Mbps. Connection to support aggregate bandwidth between gateway (VIG) and VPN. Monthly charge for redundant virtual connection from gateway to  |

| <b>Line Item</b> | <b>Feature Name</b>                  | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|--------------------------------------|------------------------------------|---|
|                  |                                      |                                    | VPN. Sized for aggregate peak usage of connections per VPN. Can only be used in conjunction with AT&T MPLS Port services in Category 20.  |
| 67               | ANIRA – Connection Type III 80 Mbps  | 22915                              | ANIRA – Bandwidth Connection Charge 80 Mbps. Connection to support aggregate bandwidth between gateway (VIG) and VPN. Monthly charge for redundant virtual connection from gateway to VPN. Sized for aggregate peak usage of connections per VPN. Can only be used in conjunction with AT&T MPLS Port services in Category 20.  |
| 68               | ANIRA – Connection Type III 90 Mbps  | 22916                              | ANIRA – Bandwidth Connection Charge 90 Mbps. Connection to support aggregate bandwidth between gateway (VIG) and VPN. Monthly charge for redundant virtual connection from gateway to VPN. Sized for aggregate peak usage of connections per VPN. Can only be used in conjunction with AT&T MPLS Port services in Category 20.  |
| 69               | ANIRA – Connection Type III 100 Mbps | 22917                              | ANIRA – Bandwidth Connection Charge 100 Mbps. Connection to support aggregate bandwidth between gateway (VIG) and VPN. Monthly charge for redundant virtual connection from gateway to VPN. Sized for aggregate peak usage of connections per VPN. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |

| <b>Line Item</b> | <b>Feature Name</b>                  | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|--------------------------------------|------------------------------------|---|
| 70               | ANIRA – Connection Type III 200 Mbps | 22918                              | ANIRA – Bandwidth Connection Charge 200 Mbps. Connection to support aggregate bandwidth between gateway (VIG) and VPN. Monthly charge for redundant virtual connection from gateway to VPN. Sized for aggregate peak usage of connections per VPN. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 71               | ANIRA – Connection Type III 500 Mbps | 22921                              | ANIRA – Bandwidth Connection Charge 500 Mbps. Connection to support aggregate bandwidth between gateway (VIG) and VPN. Monthly charge for redundant virtual connection from gateway to VPN. Sized for aggregate peak usage of connections per VPN. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 72               | ANIRA – Connection Type III 1 Gbps   | 24866                              | ANIRA – Bandwidth Connection Charge 1 Gbps. Connection to support aggregate bandwidth between gateway (VIG) and VPN. Monthly charge for redundant virtual connection from gateway to VPN. Sized for aggregate peak usage of connections per VPN. Can only be used in conjunction with AT&T MPLS Port services in Category 20.   |
| 73               | ANIRA SOHO Hi-end CPE                | 19239                              | ANIRA SOHO Hi-end CPE. AT&T Owned and managed multi-user remote access device. Can only be used in conjunction with AT&T MPLS Port services in Category 20.   |

| <b>Line Item</b> | <b>Feature Name</b>            | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|--------------------------------|------------------------------------|--|
| 74               | Primary Network Based Firewall | NBFWP                              | AT&T-Primary NBFW Service will enable businesses to support and enforce sophisticated network Security Policies from one or more of the AT&T Internet Data Centers where the Network Based Security platform reside, also referred to as the Security Data Center (SDC). Customers are able to more efficiently implement a consistent Security Policy for multiple sites. Network Based Firewall enforces traffic separation among Customers by enabling Virtual Local Area Network (VLAN) tagging. For Customers who wish to make use of the AT&T Network Based Firewall service, AT&T will establish a Private Virtual Circuit (PVC) from a Customer location to the service in order to filter the traffic coming in or going to the Internet. The type of PVC will vary based on the Customer's WAN architecture. Traffic separation is designed to occur without tunneling or encryption. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |

| <b>Line Item</b> | <b>Feature Name</b>                | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|------------------------------------|------------------------------------|--|
| 75               | Enhanced Network Based Firewall    | NBFWE                              | AT&T-Enhance NBFW Service will enable businesses to support and enforce sophisticated network Security Policies from one or more of the AT&T Internet Data Centers where the Network Based Security platform reside, also referred to as the Security Data Center (SDC). Customers are able to more efficiently implement a consistent Security Policy for multiple sites. Network Based Firewall enforces traffic separation among Customers by enabling Virtual Local Area Network (VLAN) tagging. For Customers who wish to make use of the AT&T Network Based Firewall service, AT&T will establish a Private Virtual Circuit (PVC) from a Customer location to the service in order to filter the traffic coming in or going to the Internet. The type of PVC will vary based on the Customer's WAN architecture. Traffic separation is designed to occur without tunneling or encryption. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 76               | Additional Public IP Addresses (2) | NBFWIP                             | Additional Public IPv4 Addresses (blocks of 2). If more than the allocated number of IPv4 addresses for the chosen Service Level are needed, extra IP addresses can be requested.  |
| 77               | NBFW Bandwidth 1 Mbps              | NBFW1                              | NBFW Bandwidth between the VPN and Network-Based Firewall 1 Mbps. Must be combined with either the Primary NBFW or   |

| <b>Line Item</b> | <b>Feature Name</b>   | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|-----------------------|------------------------------------|--|
|                  |                       |                                    | Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20.  |
| 78               | NBFW Bandwidth 2 Mbps | NBFW2                              | NBFW Bandwidth between the VPN and Network-Based Firewall 2 Mbps. Must be combined with either the Primary NBFW or Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 79               | NBFW Bandwidth 3 Mbps | NBFW3                              | NBFW Bandwidth between the VPN and Network-Based Firewall 3 Mbps. Must be combined with either the Primary NBFW or Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 80               | NBFW Bandwidth 4 Mbps | NBFW4                              | NBFW Bandwidth between the VPN and Network-Based Firewall 4 Mbps. Must be combined with either the Primary NBFW or Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 81               | NBFW Bandwidth 5 Mbps | NBFW5                              | NBFW Bandwidth between the VPN and Network-Based Firewall 5 Mbps. Must be combined with either the Primary NBFW or Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 82               | NBFW Bandwidth 6 Mbps | NBFW6                              | NBFW Bandwidth between the VPN and Network-Based Firewall 6 Mbps. Must be combined with either the Primary NBFW or Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |

| <b>Line Item</b> | <b>Feature Name</b>    | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|------------------------|------------------------------------|---|
| 83               | NBFW Bandwidth 7 Mbps  | NBFW7                              | NBFW Bandwidth between the VPN and Network-Based Firewall 7 Mbps. Must be combined with either the Primary NBFW or Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20.  |
| 84               | NBFW Bandwidth 8 Mbps  | NBFW8                              | NBFW Bandwidth between the VPN and Network-Based Firewall 8 Mbps. Must be combined with either the Primary NBFW or Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20.  |
| 85               | NBFW Bandwidth 9 Mbps  | NBFW9                              | NBFW Bandwidth between the VPN and Network-Based Firewall 9 Mbps. Must be combined with either the Primary NBFW or Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20.  |
| 86               | NBFW Bandwidth 10 Mbps | NBFW10                             | NBFW Bandwidth between the VPN and Network-Based Firewall 10 Mbps. Must be combined with either the Primary NBFW or Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 87               | NBFW Bandwidth 20 Mbps | NBFW11                             | NBFW Bandwidth between the VPN and Network-Based Firewall 20 Mbps. Must be combined with either the Primary NBFW or Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 88               | NBFW Bandwidth 30 Mbps | NBFW12                             | NBFW Bandwidth between the VPN and Network-Based Firewall 30 Mbps. Must be combined with either the Primary NBFW or   |

| <b>Line Item</b> | <b>Feature Name</b>    | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|------------------------|------------------------------------|---|
|                  |                        |                                    | Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20.   |
| 89               | NBFW Bandwidth 40 Mbps | NBFW13                             | NBFW Bandwidth between the VPN and Network-Based Firewall 40 Mbps. Must be combined with either the Primary NBFW or Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 90               | NBFW Bandwidth 50 Mbps | NBFW14                             | NBFW Bandwidth between the VPN and Network-Based Firewall 50 Mbps. Must be combined with either the Primary NBFW or Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 91               | NBFW Bandwidth 60 Mbps | NBFW15                             | NBFW Bandwidth between the VPN and Network-Based Firewall 60 Mbps. Must be combined with either the Primary NBFW or Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 92               | NBFW Bandwidth 70 Mbps | NBFW16                             | NBFW Bandwidth between the VPN and Network-Based Firewall 70 Mbps. Must be combined with either the Primary NBFW or Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 93               | NBFW Bandwidth 80 Mbps | NBFW17                             | NBFW Bandwidth between the VPN and Network-Based Firewall 80 Mbps. Must be combined with either the Primary NBFW or Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |

| <b>Line Item</b> | <b>Feature Name</b>     | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|-------------------------|------------------------------------|--|
| 94               | NBFW Bandwidth 90 Mbps  | NBFW18                             | NBFW Bandwidth between the VPN and Network-Based Firewall 90 Mbps. Must be combined with either the Primary NBFW or Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20.  |
| 95               | NBFW Bandwidth 100 mbps | NBFW19                             | NBFW Bandwidth between the VPN and Network-Based Firewall 100 Mbps. Must be combined with either the Primary NBFW or Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 96               | NBFW Bandwidth 150 Mbps | NBFW20                             | NBFW Bandwidth between the VPN and Network-Based Firewall 150 Mbps. Must be combined with either the Primary NBFW or Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 97               | NBFW Bandwidth 200 Mbps | NBFW21                             | NBFW Bandwidth between the VPN and Network-Based Firewall 200 Mbps. Must be combined with either the Primary NBFW or Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 98               | NBFW Bandwidth 250 Mbps | NBFW22                             | NBFW Bandwidth between the VPN and Network-Based Firewall 250 Mbps. Must be combined with either the Primary NBFW or Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 99               | NBFW Bandwidth 300 Mbps | NBFW23                             | NBFW Bandwidth between the VPN and Network-Based Firewall 300 Mbps. Must be combined with either the Primary NBFW or   |

| <b>Line Item</b> | <b>Feature Name</b>     | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|-------------------------|------------------------------------|--|
|                  |                         |                                    | Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20.  |
| 100              | NBFW Bandwidth 400 Mbps | NBFW24                             | NBFW Bandwidth between the VPN and Network-Based Firewall 400 Mbps. Must be combined with either the Primary NBFW or Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 101              | NBFW Bandwidth 450 Mbps | NBFW25                             | NBFW Bandwidth between the VPN and Network-Based Firewall 450 Mbps. Must be combined with either the Primary NBFW or Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 102              | NBFW Bandwidth 500 Mbps | NBFW26                             | NBFW Bandwidth between the VPN and Network-Based Firewall 500 Mbps. Must be combined with either the Primary NBFW or Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 103              | NBFW Bandwidth 600 Mbps | NBFW27                             | NBFW Bandwidth between the VPN and Network-Based Firewall 600 Mbps. Must be combined with either the Primary NBFW or Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |
| 104              | NBFW Bandwidth 700 Mbps | NBFW28                             | NBFW Bandwidth between the VPN and Network-Based Firewall 700 Mbps. Must be combined with either the Primary NBFW or Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20. |

| <b>Line Item</b> | <b>Feature Name</b>        | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|----------------------------|------------------------------------|---|
| 105              | NBFW Bandwidth 800 Mbps    | NBFW29                             | NBFW Bandwidth between the VPN and Network-Based Firewall 800 Mbps. Must be combined with either the Primary NBFW or Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20.  |
| 106              | NBFW Bandwidth 900 Mbps    | NBFW30                             | NBFW Bandwidth between the VPN and Network-Based Firewall 900 Mbps. Must be combined with either the Primary NBFW or Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20.  |
| 107              | NBFW Bandwidth 1,000 Mbps  | NBFW31                             | NBFW Bandwidth between the VPN and Network-Based Firewall 1,000 Mbps. Must be combined with either the Primary NBFW or Enhanced NBFW. Can only be used in conjunction with AT&T MPLS Port services in Category 20.  |
| 108              | Netbond Standard VNC - 1Mb | NBOND1                             | Netbond Standard VNC - 1Mb. AT&T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&T network service using Virtual Network Connections (VNCs) provided by AT&T. The primary service component of AT&T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network |

| <b>Line Item</b> | <b>Feature Name</b>        | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|----------------------------|------------------------------------|---|
|                  |                            |                                    | transport infrastructure, connecting the Customer AT&T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&T network service to the supported cloud service provider platform. Only connections between a supported AT&T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&T NetBond Service are requested using the AT&TNetbond Portal. Service Activation for AT&T NetBond Service occurs upon notice by AT&T to Customer that the VNC is available for use by Customer. |
| 109              | Netbond Standard VNC - 3Mb | NBOND2                             | Netbond Standard VNC - 3Mb. AT&T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&T network service using Virtual Network Connections (VNCs) provided by AT&T. The primary service component of AT&T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network   |

| <b>Line Item</b> | <b>Feature Name</b>         | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|-----------------------------|------------------------------------|---|
|                  |                             |                                    | transport infrastructure, connecting the Customer AT&T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&T network service to the supported cloud service provider platform. Only connections between a supported AT&T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&T NetBond Service are requested using the AT&TNetbond Portal. Service Activation for AT&T NetBond Service occurs upon notice by AT&T to Customer that the VNC is available for use by Customer. |
| 110              | Netbond Standard VNC - 10Mb | NBOND3                             | Netbond Standard VNC - 10Mb. AT&T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&T network service using Virtual Network Connections (VNCs) provided by AT&T. The primary service component of AT&T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network  |

| <b>Line Item</b> | <b>Feature Name</b>         | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|-----------------------------|------------------------------------|---|
|                  |                             |                                    | transport infrastructure, connecting the Customer AT&T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&T network service to the supported cloud service provider platform. Only connections between a supported AT&T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&T NetBond Service are requested using the AT&TNetbond Portal. Service Activation for AT&T NetBond Service occurs upon notice by AT&T to Customer that the VNC is available for use by Customer. |
| 111              | Netbond Standard VNC - 25Mb | NBOND4                             | Netbond Standard VNC - 25Mb. AT&T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&T network service using Virtual Network Connections (VNCs) provided by AT&T. The primary service component of AT&T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network  |

| <b>Line Item</b> | <b>Feature Name</b>         | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|-----------------------------|------------------------------------|--|
|                  |                             |                                    | <p>transport infrastructure, connecting the Customer AT&amp;T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&amp;T network service to the supported cloud service provider platform. Only connections between a supported AT&amp;T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&amp;T NetBond Service are requested using the AT&amp;TNetbond Portal. Service Activation for AT&amp;T NetBond Service occurs upon notice by AT&amp;T to Customer that the VNC is available for use by Customer.</p> |
| 112              | Netbond Standard VNC - 40Mb | NBOND5                             | <p>Netbond Standard VNC - 40Mb. AT&amp;T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&amp;T network service using Virtual Network Connections (VNCs) provided by AT&amp;T. The primary service component of AT&amp;T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&amp;T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network</p>  |

| <b>Line Item</b> | <b>Feature Name</b>          | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|------------------------------|------------------------------------|--|
|                  |                              |                                    | <p>transport infrastructure, connecting the Customer AT&amp;T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&amp;T network service to the supported cloud service provider platform. Only connections between a supported AT&amp;T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&amp;T NetBond Service are requested using the AT&amp;TNetbond Portal. Service Activation for AT&amp;T NetBond Service occurs upon notice by AT&amp;T to Customer that the VNC is available for use by Customer.</p> |
| 113              | Netbond Standard VNC - 100Mb | NBOND6                             | <p>Netbond Standard VNC - 100Mb. AT&amp;T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&amp;T network service using Virtual Network Connections (VNCs) provided by AT&amp;T. The primary service component of AT&amp;T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&amp;T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network</p>   |

| <b>Line Item</b> | <b>Feature Name</b>          | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|------------------------------|------------------------------------|---|
|                  |                              |                                    | transport infrastructure, connecting the Customer AT&T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&T network service to the supported cloud service provider platform. Only connections between a supported AT&T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&T NetBond Service are requested using the AT&TNetbond Portal. Service Activation for AT&T NetBond Service occurs upon notice by AT&T to Customer that the VNC is available for use by Customer. |
| 114              | Netbond Standard VNC - 155Mb | NBOND7                             | Netbond Standard VNC - 155Mb. AT&T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&T network service using Virtual Network Connections (VNCs) provided by AT&T. The primary service component of AT&T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network   |

| <b>Line Item</b> | <b>Feature Name</b>          | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|------------------------------|------------------------------------|--|
|                  |                              |                                    | <p>transport infrastructure, connecting the Customer AT&amp;T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&amp;T network service to the supported cloud service provider platform. Only connections between a supported AT&amp;T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&amp;T NetBond Service are requested using the AT&amp;TNetbond Portal. Service Activation for AT&amp;T NetBond Service occurs upon notice by AT&amp;T to Customer that the VNC is available for use by Customer.</p> |
| 115              | Netbond Standard VNC - 300Mb | NBOND8                             | <p>Netbond Standard VNC - 300Mb. AT&amp;T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&amp;T network service using Virtual Network Connections (VNCs) provided by AT&amp;T. The primary service component of AT&amp;T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&amp;T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network</p>   |

| <b>Line Item</b> | <b>Feature Name</b>          | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|------------------------------|------------------------------------|---|
|                  |                              |                                    | transport infrastructure, connecting the Customer AT&T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&T network service to the supported cloud service provider platform. Only connections between a supported AT&T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&T NetBond Service are requested using the AT&TNetbond Portal. Service Activation for AT&T NetBond Service occurs upon notice by AT&T to Customer that the VNC is available for use by Customer. |
| 116              | Netbond Standard VNC - 600Mb | NBOND9                             | Netbond Standard VNC - 600Mb. AT&T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&T network service using Virtual Network Connections (VNCs) provided by AT&T. The primary service component of AT&T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network   |

| <b>Line Item</b> | <b>Feature Name</b>          | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|------------------------------|------------------------------------|---|
|                  |                              |                                    | transport infrastructure, connecting the Customer AT&T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&T network service to the supported cloud service provider platform. Only connections between a supported AT&T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&T NetBond Service are requested using the AT&TNetbond Portal. Service Activation for AT&T NetBond Service occurs upon notice by AT&T to Customer that the VNC is available for use by Customer. |
| 117              | Netbond Standard VNC - 800Mb | NBOND10                            | Netbond Standard VNC - 800Mb. AT&T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&T network service using Virtual Network Connections (VNCs) provided by AT&T. The primary service component of AT&T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network   |

| <b>Line Item</b> | <b>Feature Name</b>            | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|--------------------------------|------------------------------------|--|
|                  |                                |                                    | <p>transport infrastructure, connecting the Customer AT&amp;T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&amp;T network service to the supported cloud service provider platform. Only connections between a supported AT&amp;T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&amp;T NetBond Service are requested using the AT&amp;TNetbond Portal. Service Activation for AT&amp;T NetBond Service occurs upon notice by AT&amp;T to Customer that the VNC is available for use by Customer.</p> |
| 118              | Netbond Standard VNC - 1,000Mb | NBOND11                            | <p>Netbond Standard VNC - 1,000Mb. AT&amp;T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&amp;T network service using Virtual Network Connections (VNCs) provided by AT&amp;T. The primary service component of AT&amp;T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&amp;T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network</p>   |

| <b>Line Item</b> | <b>Feature Name</b>            | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|--------------------------------|------------------------------------|--|
|                  |                                |                                    | <p>transport infrastructure, connecting the Customer AT&amp;T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&amp;T network service to the supported cloud service provider platform. Only connections between a supported AT&amp;T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&amp;T NetBond Service are requested using the AT&amp;TNetbond Portal. Service Activation for AT&amp;T NetBond Service occurs upon notice by AT&amp;T to Customer that the VNC is available for use by Customer.</p> |
| 119              | Netbond Standard VNC - 2,000Mb | NBOND12                            | <p>Netbond Standard VNC - 2,000Mb. AT&amp;T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&amp;T network service using Virtual Network Connections (VNCs) provided by AT&amp;T. The primary service component of AT&amp;T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&amp;T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network</p>   |

| <b>Line Item</b> | <b>Feature Name</b>            | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|--------------------------------|------------------------------------|---|
|                  |                                |                                    | transport infrastructure, connecting the Customer AT&T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&T network service to the supported cloud service provider platform. Only connections between a supported AT&T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&T NetBond Service are requested using the AT&TNetbond Portal. Service Activation for AT&T NetBond Service occurs upon notice by AT&T to Customer that the VNC is available for use by Customer. |
| 120              | Netbond Standard VNC - 3,000Mb | NBOND13                            | Netbond Standard VNC - 3,000Mb. AT&T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&T network service using Virtual Network Connections (VNCs) provided by AT&T. The primary service component of AT&T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network   |

| <b>Line Item</b> | <b>Feature Name</b>            | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|--------------------------------|------------------------------------|---|
|                  |                                |                                    | transport infrastructure, connecting the Customer AT&T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&T network service to the supported cloud service provider platform. Only connections between a supported AT&T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&T NetBond Service are requested using the AT&TNetbond Portal. Service Activation for AT&T NetBond Service occurs upon notice by AT&T to Customer that the VNC is available for use by Customer. |
| 121              | Netbond Standard VNC - 4,000Mb | NBOND14                            | Netbond Standard VNC - 4,000Mb. AT&T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&T network service using Virtual Network Connections (VNCs) provided by AT&T. The primary service component of AT&T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network   |

| <b>Line Item</b> | <b>Feature Name</b>            | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|--------------------------------|------------------------------------|---|
|                  |                                |                                    | transport infrastructure, connecting the Customer AT&T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&T network service to the supported cloud service provider platform. Only connections between a supported AT&T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&T NetBond Service are requested using the AT&TNetbond Portal. Service Activation for AT&T NetBond Service occurs upon notice by AT&T to Customer that the VNC is available for use by Customer. |
| 122              | Netbond Standard VNC - 5,000Mb | NBOND15                            | Netbond Standard VNC - 5,000Mb. AT&T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&T network service using Virtual Network Connections (VNCs) provided by AT&T. The primary service component of AT&T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network   |

| <b>Line Item</b> | <b>Feature Name</b>                 | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|-------------------------------------|------------------------------------|---|
|                  |                                     |                                    | transport infrastructure, connecting the Customer AT&T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&T network service to the supported cloud service provider platform. Only connections between a supported AT&T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&T NetBond Service are requested using the AT&TNetbond Portal. Service Activation for AT&T NetBond Service occurs upon notice by AT&T to Customer that the VNC is available for use by Customer. |
| 123              | Netbond Standard VNC Overage - 1Mb  | NBOND16                            | Netbond Standard VNC Overage - 1Mb. Calculated usage over the Minimum Bandwidth Commitment.   |
| 124              | Netbond Standard VNC Overage - 3Mb  | NBOND17                            | Netbond Standard VNC Overage - 3Mb. Calculated usage over the Minimum Bandwidth Commitment.   |
| 125              | Netbond Standard VNC Overage - 10Mb | NBOND18                            | Netbond Standard VNC Overage - 10Mb. Calculated usage over the Minimum Bandwidth Commitment.  |
| 126              | Netbond Standard VNC Overage - 25Mb | NBOND19                            | Netbond Standard VNC Overage - 25Mb. Calculated usage over the Minimum Bandwidth Commitment.  |
| 127              | Netbond Standard VNC Overage - 40Mb | NBOND20                            | Netbond Standard VNC Overage - 40Mb. Calculated usage over the Minimum Bandwidth Commitment.  |
| 128              | Netbond Standard VNC                | NBOND21                            | Netbond Standard VNC Overage - 100Mb. Calculated usage over the Minimum Bandwidth Commitment.   |

| <b>Line Item</b> | <b>Feature Name</b>                   | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>                              |
|------------------|---------------------------------------|------------------------------------|--|
|                  | Overage - 100Mb                       |                                    |  |
| 129              | Netbond Standard VNC Overage - 155Mb  | NBOND22                            | Netbond Standard VNC Overage - 155Mb. Calculated usage over the Minimum Bandwidth Commitment.  |
| 130              | Netbond Standard VNC Overage - 300Mb  | NBOND23                            | Netbond Standard VNC Overage - 300Mb. Calculated usage over the Minimum Bandwidth Commitment.  |
| 131              | Netbond Standard VNC Overage - 600Mb  | NBOND24                            | Netbond Standard VNC Overage - 600Mb. Calculated usage over the Minimum Bandwidth Commitment.  |
| 132              | Netbond Standard VNC Overage - 800Mb  | NBOND25                            | Netbond Standard VNC Overage - 800Mb. Calculated usage over the Minimum Bandwidth Commitment.  |
| 133              | Netbond Standard VNC Overage - 1000Mb | NBOND26                            | Netbond Standard VNC Overage - 1000Mb. Calculated usage over the Minimum Bandwidth Commitment. |
| 134              | Netbond Standard VNC Overage - 2000Mb | NBOND27                            | Netbond Standard VNC Overage - 2000Mb. Calculated usage over the Minimum Bandwidth Commitment. |
| 135              | Netbond Standard VNC Overage - 3000Mb | NBOND28                            | Netbond Standard VNC Overage - 3000Mb. Calculated usage over the Minimum Bandwidth Commitment. |
| 136              | Netbond Standard VNC Overage - 4000Mb | NBOND29                            | Netbond Standard VNC Overage - 4000Mb. Calculated usage over the Minimum Bandwidth Commitment. |
| 137              | Netbond Standard VNC Overage - 5000Mb | NBOND30                            | Netbond Standard VNC Overage - 5000Mb. Calculated usage over the Minimum Bandwidth Commitment. |

| <b>Line Item</b> | <b>Feature Name</b>       | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|---------------------------|------------------------------------|--|
| 138              | Netbond Premium VNC - 1Mb | NBOND31                            | <p>Netbond Premium VNC - 1Mb.</p> <p>AT&amp;T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&amp;T network service using Virtual Network Connections (VNCs) provided by AT&amp;T. The primary service component of AT&amp;T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&amp;T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network transport infrastructure, connecting the Customer AT&amp;T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&amp;T network service to the supported cloud service provider platform. Only connections between a supported AT&amp;T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&amp;T NetBond Service are requested using the AT&amp;TNetbond Portal. Service Activation for AT&amp;T NetBond Service occurs upon notice by AT&amp;T to Customer that the VNC is available for use by Customer.</p> |

| <b>Line Item</b> | <b>Feature Name</b>       | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|---------------------------|------------------------------------|--|
| 139              | Netbond Premium VNC - 3Mb | NBOND32                            | <p>Netbond Premium VNC - 3Mb.</p> <p>AT&amp;T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&amp;T network service using Virtual Network Connections (VNCs) provided by AT&amp;T. The primary service component of AT&amp;T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&amp;T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network transport infrastructure, connecting the Customer AT&amp;T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&amp;T network service to the supported cloud service provider platform. Only connections between a supported AT&amp;T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&amp;T NetBond Service are requested using the AT&amp;TNetbond Portal. Service Activation for AT&amp;T NetBond Service occurs upon notice by AT&amp;T to Customer that the VNC is available for use by Customer.</p> |

| <b>Line Item</b> | <b>Feature Name</b>        | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|----------------------------|------------------------------------|---|
| 140              | Netbond Premium VNC - 10Mb | NBOND33                            | <p>Netbond Premium VNC - 10Mb.</p> <p>AT&amp;T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&amp;T network service using Virtual Network Connections (VNCs) provided by AT&amp;T. The primary service component of AT&amp;T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&amp;T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network transport infrastructure, connecting the Customer AT&amp;T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&amp;T network service to the supported cloud service provider platform. Only connections between a supported AT&amp;T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&amp;T NetBond Service are requested using the AT&amp;TNetbond Portal. Service Activation for AT&amp;T NetBond Service occurs upon notice by AT&amp;T to Customer that the VNC is available for use by Customer.</p> |

| <b>Line Item</b> | <b>Feature Name</b>        | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|----------------------------|------------------------------------|---|
| 141              | Netbond Premium VNC - 25Mb | NBOND34                            | <p>Netbond Premium VNC - 25Mb.</p> <p>AT&amp;T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&amp;T network service using Virtual Network Connections (VNCs) provided by AT&amp;T. The primary service component of AT&amp;T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&amp;T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network transport infrastructure, connecting the Customer AT&amp;T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&amp;T network service to the supported cloud service provider platform. Only connections between a supported AT&amp;T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&amp;T NetBond Service are requested using the AT&amp;TNetbond Portal. Service Activation for AT&amp;T NetBond Service occurs upon notice by AT&amp;T to Customer that the VNC is available for use by Customer.</p> |

| <b>Line Item</b> | <b>Feature Name</b>        | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|----------------------------|------------------------------------|---|
| 142              | Netbond Premium VNC - 40Mb | NBOND35                            | <p>Netbond Premium VNC - 40Mb.</p> <p>AT&amp;T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&amp;T network service using Virtual Network Connections (VNCs) provided by AT&amp;T. The primary service component of AT&amp;T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&amp;T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network transport infrastructure, connecting the Customer AT&amp;T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&amp;T network service to the supported cloud service provider platform. Only connections between a supported AT&amp;T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&amp;T NetBond Service are requested using the AT&amp;TNetbond Portal. Service Activation for AT&amp;T NetBond Service occurs upon notice by AT&amp;T to Customer that the VNC is available for use by Customer.</p> |

| <b>Line Item</b> | <b>Feature Name</b>         | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|-----------------------------|------------------------------------|--|
| 143              | Netbond Premium VNC - 100Mb | NBOND36                            | <p>Netbond Premium VNC - 100Mb.</p> <p>AT&amp;T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&amp;T network service using Virtual Network Connections (VNCs) provided by AT&amp;T. The primary service component of AT&amp;T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&amp;T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network transport infrastructure, connecting the Customer AT&amp;T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&amp;T network service to the supported cloud service provider platform. Only connections between a supported AT&amp;T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&amp;T NetBond Service are requested using the AT&amp;TNetbond Portal. Service Activation for AT&amp;T NetBond Service occurs upon notice by AT&amp;T to Customer that the VNC is available for use by Customer.</p> |

| <b>Line Item</b> | <b>Feature Name</b>         | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|-----------------------------|------------------------------------|--|
| 144              | Netbond Premium VNC - 155Mb | NBOND37                            | <p>Netbond Premium VNC - 155Mb.</p> <p>AT&amp;T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&amp;T network service using Virtual Network Connections (VNCs) provided by AT&amp;T. The primary service component of AT&amp;T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&amp;T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network transport infrastructure, connecting the Customer AT&amp;T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&amp;T network service to the supported cloud service provider platform. Only connections between a supported AT&amp;T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&amp;T NetBond Service are requested using the AT&amp;TNetbond Portal. Service Activation for AT&amp;T NetBond Service occurs upon notice by AT&amp;T to Customer that the VNC is available for use by Customer.</p> |

| <b>Line Item</b> | <b>Feature Name</b>         | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|-----------------------------|------------------------------------|--|
| 145              | Netbond Premium VNC - 300Mb | NBOND38                            | <p>Netbond Premium VNC - 300Mb.</p> <p>AT&amp;T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&amp;T network service using Virtual Network Connections (VNCs) provided by AT&amp;T. The primary service component of AT&amp;T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&amp;T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network transport infrastructure, connecting the Customer AT&amp;T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&amp;T network service to the supported cloud service provider platform. Only connections between a supported AT&amp;T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&amp;T NetBond Service are requested using the AT&amp;TNetbond Portal. Service Activation for AT&amp;T NetBond Service occurs upon notice by AT&amp;T to Customer that the VNC is available for use by Customer.</p> |

| <b>Line Item</b> | <b>Feature Name</b>         | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|-----------------------------|------------------------------------|--|
| 146              | Netbond Premium VNC - 600Mb | NBOND39                            | <p>Netbond Premium VNC - 600Mb.</p> <p>AT&amp;T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&amp;T network service using Virtual Network Connections (VNCs) provided by AT&amp;T. The primary service component of AT&amp;T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&amp;T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network transport infrastructure, connecting the Customer AT&amp;T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&amp;T network service to the supported cloud service provider platform. Only connections between a supported AT&amp;T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&amp;T NetBond Service are requested using the AT&amp;TNetbond Portal. Service Activation for AT&amp;T NetBond Service occurs upon notice by AT&amp;T to Customer that the VNC is available for use by Customer.</p> |

| <b>Line Item</b> | <b>Feature Name</b>         | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|-----------------------------|------------------------------------|--|
| 147              | Netbond Premium VNC - 800Mb | NBOND40                            | <p>Netbond Premium VNC - 800Mb.</p> <p>AT&amp;T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&amp;T network service using Virtual Network Connections (VNCs) provided by AT&amp;T. The primary service component of AT&amp;T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&amp;T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network transport infrastructure, connecting the Customer AT&amp;T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&amp;T network service to the supported cloud service provider platform. Only connections between a supported AT&amp;T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&amp;T NetBond Service are requested using the AT&amp;TNetbond Portal. Service Activation for AT&amp;T NetBond Service occurs upon notice by AT&amp;T to Customer that the VNC is available for use by Customer.</p> |

| <b>Line Item</b> | <b>Feature Name</b>           | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|-------------------------------|------------------------------------|--|
| 148              | Netbond Premium VNC - 1,000Mb | NBOND41                            | <p>Netbond Premium VNC - 1,000Mb.</p> <p>AT&amp;T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&amp;T network service using Virtual Network Connections (VNCs) provided by AT&amp;T. The primary service component of AT&amp;T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&amp;T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network transport infrastructure, connecting the Customer AT&amp;T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&amp;T network service to the supported cloud service provider platform. Only connections between a supported AT&amp;T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&amp;T NetBond Service are requested using the AT&amp;TNetbond Portal. Service Activation for AT&amp;T NetBond Service occurs upon notice by AT&amp;T to Customer that the VNC is available for use by Customer.</p> |

| <b>Line Item</b> | <b>Feature Name</b>           | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|-------------------------------|------------------------------------|--|
| 149              | Netbond Premium VNC - 2,000Mb | NBOND42                            | <p>Netbond Premium VNC - 2,000Mb.</p> <p>AT&amp;T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&amp;T network service using Virtual Network Connections (VNCs) provided by AT&amp;T. The primary service component of AT&amp;T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&amp;T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network transport infrastructure, connecting the Customer AT&amp;T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&amp;T network service to the supported cloud service provider platform. Only connections between a supported AT&amp;T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&amp;T NetBond Service are requested using the AT&amp;TNetbond Portal. Service Activation for AT&amp;T NetBond Service occurs upon notice by AT&amp;T to Customer that the VNC is available for use by Customer.</p> |

| <b>Line Item</b> | <b>Feature Name</b>           | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|-------------------------------|------------------------------------|--|
| 150              | Netbond Premium VNC - 3,000Mb | NBOND43                            | <p>Netbond Premium VNC - 3,000Mb.</p> <p>AT&amp;T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&amp;T network service using Virtual Network Connections (VNCs) provided by AT&amp;T. The primary service component of AT&amp;T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&amp;T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network transport infrastructure, connecting the Customer AT&amp;T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&amp;T network service to the supported cloud service provider platform. Only connections between a supported AT&amp;T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&amp;T NetBond Service are requested using the AT&amp;TNetbond Portal. Service Activation for AT&amp;T NetBond Service occurs upon notice by AT&amp;T to Customer that the VNC is available for use by Customer.</p> |

| <b>Line Item</b> | <b>Feature Name</b>           | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|-------------------------------|------------------------------------|--|
| 151              | Netbond Premium VNC - 4,000Mb | NBOND44                            | <p>Netbond Premium VNC - 4,000Mb.</p> <p>AT&amp;T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&amp;T network service using Virtual Network Connections (VNCs) provided by AT&amp;T. The primary service component of AT&amp;T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&amp;T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network transport infrastructure, connecting the Customer AT&amp;T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&amp;T network service to the supported cloud service provider platform. Only connections between a supported AT&amp;T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&amp;T NetBond Service are requested using the AT&amp;TNetbond Portal. Service Activation for AT&amp;T NetBond Service occurs upon notice by AT&amp;T to Customer that the VNC is available for use by Customer.</p> |

| <b>Line Item</b> | <b>Feature Name</b>           | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|-------------------------------|------------------------------------|---|
| 152              | Netbond Premium VNC - 5,000Mb | NBOND45                            | <p>Netbond Premium VNC - 5,000Mb.</p> <p>AT&amp;T NetBond Service provides a private virtual IP network connection between a supported cloud service and a supported AT&amp;T network service using Virtual Network Connections (VNCs) provided by AT&amp;T. The primary service component of AT&amp;T NetBond are Virtual Network Connections. Virtual Network Connections (VNCs) are dynamically provisioned VLAN-based connections between a supported AT&amp;T network service and supported cloud services. A VNC provides a logical data path within a shared IP-based network transport infrastructure, connecting the Customer AT&amp;T network service to supported cloud service resources assigned by the supported cloud service provider. The VNC supports any-to-any connectivity associated with the supported AT&amp;T network service to the supported cloud service provider platform. Only connections between a supported AT&amp;T network service and supported cloud services (not part of Netbond Service) are available. Orders for AT&amp;T NetBond Service are requested using the AT&amp;T Netbond Portal. Service Activation for AT&amp;T NetBond Service occurs upon notice by AT&amp;T to Customer that the VNC is available for use by Customer.</p> |

| <b>Line Item</b> | <b>Feature Name</b>                  | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>                             |
|------------------|--------------------------------------|------------------------------------|---|
| 153              | Netbond Premium VNC Overage - 1Mb    | NBOND46                            | Netbond Premium VNC Overage - 1Mb. Calculated usage over the Minimum Bandwidth Commitment.    |
| 154              | Netbond Premium VNC Overage - 3Mb    | NBOND47                            | Netbond Premium VNC Overage - 3Mb. Calculated usage over the Minimum Bandwidth Commitment.    |
| 155              | Netbond Premium VNC Overage - 10Mb   | NBOND48                            | Netbond Premium VNC Overage - 10Mb. Calculated usage over the Minimum Bandwidth Commitment.   |
| 156              | Netbond Premium VNC Overage - 25Mb   | NBOND49                            | Netbond Premium VNC Overage - 25Mb. Calculated usage over the Minimum Bandwidth Commitment.   |
| 157              | Netbond Premium VNC Overage - 40Mb   | NBOND50                            | Netbond Premium VNC Overage - 40Mb. Calculated usage over the Minimum Bandwidth Commitment.   |
| 158              | Netbond Premium VNC Overage - 100Mb  | NBOND51                            | Netbond Premium VNC Overage - 100Mb. Calculated usage over the Minimum Bandwidth Commitment.  |
| 159              | Netbond Premium VNC Overage - 155Mb  | NBOND52                            | Netbond Premium VNC Overage - 155Mb. Calculated usage over the Minimum Bandwidth Commitment.  |
| 160              | Netbond Premium VNC Overage - 300Mb  | NBOND53                            | Netbond Premium VNC Overage - 300Mb. Calculated usage over the Minimum Bandwidth Commitment.  |
| 161              | Netbond Premium VNC Overage - 600Mb  | NBOND54                            | Netbond Premium VNC Overage - 600Mb. Calculated usage over the Minimum Bandwidth Commitment.  |
| 162              | Netbond Premium VNC Overage - 800Mb  | NBOND55                            | Netbond Premium VNC Overage - 800Mb. Calculated usage over the Minimum Bandwidth Commitment.  |
| 163              | Netbond Premium VNC Overage - 1000Mb | NBOND56                            | Netbond Premium VNC Overage - 1000Mb. Calculated usage over the Minimum Bandwidth Commitment. |

| <b>Line Item</b> | <b>Feature Name</b>   | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|---|------------------------------------|---|
| 164              | Netbond Premium VNC Overage - 2000Mb  | NBOND57                            | Netbond Premium VNC Overage - 2000Mb. Calculated usage over the Minimum Bandwidth Commitment.                                 |
| 165              | Netbond Premium VNC Overage - 3000Mb  | NBOND58                            | Netbond Premium VNC Overage - 3000Mb. Calculated usage over the Minimum Bandwidth Commitment.                                 |
| 166              | Netbond Premium VNC Overage - 4000Mb  | NBOND59                            | Netbond Premium VNC Overage - 4000Mb. Calculated usage over the Minimum Bandwidth Commitment.                                 |
| 167              | Netbond Premium VNC Overage - 5000Mb  | NBOND60                            | Netbond Premium VNC Overage - 5000Mb. Calculated usage over the Minimum Bandwidth Commitment.                                 |
| 168              | Private Contention or Dedicated VSAT Service (Layer 2 or Layer 3) 256 kbps duplex | VSAT1                              | Private Contention or Dedicated VSAT Service to WAN. May require additional managed router or port depending on configuration |
| 169              | Private Contention or Dedicated VSAT Service (Layer 2 or Layer 3) 512 kbps duplex | VSAT2                              | Private Contention or Dedicated VSAT Service to WAN. May require additional managed router or port depending on configuration |
| 170              | Private Contention or Dedicated VSAT Service (Layer 2 or Layer 3) 1Mbps duplex    | VSAT3                              | Private Contention or Dedicated VSAT Service to WAN. May require additional managed router or port depending on configuration |
| 171              | Private Contention or Dedicated VSAT Service (Layer 2                             | VSAT4                              | Private Contention or Dedicated VSAT Service to WAN. May require additional managed router or port depending on configuration |

| <b>Line Item</b> | <b>Feature Name</b>   | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|---|------------------------------------|---|
|                  | or Layer 3) 1.5 Mbps duplex   |                                    |   |
| 172              | Private Contention or Dedicated VSAT Service (Layer 2 or Layer 3) 2Mbps duplex  | VSAT5                              | Private Contention or Dedicated VSAT Service to WAN. May require additional managed router or port depending on configuration |
| 173              | Private Contention or Dedicated VSAT Service (Layer 2 or Layer 3) 5Mbps duplex  | VSAT6                              | Private Contention or Dedicated VSAT Service to WAN. May require additional managed router or port depending on configuration |
| 174              | Private Contention or Dedicated VSAT Service (Layer 2 or Layer 3) 10Mbps duplex | VSAT7                              | Private Contention or Dedicated VSAT Service to WAN. May require additional managed router or port depending on configuration |
| 175              | 10:1 Contention VSAT Service (Layer 2 or Layer 3) 256 kbps duplex burst         | VSAT8                              | Private Contention or Dedicated VSAT Service to WAN. May require additional managed router or port depending on configuration |
| 176              | 10:1 Contention VSAT Service (Layer 2 or Layer 3) 512 kbps duplex burst         | VSAT9                              | Private Contention or Dedicated VSAT Service to WAN. May require additional managed router or port depending on configuration |
| 177              | 10:1 Contention VSAT Service (Layer 2 or Layer 3) 1Mbps duplex burst            | VSAT10                             | Private Contention or Dedicated VSAT Service to WAN. May require additional managed router or port depending on configuration |
| 178              | 10:1 Contention VSAT Service (Layer 2 or Layer                                  | VSAT11                             | Private Contention or Dedicated VSAT Service to WAN. May require additional managed router or port depending on configuration |

| <b>Line Item</b> | <b>Feature Name</b>  | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|--|------------------------------------|---|
|                  | 3) 1.5 Mbps duplex burst   |                                    |   |
| 179              | 10:1 Contention VSAT Service (Layer 2 or Layer 3) 2Mbps duplex burst                           | VSAT12                             | Private Contention or Dedicated VSAT Service to WAN. May require additional managed router or port depending on configuration |
| 180              | 10:1 Contention VSAT Service (Layer 2 or Layer 3) 5Mbps duplex burst                           | VSAT13                             | Private Contention or Dedicated VSAT Service to WAN. May require additional managed router or port depending on configuration |
| 181              | 10:1 Contention VSAT Service (Layer 2 or Layer 3) 10Mbps duplex burst                          | VSAT14                             | Private Contention or Dedicated VSAT Service to WAN. May require additional managed router or port depending on configuration |
| 182              | Private Contention Monthly per site in private route   | VSAT15                             | Remote monthly fee for private satellite networks   |
| 183              | Private Contention per site Unlimited on site support  | VSAT16                             | Customer may opt for per event support charges  |
| 184              | Private Contention or Dedicated VSAT Service (Layer 2 or Layer 3) Custom (up to 10Mbps duplex) | VSAT17                             | Private Contention or Dedicated VSAT Service. May require additional managed router or port depending on configuration        |
| 185              | Private Contention or Dedicated VSAT Service (Layer 2 or Layer 3) Custom (up to                | VSAT18                             | Private Contention or Dedicated VSAT Service. May require additional managed router or port depending on configuration        |

| <b>Line Item</b> | <b>Feature Name</b>                           | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b> |
|------------------|---|------------------------------------|---|
|                  | 100Mbps duplex)                               |                                    |   |
| 186              | 1.2m Ku Dish Tier 2                           | VSAT19                             | VSAT Dish   |
| 187              | 1.2m Ku Dish Tier 3                           | VSAT20                             | Premium VSAT Dish   |
| 188              | 1.2m Ku dish High Wind (150Mph survivability) | VSAT21                             | Requires customer mount to surface that can survive high wind     |
| 189              | 1.8m Ku Dish Tier 2                           | VSAT22                             | VSAT Dish   |
| 190              | 1.8m Ku Dish Tier 3                           | VSAT23                             | Premium VSAT Dish   |
| 191              | Factory Installed Deice for Antenna           | VSAT24                             | For areas with snow or ice build up                               |
| 192              | Passive Snow Shield                           | VSAT25                             | For areas with snow or ice build up                               |
| 193              | Pole Mount                                    | VSAT26                             | Pole Mount  |
| 194              | Pedestal Mount                                | VSAT27                             | Pedestal Mount  |
| 195              | Non Pen Mount                                 | VSAT28                             | Non Pen Mount   |
| 196              | Wall Mount                                    | VSAT29                             | Wall Mount  |
| 197              | High Wind Mount                               | VSAT30                             | High Wind Mount   |
| 198              | LNB   | VSAT31                             | Low Noise Block Downconverter, one per remote                     |
| 199              | 6W BUC (Typically up to 4Mbps)                | VSAT32                             | Satellite remote amplifier  |
| 200              | 8W BUC with power supply (4-6Mbps)            | VSAT33                             | Satellite remote amplifier  |
| 201              | 40-55W BUC (6-10Mbps)                         | VSAT34                             | Satellite remote amplifier  |
| 202              | IQ Desktop Satellite Router with 90W supply   | VSAT35                             | Satellite modem   |

| <b>Line Item</b> | <b>Feature Name</b>  | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>             |
|------------------|--|------------------------------------|---|
|                  | (power up to 6W BUC)<br>(includes 5Mbps burst license)   |                                    |   |
| 203              | IQ Desktop Satellite Router with 90W supply<br>(power up to 6W BUC)<br>(includes 10Mbps burst license) | VSAT36                             | Satellite modem   |
| 204              | Site survey without installation<br>(includes dispatch)  | VSAT37                             | Site survey without installation<br>(includes dispatch)                       |
| 205              | Dispatch - Includes first two hours on site  | VSAT38                             | Dispatch - Includes first two hours on site                                   |
| 206              | Additional hour on site  | VSAT39                             | Additional hour on site   |
| 207              | 6' pole mount (10' pole, 4' in ground) + pole erection + installation of 1.2m antenna                  | VSAT40                             | Includes 100' of coaxial cable and basic power connection. No electrical work |
| 208              | 10' pole mount + pole erection + antenna installation for 1.2m antenna                                 | VSAT41                             | Includes 100' of coaxial cable and basic power connection. No electrical work |
| 209              | 10'1" – 15' pole mount + pole erection + antenna installation for 1.2m antenna                         | VSAT42                             | Includes 100' of coaxial cable and basic power connection. No electrical work |

| <b>Line Item</b> | <b>Feature Name</b>  | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>             |
|------------------|--|------------------------------------|---|
| 210              | 15'1" – 20' pole mount + pole erection + antenna installation for 1.2m antenna                     | VSAT43                             | Includes 100' of coaxial cable and basic power connection. No electrical work |
| 211              | 20'1" – 25' pole mount + pole erection + antenna installation for 1.2m antenna                     | VSAT44                             | Includes 100' of coaxial cable and basic power connection. No electrical work |
| 212              | 10' No-Hole Pole mount (incl. side braces) + pole erection + antenna installation for 1.2m antenna | VSAT45                             | Includes 100' of coaxial cable and basic power connection. No electrical work |
| 213              | 1.8m antenna + non-penetrating mount & installation  | VSAT46                             | Includes 100' of coaxial cable and basic power connection. No electrical work |
| 214              | 1.8m de-ice antenna + installation   | VSAT47                             | Includes 100' of coaxial cable and basic power connection. No electrical work |
| 215              | 6' pole mount + pole erection + antenna installation for 1.8m antenna                              | VSAT48                             | Includes 100' of coaxial cable and basic power connection. No electrical work |
| 216              | 10' pole mount + pole erection + antenna installation for 1.8m antenna                             | VSAT49                             | Includes 100' of coaxial cable and basic power connection. No electrical work |
| 217              | Roof Install/Build-Up, 1.2m VSAT Kit   | VSAT50                             | Includes 100' of coaxial cable and basic power connection. No electrical work |

| <b>Line Item</b> | <b>Feature Name</b>  | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>             |
|------------------|--|------------------------------------|---|
| 218              | Roof Install/Buildup, 1.8m VSAT Kit  | VSAT51                             | Includes 100' of coaxial cable and basic power connection. No electrical work |
| 219              | High Wind Install Site Survey  | VSAT52                             | AT&T tech visits site with customer for custom install planning               |
| 220              | AT&T Professional Satellite Services (on site engineering support)                         | VSAT53                             | Used for custom installs or planning  |
| 221              | AT&T FRMZ (First Responder Mobility Zone satellite kit with LTE,Cradlepoint and mast)      | VSAT54                             | First responder exclusive LTE and satellite kit                               |
| 222              | FRMZ basic LTE service   | VSAT55                             | LTE Support for FRMZ  |
| 223              | AT&T FRMZ 512/512Kbps low contention service 20:1 with 10Mbps or higher duplex burst rate  | VSAT56                             | FRMZ service  |
| 224              | AT&T FRMZ 1/1Mbps very low contention service 10:1 with 10Mbps or higher duplex burst rate | VSAT57                             | FRMZ service  |
| 225              | AT&T FRMZ 2/2Mbps ultra low contention service 5:1 with 10Mbps or                          | VSAT58                             | FRMZ service  |

| <b>Line Item</b> | <b>Feature Name</b>                      | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|--|------------------------------------|---|
|                  | higher duplex burst rate                 |                                    |   |
| 226              | AT&T MRS Implementation<br>1-24 sites    | MRSIM1                             | AT&T MRS Implementation Service 1-24 sites. Implementation Non-Recurring Charges per Site (for up to 25 Sites per week during Standard Business Hours; Monday - Friday, 8:00 am - 5:00 p.m., local time. Can only be used in conjunction with MRS services in this Category.    |
| 227              | AT&T MRS Implementation<br>25-99 sites   | MRSIM2                             | AT&T MRS Implementation Service 25-99 sites. Implementation Non-Recurring Charges per Site (for up to 25 Sites per week during Standard Business Hours; Monday - Friday, 8:00 am - 5:00 p.m., local time. Can only be used in conjunction with MRS services in this Category.   |
| 228              | AT&T MRS Implementation<br>100-399 sites | MRSIM3                             | AT&T MRS Implementation Service 100-399 sites. Implementation Non-Recurring Charges per Site (for up to 25 Sites per week during Standard Business Hours; Monday - Friday, 8:00 am - 5:00 p.m., local time. Can only be used in conjunction with MRS services in this Category. |
| 229              | AT&T MRS Implementation<br>400-999 sites | MRSIM4                             | AT&T MRS Implementation Service 400-999 sites. Implementation Non-Recurring Charges per Site (for up to 25 Sites per week during Standard Business Hours; Monday - Friday, 8:00 am - 5:00 p.m., local time. Can only be used in conjunction with MRS services in this Category. |

| <b>Line Item</b> | <b>Feature Name</b>                    | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|--|------------------------------------|---|
| 230              | AT&T MRS Implementation<br>1000+ sites | MRSIM5                             | AT&T MRS Implementation Service 1000+ sites. Implementation Non-Recurring Charges per Site (for up to 25 Sites per week during Standard Business Hours; Monday - Friday, 8:00 am - 5:00 p.m., local time. Can only be used in conjunction with MRS services in this Category.   |
| 231              | MRS Equip Install - Low                | MRSISLC                            | AT&T MRS Equipment Installation- Low Complexity routers. Can only be used in conjunction with MRS services in this Category.  |
| 232              | AT&T MRS Equip Install- Medium         | MRSISMC                            | AT&T MRS Equipment Installation- Medium Complexity routers. Can only be used in conjunction with MRS services in this Category.   |
| 233              | AT&T MRS Equip Install- High           | MRSISHC                            | AT&T MRS Equipment Installation - High Complexity routers. Can only be used in conjunction with MRS services in this Category.  |
| 234              | MRS Inside relocate same floor – Low   | 13092L                             | MRS Inside relocate same floor – Low Complexity Router. Moves, Adds, Changes and Deletes consist of: Addition, Deletion or Moves of hardware at a Customer site, modifying routing tables, adding, deleting or modifying protocols or protocol prioritization schemes, Software Additions/Modifications of Serial and/or LAN connections. The AT&T Work Center will perform such work. Moves, Adds and Changes are provided on a per network, per transaction and/or per event basis as set forth in the Pricing Schedule, in the table entitled “Life Cycle Management Features.” Any movement that is not an Inside |

| <b>Line Item</b> | <b>Feature Name</b>                       | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|---|------------------------------------|--|
|                  |   |                                    | Move is billed as a new order. All rates for Lifecycle activity assume that work will be performed and completed during Standard Business Hours. In the event work is performed during non-Standard Business Hours, the applicable hourly rate will apply in addition to the lifecycle charges. Can only be used in conjunction with MRS services in this Category.  |
| 235              | MRS inside relocate different floor – Low | 13093L                             | MRS inside relocate different floor – Low Complexity Router. Moves, Adds, Changes and Deletes consist of: Addition, Deletion or Moves of hardware at a Customer site, modifying routing tables, adding, deleting or modifying protocols or protocol prioritization schemes, Software Additions/Modifications of Serial and/or LAN connections. The AT&T Work Center will perform such work. Moves, Adds and Changes are provided on a per network, per transaction and/or per event basis as set forth in the Pricing Schedule, in the table entitled "Life Cycle Management Features." Any movement that is not an Inside Move is billed as a new order. All rates for Lifecycle activity assume that work will be performed and completed during Standard Business Hours. In the event work is performed during non-Standard Business Hours, the applicable hourly rate will apply in addition to the lifecycle charges. Can only be |

| <b>Line Item</b> | <b>Feature Name</b>                     | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|---|------------------------------------|---|
|                  |   |                                    | used in conjunction with MRS services in this Category.   |
| 236              | MRS inside relocate same floor – Medium | 13092M                             | MRS inside relocate same floor – Medium Complexity Router. Moves, Adds, Changes and Deletes consist of: Addition, Deletion or Moves of hardware at a Customer site, modifying routing tables, adding, deleting or modifying protocols or protocol prioritization schemes, Software Additions/Modifications of Serial and/or LAN connections. The AT&T Work Center will perform such work. Moves, Adds and Changes are provided on a per network, per transaction and/or per event basis as set forth in the Pricing Schedule, in the table entitled "Life Cycle Management Features." Any movement that is not an Inside Move is billed as a new order. All rates for Lifecycle activity assume that work will be performed and completed during Standard Business Hours. In the event work is performed during non-Standard Business Hours, the applicable hourly rate will apply in addition to |

| <b>Line Item</b> | <b>Feature Name</b>                          | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|--|------------------------------------|--|
|                  |  |                                    | the lifecycle charges. Can only be used in conjunction with MRS services in this Category.   |
| 237              | MRS inside relocate different floor – Medium | 13093M                             | MRS inside relocate different floor – Medium Complexity Router. Moves, Adds, Changes and Deletes consist of: Addition, Deletion or Moves of hardware at a Customer site, modifying routing tables, adding, deleting or modifying protocols or protocol prioritization schemes, Software Additions/Modifications of Serial and/or LAN connections. The AT&T Work Center will perform such work. Moves, Adds and Changes are provided on a per network, per transaction and/or per event basis as set forth in the Pricing Schedule, in the table entitled "Life Cycle Management Features." Any movement that is not an Inside Move is billed as a new order. All rates for Lifecycle activity assume that work will be performed and completed during Standard Business Hours. In the event work is performed during non-Standard Business Hours, the applicable hourly rate will apply in addition to |

| <b>Line Item</b> | <b>Feature Name</b>                   | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|---------------------------------------|------------------------------------|--|
|                  |                                       |                                    | the lifecycle charges. Can only be used in conjunction with MRS services in this Category.   |
| 238              | MRS inside relocate same floor – High | 13092H                             | MRS inside relocate same floor – High Complexity Router. Moves, Adds, Changes and Deletes consist of: Addition, Deletion or Moves of hardware at a Customer site, modifying routing tables, adding, deleting or modifying protocols or protocol prioritization schemes, Software Additions/Modifications of Serial and/or LAN connections. The AT&T Work Center will perform such work. Moves, Adds and Changes are provided on a per network, per transaction and/or per event basis as set forth in the Pricing Schedule, in the table entitled "Life Cycle Management Features." Any movement that is not an Inside Move is billed as a new order. All rates for Lifecycle activity assume that work will be performed and completed during Standard Business Hours. In the event work is performed during non-Standard Business Hours, the applicable hourly rate will apply in addition to the lifecycle charges. Can only be |

| <b>Line Item</b> | <b>Feature Name</b>                        | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|--|------------------------------------|---|
|                  |  |                                    | used in conjunction with MRS services in this Category.   |
| 239              | MRS inside relocate different floor – High | 13093H                             | MRS inside relocate different floor – High Complexity Router. Moves, Adds, Changes and Deletes consist of: Addition, Deletion or Moves of hardware at a Customer site, modifying routing tables, adding, deleting or modifying protocols or protocol prioritization schemes, Software Additions/Modifications of Serial and/or LAN connections. The AT&T Work Center will perform such work. Moves, Adds and Changes are provided on a per network, per transaction and/or per event basis as set forth in the Pricing Schedule, in the table entitled "Life Cycle Management Features." Any movement that is not an Inside Move is billed as a new order. All rates for Lifecycle activity assume that work will be performed and completed during Standard Business Hours. In the event work is performed during non-Standard Business Hours, the applicable hourly rate will apply in addition to the lifecycle charges. Can only be |

| <b>Line Item</b> | <b>Feature Name</b> | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|---------------------|------------------------------------|---|
|                  |                     |                                    | used in conjunction with MRS services in this Category.   |
| 240              | Router Site Add-Low | 13118L                             | Router Site Add- Low Complexity Router. Moves, Adds, Changes and Deletes consist of: Addition, Deletion or Moves of hardware at a Customer site, modifying routing tables, adding, deleting or modifying protocols or protocol prioritization schemes, Software Additions/Modifications of Serial and/or LAN connections. The AT&T Work Center will perform such work. Moves, Adds and Changes are provided on a per network, per transaction and/or per event basis as set forth in the Pricing Schedule, in the table entitled "Life Cycle Management Features." Any movement that is not an Inside Move is billed as a new order. All rates for Lifecycle activity assume that work will be performed and completed during Standard Business Hours. In the event work is performed during non-Standard Business Hours, the applicable hourly rate will apply in addition to the lifecycle charges. Can only be |

| <b>Line Item</b> | <b>Feature Name</b>    | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|------------------------|------------------------------------|--|
|                  |                        |                                    | used in conjunction with MRS services in this Category.  |
| 241              | Router Site Add-Medium | 13118M                             | Router Site Add- Medium Complexity Router. Moves, Adds, Changes and Deletes consist of: Addition, Deletion or Moves of hardware at a Customer site, modifying routing tables, adding, deleting or modifying protocols or protocol prioritization schemes, Software Additions/Modifications of Serial and/or LAN connections. The AT&T Work Center will perform such work. Moves, Adds and Changes are provided on a per network, per transaction and/or per event basis as set forth in the Pricing Schedule, in the table entitled "Life Cycle Management Features." Any movement that is not an Inside Move is billed as a new order. All rates for Lifecycle activity assume that work will be performed and completed during Standard Business Hours. In the event work is performed during non-Standard Business Hours, the applicable hourly rate will apply in addition to the lifecycle charges. Can only be |

| <b>Line Item</b> | <b>Feature Name</b>  | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|----------------------|------------------------------------|--|
|                  |                      |                                    | used in conjunction with MRS services in this Category.  |
| 242              | Router Site Add-High | 13118H                             | Router Site Add- High Complexity Router. Moves, Adds, Changes and Deletes consist of: Addition, Deletion or Moves of hardware at a Customer site, modifying routing tables, adding, deleting or modifying protocols or protocol prioritization schemes, Software Additions/Modifications of Serial and/or LAN connections. The AT&T Work Center will perform such work. Moves, Adds and Changes are provided on a per network, per transaction and/or per event basis as set forth in the Pricing Schedule, in the table entitled "Life Cycle Management Features." Any movement that is not an Inside Move is billed as a new order. All rates for Lifecycle activity assume that work will be performed and completed during Standard Business Hours. In the event work is performed during non-Standard Business Hours, the applicable hourly rate will apply in addition to the lifecycle charges. Can only be |

| <b>Line Item</b> | <b>Feature Name</b>            | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|--------------------------------|------------------------------------|---|
|                  |                                |                                    | used in conjunction with MRS services in this Category.   |
| 243              | Add/Delete Router Boards – Low | 13127L                             | Add/Delete Router Boards – Low Complexity Router. Moves, Adds, Changes and Deletes consist of: Addition, Deletion or Moves of hardware at a Customer site, modifying routing tables, adding, deleting or modifying protocols or protocol prioritization schemes, Software Additions/Modifications of Serial and/or LAN connections. The AT&T Work Center will perform such work. Moves, Adds and Changes are provided on a per network, per transaction and/or per event basis as set forth in the Pricing Schedule, in the table entitled "Life Cycle Management Features." Any movement that is not an Inside Move is billed as a new order. All rates for Lifecycle activity assume that work will be performed and completed during Standard Business Hours. In the event work is performed during non-Standard Business Hours, the applicable hourly rate will apply in addition to the lifecycle charges. Can only be |

| <b>Line Item</b> | <b>Feature Name</b>               | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|-----------------------------------|------------------------------------|--|
|                  |                                   |                                    | used in conjunction with MRS services in this Category.  |
| 244              | Add/Delete Router Boards – Medium | 13127M                             | <p>Add/Delete Router Boards – Medium Complexity Router. Moves, Adds, Changes and Deletes consist of: Addition, Deletion or Moves of hardware at a Customer site, modifying routing tables, adding, deleting or modifying protocols or protocol prioritization schemes, Software Additions/Modifications of Serial and/or LAN connections. The AT&amp;T Work Center will perform such work. Moves, Adds and Changes are provided on a per network, per transaction and/or per event basis as set forth in the Pricing Schedule, in the table entitled "Life Cycle Management Features." Any movement that is not an Inside Move is billed as a new order. All rates for Lifecycle activity assume that work will be performed and completed during Standard Business Hours. In the event work is performed during non-Standard Business Hours, the applicable hourly rate will apply in addition to</p> |

| <b>Line Item</b> | <b>Feature Name</b>             | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|---------------------------------|------------------------------------|--|
|                  |                                 |                                    | the lifecycle charges. Can only be used in conjunction with MRS services in this Category.   |
| 245              | Add/Delete Router Boards – High | 13127H                             | Add/Delete Router Boards – High Complexity Router. Moves, Adds, Changes and Deletes consist of: Addition, Deletion or Moves of hardware at a Customer site, modifying routing tables, adding, deleting or modifying protocols or protocol prioritization schemes, Software Additions/Modifications of Serial and/or LAN connections. The AT&T Work Center will perform such work. Moves, Adds and Changes are provided on a per network, per transaction and/or per event basis as set forth in the Pricing Schedule, in the table entitled "Life Cycle Management Features." Any movement that is not an Inside Move is billed as a new order. All rates for Lifecycle activity assume that work will be performed and completed during Standard Business Hours. In the event work is performed during non-Standard Business Hours, the applicable hourly rate will apply in addition to the lifecycle charges. Can only be |

| <b>Line Item</b> | <b>Feature Name</b>                            | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|--|------------------------------------|---|
|                  |  |                                    | used in conjunction with MRS services in this Category.   |
| 246              | MRS Configuration Changes-Simple               | 14158S                             | AT&T Managed Router Solution Router Configuration Changes - Simple. Configuration changes will be performed as requested by Customer and will be billed at the rates set forth in the Pricing Schedule, in the table entitled "Life Cycle Management Changes." Can only be used in conjunction with MRS services in this Category.  |
| 247              | MRS Configuration Changes-Complex              | 14158C                             | AT&T Managed Router Solution Router Configuration Changes - Complex. Configuration changes will be performed as requested by Customer and will be billed at the rates set forth in the Pricing Schedule, in the table entitled "Life Cycle Management Changes." Can only be used in conjunction with MRS services in this Category. |
| 248              | Site Insufficiently Prepared/ Vendor Turn-Away | 14570                              | Site Insufficiently Prepared to Receive On-Site Services / Vendor Turn-Away. Can only be used in conjunction with MRS services in this Category.  |

| <b>Line Item</b> | <b>Feature Name</b>                     | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|---|------------------------------------|--|
| 249              | Cancellation Less than Five Bus Days    | 13109A                             | Cancellation to Receive On-Site Services with Less than Five Business Days notice to AT&T. Can only be used in conjunction with MRS services in this Category.   |
| 250              | Site Delete for AT&T Provided Equipment | 13119                              | Site Delete for AT&T Provided Equipment. This product line item is for ordering purpose only and provided at no cost to the customer. Can only be used in conjunction with MRS services in this Category.  |
| 251              | MRS Support Stand Hrs                   | 13109B                             | MRS Support Standard Hours (8am – 5pm local time) .<br>AT&T will provide supplementary engineering and technical activities, including but not limited to network re-design and re-configuration to support additional protocols, re-addressing of the network and other agreed upon changes. These activities will be defined on a per Customer basis (detailed Scope of Work required) and will be priced according to the Professional services rates and charges as defined in the Pricing Schedule, in the section entitled "Supplementary Professional, Engineering and Technical Services." Can only be used in conjunction with MRS services in this Category. |

| <b>Line Item</b> | <b>Feature Name</b>           | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|-------------------------------|------------------------------------|---|
| 252              | MRS Support Non-StandHrs      | 13109D                             | MRS Support Non-Standard Hours. AT&T will provide supplementary engineering and technical activities, including but not limited to network re-design and re-configuration to support additional protocols, re-addressing of the network and other agreed upon changes. These activities will be defined on a per Customer basis (detailed Scope of Work required) and will be priced according to the Professional services rates and charges as defined in the Pricing Schedule, in the section entitled "Supplementary Professional, Engineering and Technical Services." Can only be used in conjunction with MRS services in this Category. |
| 253              | MRS (POTS) Dial Backup Manage | 13060A                             | AT&T Managed Router Solution Analog (POTS) Dial Backup Management. The Dial Backup feature offers Customers the ability to backup their primary Wide Area Network (WAN) circuits with secondary switched circuits in order to protect against network and/or access failures. The managed ISDN and Analog Dial back up features requires Customer to obtain ISDN line (BRI or PRI) or Analog Dial line. Analog dial backup provides for individual telephone lines at remote sites to access a dial line at speeds up to 56k in case of primary transport failure. HUB sites may be configured with multiple, bonded                            |

| <b>Line Item</b> | <b>Feature Name</b>          | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|------------------------------|------------------------------------|--|
|                  |                              |                                    | analog lines to backup the primary transport in increments of 56k. Can only be used in conjunction with MRS services in this Category.   |
| 254              | MRS (BRI) Dial Backup Manage | 13060B                             | AT&T Managed Router Solution ISDN Basic Rate Interface (BRI) Dial Backup Management. The Dial Backup feature offers Customers the ability to backup their primary Wide Area Network (WAN) circuits with secondary switched circuits in order to protect against network and/or access failures. The managed ISDN and Analog Dial back up features requires Customer to obtain ISDN line (BRI or PRI) or Analog Dial line. BRI ports for ISDN may be added to a site router. Up to 4 BRI ports per site router are allowed, subject to capability constraints of the site router. Can only be used in conjunction with MRS services in this Category. |
| 255              | MRS (PRI) Dial Backup Manage | 13060C                             | AT&T Managed Router Solution ISDN Primary Rate Interface (PRI) Dial Backup Management The Dial Backup feature offers Customers the ability to backup their primary Wide Area Network (WAN) circuits with secondary switched circuits in order to protect against network and/or access failures. The managed ISDN and Analog Dial back up features requires Customer   |

| <b>Line Item</b> | <b>Feature Name</b>                  | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|--------------------------------------|------------------------------------|--|
|                  |                                      |                                    | <p>to obtain ISDN line (BRI or PRI) or Analog Dial line.</p> <p>PRI port for ISDN may be added to a site router, subject to capability constraints of the site router. Can only be used in conjunction with MRS services in this Category.</p>   |
| 256              | MRS TACACS Read Only Access- Router  | TACE                               | <p>AT&amp;T Managed Router Solution TACACS Read Only Access - Router TACACS (Terminal Access Controller Access Control System) Read Only Access</p> <p>Provides secure remote access to AT&amp;T Managed router using an authentication protocol that allows a remote (customer) access server to forward a customer user's logon password to an AT&amp;T server to determine whether access can be allowed to a router. Can only be used in conjunction with MRS services in this Category.</p> |
| 257              | MRS TACACS Read Only Access- Support | TACS                               | <p>AT&amp;T Managed Router Solution TACACS Read Only Access- Support TACACS (Terminal Access Controller Access Control System) Read Only Access. Provides secure remote access to AT&amp;T Managed router using an authentication protocol that allows a remote (customer) access server to forward a customer user's logon password to an AT&amp;T server to determine whether access can be allowed to a router. Can only be used in conjunction with MRS services in this Category.</p>       |

| <b>Line Item</b> | <b>Feature Name</b>                         | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|---|------------------------------------|--|
| 258              | MRS TACACS<br>Read Only<br>Access- 1 to 6   | TACACS1                            | AT&T Managed Router Solution<br>TACACS Read Only Access -<br>Enablement 1 to 6 Enabled<br>Employees A user will be authorized<br>to execute simple router<br>commands, extended ping,<br>extended trace route, show tech-<br>support commands to view basic<br>router features, interface status and<br>router configuration information.<br>*TACACS Read Only Access is not<br>available for more than 25 Enabled<br>Employees for a defined customer<br>entity. Can only be used in<br>conjunction with MRS services in this<br>Category.  |
| 259              | MRS TACACS<br>Read Only<br>Access- 7 to 12  | TACACS2                            | AT&T Managed Router Solution<br>TACACS Read Only Access -<br>Enablement 7 to 12 Enabled<br>Employees A user will be authorized<br>to execute simple router<br>commands, extended ping,<br>extended trace route, show tech-<br>support commands to view basic<br>router features, interface status and<br>router configuration information.<br>*TACACS Read Only Access is not<br>available for more than 25 Enabled<br>Employees for a defined customer<br>entity. Can only be used in<br>conjunction with MRS services in this<br>Category. |
| 260              | MRS TACACS<br>Read Only<br>Access- 13 to 25 | TACACS3                            | AT&T Managed Router Solution<br>TACACS Read Only Access -<br>Enablement 13 to 25 Enabled<br>Employees A user will be authorized<br>to execute simple router<br>commands, extended ping,<br>extended trace route, show tech-  |

| <b>Line Item</b> | <b>Feature Name</b>             | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|---------------------------------|------------------------------------|---|
|                  |                                 |                                    | support commands to view basic router features, interface status and router configuration information.<br>*TACACS Read Only Access is not available for more than 25 Enabled Employees for a defined customer entity. Can only be used in conjunction with MRS services in this Category. |
| 261              | Data IOS Svc for Cisco 19XX     | MRU01                              | Data IOS Service for Cisco 19XX Series managed router feature upgrade Can only be used in conjunction with MRS services in this Category.   |
| 262              | Security IOS Svc for Cisco 19XX | MRU02                              | Security IOS Service for Cisco 19XX Series managed router feature upgrade Can only be used in conjunction with MRS services in this Category.   |
| 263              | Data IOS Svc for Cisco 29XX     | MRU03                              | Data IOS Service for Cisco 29XX Series managed router feature upgrade Can only be used in conjunction with MRS services in this Category.   |
| 264              | Security IOS Svc for Cisco 29XX | MRU04                              | Security IOS Service for Cisco 29XX Series managed router feature upgrade Can only be used in conjunction with MRS services in this Category.   |
| 265              | Data IOS Svc for Cisco 39XX     | MRU05                              | Data IOS Service for Cisco 39XX Series managed router feature upgrade Can only be used in conjunction with MRS services in this Category.   |
| 266              | Security IOS Svc for Cisco 39XX | MRU06                              | Security IOS Service for Cisco 39XX Series managed router feature upgrade Can only be used in conjunction with MRS services in this Category.   |

| <b>Line Item</b> | <b>Feature Name</b>                          | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|--|------------------------------------|---|
| 267              | 2 - Port SPA Svc<br>Cisco ASR 1000<br>Module | MRU10                              | Copper SFP - SX Cisco 2-Port Gigabit Ethernet Shared Port Adapter (SPA) Service for ASR1000 series managed router feature upgrade Can only be used in conjunction with MRS services in this Category. |
| 268              | 4 - Port SPA Svc<br>Cisco ASR 1000           | MRU11                              | 100M Ethernet Cisco 4-Port Fast Ethernet (TX) Shared Port Adapter (SPA) Service for ASR1000 series managed router feature upgrade Can only be used in conjunction with MRS services in this Category. |
| 269              | LX/LH SFP Svc                                | MRU12                              | GE SFP, LC connector LX/LH transceiver Service managed router feature upgrade Can only be used in conjunction with MRS services in this Category.   |
| 270              | SX SFP Svc                                   | MRU13                              | GE SFP, LC connector SX transceiver Service managed router feature upgrade Can only be used in conjunction with MRS services in this Category.  |
| 271              | 1000 Base-T SFP Svc                          | MRU14                              | 1000 BASE-T SFP Service managed router feature upgrade Can only be used in conjunction with MRS services in this Category.  |
| 272              | 4320 Security Svc                            | MRU57                              | SL-4320-SEC-K9 Security License Service for Cisco ISR 4320 Series Can only be used in conjunction with MRS services in this Category.   |
| 273              | 4330 Security Svc                            | MRU58                              | SL-4330-SEC-K9 Security License Service for Cisco ISR 4330 Series Can only be used in conjunction with MRS services in this Category.   |
| 274              | 4330E Security Svc                           | MRU59                              | FL-4330-HSEC-K9 U.S. Export Restriction Compliance license Service for 4330 series Can only be  |

| <b>Line Item</b> | <b>Feature Name</b>    | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|------------------------|------------------------------------|---|
|                  |                        |                                    | used in conjunction with MRS services in this Category.   |
| 275              | 4350 Security Svc      | MRU60                              | SL-4350-SEC-K9 Security License Service for Cisco ISR 4350 Series Can only be used in conjunction with MRS services in this Category.                               |
| 276              | 4350E Security License | MRU61                              | FL-4350-HSEC-K9 U.S. Export Restriction Compliance license Service for 4350 series Can only be used in conjunction with MRS services in this Category.              |
| 277              | 4400 Security Svc      | MRU62                              | SL-44-SEC-K9 Security License Service for Cisco ISR 4400 Series Can only be used in conjunction with MRS services in this Category.                                 |
| 278              | 4400E Security Svc     | MRU63                              | FL-44-HSEC-K9 U.S. Export Restriction Compliance license Service for 4350 series Can only be used in conjunction with MRS services in this Category.                |
| 279              | 1GE NIM Svc            | MRU64                              | NIM-1GE-CU-SFP 1-port GE WAN NIM, dual-mode RJ45 & SFP Network Interface Module (NIM) Service Can only be used in conjunction with MRS services in this Category.   |
| 280              | 2GE NIM Svc            | MRU65                              | NIM-2GE-CU-SFP 2-port GE WAN NIM, dual-mode RJ45 & SFP Network Interface Module (NIM) Service Can only be used in conjunction with MRS services in this Category.   |
| 281              | 6-Port WAN SM          | MRU66                              | SM-X module with 6-port dual-mode GE / SFP (not valid for 4321) WAN Service Module (SM) Service Can only be used in conjunction with MRS services in this Category. |
| 282              | GLC-T SFP Svc          | MRU67                              | GLC-T 1000 BASE-T Small Form Factor Pluggable (SFP) Service   |

| <b>Line Item</b> | <b>Feature Name</b>     | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|-------------------------|------------------------------------|---|
|                  |                         |                                    | Can only be used in conjunction with MRS services in this Category.   |
| 283              | MRS Router - Cisco 2911 | C2911                              | AT&T owned and managed router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Low speed Ethernet Configuration Cisco 2911 Ethernet model. Supports up to 10 Mbps throughput. Requires phone line provided separately for maintenance. To support existing customers with MRS router in service today. Not for new orders. Can only be used in conjunction with MRS services in this Category.  |
| 284              | MRS Router - Cisco 2921 | C2921                              | AT&T owned and managed router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Low speed Ethernet Configuration, Cisco 2921 Ethernet model. Supports up to 20 Mbps throughput. Requires phone line provided separately for maintenance. To support existing customers with MRS router in service today. Not for new orders. Can only be used in conjunction with MRS services in this Category. |
| 285              | MRS Router - Cisco 3925 | C3925                              | AT&T owned and managed router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Cisco 3925 Ethernet model. Supports up to 50 Mbps throughput. Requires phone line provided separately for maintenance. To support existing customers with MRS router in service today. Not for new orders. Can   |

| <b>Line Item</b> | <b>Feature Name</b>        | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|----------------------------|------------------------------------|--|
|                  |                            |                                    | only be used in conjunction with MRS services in this Category.  |
| 286              | MRS Router - Cisco 3945    | C3945                              | AT&T owned and managed Router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Cisco 3945 Ethernet model. Supports up to 100 Mbps throughput. Requires phone line provided separately for maintenance. To support existing customers with MRS router in service today. Not for new orders. Can only be used in conjunction with MRS services in this Category. |
| 287              | MRS Router - Cisco ASR1002 | ASR1                               | AT&T owned and managed router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Cisco ASR1002 model. Supports up to 1 Gbps throughput. Requires phone line provided separately for maintenance. To support existing customers with MRS router in service today. Not for new orders. Can only be used in conjunction with MRS services in this Category.         |
| 288              | MRS Router - Cisco 7604    | 7604                               | AT&T owned and managed router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Cisco 7604 model. Supports up to 10 Gbps throughput. Requires phone line provided separately for maintenance. To support existing customers with MRS router in service today. Not for new orders. Can   |

| <b>Line Item</b> | <b>Feature Name</b>                | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|------------------------------------|------------------------------------|---|
|                  |                                    |                                    | only be used in conjunction with MRS services in this Category.   |
| 289              | MRS Router - Cisco 1921            | T1921                              | AT&T owned and managed router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Cisco 1921 - T1 PPP model. Supports up to 1.5 Mbps throughput. Requires phone line provided separately for maintenance. To support existing customers with MRS router in service today. Not for new orders. Can only be used in conjunction with MRS services in this Category.          |
| 290              | MRS Router - Cisco 2911 - T1 PPP   | T2911                              | AT&T owned and managed router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Low speed T1 PPP. Cisco 2911 model. Supports up to 1.5 Mbps throughput. Requires phone line provided separately for maintenance. To support existing customers with MRS router in service today. Not for new orders. Can only be used in conjunction with MRS services in this Category. |
| 291              | MRS Router - Cisco 2911 - 2xT1 PPP | 2T291                              | AT&T owned and managed router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Low speed 2xT1 PPP Cisco 2911 model. Supports up to 3 Mbps throughput. Requires phone line provided separately for maintenance. To support existing customers with MRS   |

| <b>Line Item</b> | <b>Feature Name</b>                | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|------------------------------------|------------------------------------|--|
|                  |                                    |                                    | router in service today. Not for new orders. Can only be used in conjunction with MRS services in this Category.   |
| 292              | MRS Router - Cisco 2911 - 4xT1 PPP | 4T291                              | AT&T owned and managed router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Low speed 2xT1 PPP Configuration Cisco 2911 model. Supports up to 6 Mbps throughput. Requires phone line provided separately for maintenance. To support existing customers with MRS router in service today. Not for new orders. Can only be used in conjunction with MRS services in this Category. |
| 293              | MRS Router - Cisco 2921 - 6xT1 PPP | 6T292                              | AT&T owned and managed router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Low speed 6xT1 PPP. Cisco 2921 model . Requires phone line provided separately for maintenance. To support existing customers with MRS router in service today. Not for new orders. Can only be used in conjunction with MRS services in this Category.   |
| 294              | MRS Router - Cisco 2921 - 8xT1 PPP | 8T292                              | AT&T owned and managed router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Low speed 8xT1 PPP. Cisco 2921 model. Requires phone line provided separately for maintenance. To support existing customers with MRS router in service today. Not for new  |

| <b>Line Item</b> | <b>Feature Name</b>     | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|-------------------------|------------------------------------|---|
|                  |                         |                                    | orders. Can only be used in conjunction with MRS services in this Category.   |
| 295              | MRS Router - 4321 - T1  | T4321                              | AT&T owned and managed router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Cisco 4321 - T1 PPP model or successor model. Supports up to 1.5 Mbps throughput. Requires phone line provided separately for maintenance. Can only be used in conjunction with MRS services in this Category.             |
| 296              | MRS Router - 4321 - 2T1 | 2T432                              | AT&T owned and managed router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Low speed Cisco 4321 - 2xT1 PPP model or successor model. Supports up to 3 Mbps throughput. Requires phone line provided separately for maintenance. Can only be used in conjunction with MRS services in this Category.   |
| 297              | MRS Router - 4321 - 3T1 | 3T432                              | AT&T owned and managed router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Low speed Cisco 4321 - 3xT1 PPP model or successor model. Supports up to 4.5 Mbps throughput. Requires phone line provided separately for maintenance. Can only be used in conjunction with MRS services in this Category. |

| <b>Line Item</b> | <b>Feature Name</b>     | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|-------------------------|------------------------------------|---|
| 298              | MRS Router - 4321 - 4T1 | 4T432                              | AT&T owned and managed router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Low speed Cisco 4321 - 4xT1 PPP model or successor model. Supports up to 6 Mbps throughput. Requires phone line provided separately for maintenance. Can only be used in conjunction with MRS services in this Category.   |
| 299              | MRS Router - 4321 - 5T1 | 5T432                              | AT&T owned and managed router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Low speed Cisco 4321 - 5xT1 PPP model or successor model. Supports up to 7.5 Mbps throughput. Requires phone line provided separately for maintenance. Can only be used in conjunction with MRS services in this Category. |
| 300              | MRS Router - 4321 - 6T1 | 6T432                              | AT&T owned and managed router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Low speed Cisco 4321 - 6xT1 PPP model or successor model. Supports up to 9 Mbps throughput. Requires phone line provided separately for maintenance. Can only be used in conjunction with MRS services in this Category.   |
| 301              | MRS Router - 4321 - 8T1 | 8T432                              | AT&T owned and managed router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Low speed Cisco 4321 - 8xT1 PPP model or successor model. Supports up to 12  |

| <b>Line Item</b> | <b>Feature Name</b>        | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|----------------------------|------------------------------------|---|
|                  |                            |                                    | Mbps throughput. Requires phone line provided separately for maintenance. Can only be used in conjunction with MRS services in this Category.   |
| 302              | MRS Router - ISR4331 (DS3) | D4331                              | AT&T owned and managed router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Cisco ISR4331 - T3 PPP model or successor model. Supports up to 45 Mbps throughput. Requires phone line provided separately for maintenance. Can only be used in conjunction with MRS services in this Category. |
| 303              | MRS Router 4321(20Mb)      | A4321                              | AT&T owned and managed router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Cisco 4321 Ethernet model or successor model. Supports up to 20 Mbps throughput. Requires phone line provided separately for maintenance. Can only be used in conjunction with MRS services in this Category.    |
| 304              | MRS Router - 4331(50Mb)    | A4331                              | AT&T owned and managed router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Cisco 4331 Ethernet model or successor model. Supports up to 50 Mbps throughput. Requires phone line provided separately for maintenance. Can only be used in conjunction with MRS services in this Category.    |

| <b>Line Item</b> | <b>Feature Name</b>      | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|--------------------------|------------------------------------|---|
| 305              | MRS Router - 4331(150Mb) | B4331                              | AT&T owned and managed Router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Cisco 4331 Ethernet model or successor model. Supports up to 150 Mbps throughput. Requires phone line provided separately for maintenance. Can only be used in conjunction with MRS services in this Category. |
| 306              | MRS Router - 4351(200Mb) | A4351                              | AT&T owned and managed Router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Cisco 4351 Ethernet model or successor model. Supports up to 200 Mbps throughput. Requires phone line provided separately for maintenance. Can only be used in conjunction with MRS services in this Category. |
| 307              | MRS Router - 4431(250Mb) | A4431                              | AT&T owned and managed Router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Cisco 4431 Ethernet model or successor model. Supports up to 250 Mbps throughput. Requires phone line provided separately for maintenance. Can only be used in conjunction with MRS services in this Category. |
| 308              | MRS Router - 4431(500Mb) | B4431                              | AT&T owned and managed Router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Cisco 4431 Ethernet model or successor model. Supports up to 500 Mbps  |

| <b>Line Item</b> | <b>Feature Name</b>       | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|---------------------------|------------------------------------|---|
|                  |                           |                                    | throughput. Requires phone line provided separately for maintenance. Can only be used in conjunction with MRS services in this Category.  |
| 309              | MRS Router - 4451 (500Mb) | A4451                              | AT&T owned and managed Router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Cisco 4451 Ethernet model or successor model. Supports up to 500 Mbps throughput. Requires phone line provided separately for maintenance. Can only be used in conjunction with MRS services in this Category.   |
| 310              | MRS Router - 4451 (1Gb)   | B4451                              | AT&T owned and managed Router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Cisco 4451 Ethernet model or successor model. Supports up to 1 Gbps throughput. Requires phone line provided separately for maintenance. Can only be used in conjunction with MRS services in this Category.     |
| 311              | MRS Router - ASR1001X     | ASR1X                              | AT&T owned and managed Router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Cisco ASR1001X Ethernet model or successor model. Supports up to 1 Gbps throughput. Requires phone line provided separately for maintenance. Can only be used in conjunction with MRS services in this Category. |

| <b>Line Item</b> | <b>Feature Name</b>                          | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|--|------------------------------------|--|
| 312              | MRS Router - ASR1002X                        | ASR2X                              | AT&T owned and managed Router. Includes installation, configuration, life-cycle maintenance and diagnostic monitoring. Cisco ASR1002X Ethernet model or successor model. Supports up to 10 Gbps throughput. Requires phone line provided separately for maintenance. Can only be used in conjunction with MRS services in this Category.   |
| 313              | WAS - Small Site Appliance - Type 1 – Set up | WAS201                             | AT&T Owned Riverbed Devices. WAN Acceleration offers a hardware and software based solution to improve application performance by better utilization of WAN bandwidth. Enables the customer to be SDWAN Ready. WAN Acceleration requires an approved Appliance at both ends of the network. Each customer must order a Central Manager device to configure and manage the WAN Acceleration service. AT&T will configure each designated WAN Acceleration Appliance using either inline or Web Cache Control Protocol ("WCCP") WAN acceleration, at AT&T's option. For inline WAN acceleration, the Appliance is directly in line or in the path of the network traffic; all traffic flows through the acceleration Appliance, and is accelerated based on the configurations of the Appliance. For WCCP WAN acceleration, AT&T configures the Underlying Service routers with IP |

| Line Item | Feature Name | Bidder's Product Identifier | Bidder's Product Description, Restrictions and Limitations  |
|-----------|--------------|-----------------------------|---|
|           |              |                             | <p>Access Control lists or other traffic redirect instructions designed to redirect select traffic to the acceleration Appliance. WAN Acceleration Service is available for use only on Underlying Services; that is, only on AT&amp;T network managed services approved by AT&amp;T for use with the APM Service. Approved Underlying Services are; Managed AT&amp;T VPN; AT&amp;T Managed Router Solution ("MRS"), Essential or Complete, using either IPeFR or AT&amp;T VPN as transport. Not all Services' features or capabilities are fully compatible with APM, including for example but without limitation, VoIP, Multicast, IP v6, and CoS effectiveness. For instance, there may be service degradation risks to Customers using Voice over IP, including to VoEVPN Customers. All customers should carefully evaluate their network prior to ordering APM for use with potentially incompatible services. Can only be used in conjunction with services in this Category.</p> |

| <b>Line Item</b> | <b>Feature Name</b>                              | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|--|------------------------------------|--|
| 314              | WAS - Small Site Appliance - Type 1 – Management | WAS211                             | <p>AT&amp;T Owned Riverbed Devices. WAN Acceleration offers a hardware and software based solution to improve application performance by better utilization of WAN bandwidth. Enables the customer to be SDWAN Ready. WAN Acceleration requires an approved Appliance at both ends of the network. Each customer must order a Central Manager device to configure and manage the WAN Acceleration service. AT&amp;T will configure each designated WAN Acceleration Appliance using either inline or Web Cache Control Protocol ("WCCP") WAN acceleration, at AT&amp;T's option. For inline WAN acceleration, the Appliance is directly in line or in the path of the network traffic; all traffic flows through the acceleration Appliance, and is accelerated based on the configurations of the Appliance. For WCCP WAN acceleration, AT&amp;T configures the Underlying Service routers with IP Access Control lists or other traffic redirect instructions designed to redirect select traffic to the acceleration Appliance. WAN Acceleration Service is available for use only on Underlying Services; that is, only on AT&amp;T network managed services approved by AT&amp;T for use with the APM Service. Approved Underlying Services are; Managed AT&amp;T VPN; AT&amp;T</p> |

| <b>Line Item</b> | <b>Feature Name</b> | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|---------------------|------------------------------------|--|
|                  |                     |                                    | <p>Managed Router Solution ("MRS"), Essential or Complete, using either IPeFR or AT&amp;T VPN as transport. Not all Services' features or capabilities are fully compatible with APM, including for example but without limitation, VoIP, Multicast, IP v6, and CoS effectiveness. For instance, there may be service degradation risks to Customers using Voice over IP, including to VoEVPN Customers. All customers should carefully evaluate their network prior to ordering APM for use with potentially incompatible services. Can only be used in conjunction with services in this Category.</p> |

| <b>Line Item</b> | <b>Feature Name</b>                          | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|--|------------------------------------|--|
| 315              | WAS - Small Site Appliance - Type 2 – Set up | WAS202                             | <p>AT&amp;T Owned Riverbed Devices. WAN Acceleration offers a hardware and software based solution to improve application performance by better utilization of WAN bandwidth. Enables the customer to be SDWAN Ready. WAN Acceleration requires an approved Appliance at both ends of the network. Each customer must order a Central Manager device to configure and manage the WAN Acceleration service. AT&amp;T will configure each designated WAN Acceleration Appliance using either inline or Web Cache Control Protocol ("WCCP") WAN acceleration, at AT&amp;T's option. For inline WAN acceleration, the Appliance is directly in line or in the path of the network traffic; all traffic flows through the acceleration Appliance, and is accelerated based on the configurations of the Appliance. For WCCP WAN acceleration, AT&amp;T configures the Underlying Service routers with IP Access Control lists or other traffic redirect instructions designed to redirect select traffic to the acceleration Appliance. WAN Acceleration Service is available for use only on Underlying Services; that is, only on AT&amp;T network managed services approved by AT&amp;T for use with the APM Service. Approved Underlying Services are; Managed AT&amp;T VPN; AT&amp;T</p> |

| <b>Line Item</b> | <b>Feature Name</b> | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|---------------------|------------------------------------|--|
|                  |                     |                                    | <p>Managed Router Solution ("MRS"), Essential or Complete, using either IPeFR or AT&amp;T VPN as transport. Not all Services' features or capabilities are fully compatible with APM, including for example but without limitation, VoIP, Multicast, IP v6, and CoS effectiveness. For instance, there may be service degradation risks to Customers using Voice over IP, including to VoEVPN Customers. All customers should carefully evaluate their network prior to ordering APM for use with potentially incompatible services. Can only be used in conjunction with services in this Category.</p> |

| <b>Line Item</b> | <b>Feature Name</b>                              | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|--|------------------------------------|--|
| 316              | WAS - Small Site Appliance - Type 2 – Management | WAS212                             | <p>AT&amp;T Owned Riverbed Devices. WAN Acceleration offers a hardware and software based solution to improve application performance by better utilization of WAN bandwidth. Enables the customer to be SDWAN Ready. WAN Acceleration requires an approved Appliance at both ends of the network. Each customer must order a Central Manager device to configure and manage the WAN Acceleration service. AT&amp;T will configure each designated WAN Acceleration Appliance using either inline or Web Cache Control Protocol ("WCCP") WAN acceleration, at AT&amp;T's option. For inline WAN acceleration, the Appliance is directly in line or in the path of the network traffic; all traffic flows through the acceleration Appliance, and is accelerated based on the configurations of the Appliance. For WCCP WAN acceleration, AT&amp;T configures the Underlying Service routers with IP Access Control lists or other traffic redirect instructions designed to redirect select traffic to the acceleration Appliance. WAN Acceleration Service is available for use only on Underlying Services; that is, only on AT&amp;T network managed services approved by AT&amp;T for use with the APM Service. Approved Underlying Services are; Managed AT&amp;T VPN; AT&amp;T</p> |

| <b>Line Item</b> | <b>Feature Name</b> | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|---------------------|------------------------------------|--|
|                  |                     |                                    | <p>Managed Router Solution ("MRS"), Essential or Complete, using either IPeFR or AT&amp;T VPN as transport. Not all Services' features or capabilities are fully compatible with APM, including for example but without limitation, VoIP, Multicast, IP v6, and CoS effectiveness. For instance, there may be service degradation risks to Customers using Voice over IP, including to VoEVPN Customers. All customers should carefully evaluate their network prior to ordering APM for use with potentially incompatible services. Can only be used in conjunction with services in this Category.</p> |

| <b>Line Item</b> | <b>Feature Name</b>                          | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|--|------------------------------------|--|
| 317              | WAS - Small Site Appliance - Type 3 – Set up | WAS203                             | <p>AT&amp;T Owned Riverbed Devices. WAN Acceleration offers a hardware and software based solution to improve application performance by better utilization of WAN bandwidth. Enables the customer to be SDWAN Ready. WAN Acceleration requires an approved Appliance at both ends of the network. Each customer must order a Central Manager device to configure and manage the WAN Acceleration service. AT&amp;T will configure each designated WAN Acceleration Appliance using either inline or Web Cache Control Protocol ("WCCP") WAN acceleration, at AT&amp;T's option. For inline WAN acceleration, the Appliance is directly in line or in the path of the network traffic; all traffic flows through the acceleration Appliance, and is accelerated based on the configurations of the Appliance. For WCCP WAN acceleration, AT&amp;T configures the Underlying Service routers with IP Access Control lists or other traffic redirect instructions designed to redirect select traffic to the acceleration Appliance. WAN Acceleration Service is available for use only on Underlying Services; that is, only on AT&amp;T network managed services approved by AT&amp;T for use with the APM Service. Approved Underlying Services are; Managed AT&amp;T VPN; AT&amp;T</p> |

| <b>Line Item</b> | <b>Feature Name</b> | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|---------------------|------------------------------------|---|
|                  |                     |                                    | Managed Router Solution ("MRS"), Essential or Complete, using either IPeFR or AT&T VPN as transport. Not all Services' features or capabilities are fully compatible with APM, including for example but without limitation, VoIP, Multicast, IP v6, and CoS effectiveness. For instance, there may be service degradation risks to Customers using Voice over IP, including to VoEVPN Customers. All customers should carefully evaluate their network prior to ordering APM for use with potentially incompatible services. Can only be used in conjunction with services in this Category. |

| <b>Line Item</b> | <b>Feature Name</b>                              | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|--|------------------------------------|--|
| 318              | WAS - Small Site Appliance - Type 3 – Management | WAS213                             | <p>AT&amp;T Owned Riverbed Devices. WAN Acceleration offers a hardware and software based solution to improve application performance by better utilization of WAN bandwidth. Enables the customer to be SDWAN Ready. WAN Acceleration requires an approved Appliance at both ends of the network. Each customer must order a Central Manager device to configure and manage the WAN Acceleration service. AT&amp;T will configure each designated WAN Acceleration Appliance using either inline or Web Cache Control Protocol ("WCCP") WAN acceleration, at AT&amp;T's option. For inline WAN acceleration, the Appliance is directly in line or in the path of the network traffic; all traffic flows through the acceleration Appliance, and is accelerated based on the configurations of the Appliance. For WCCP WAN acceleration, AT&amp;T configures the Underlying Service routers with IP Access Control lists or other traffic redirect instructions designed to redirect select traffic to the acceleration Appliance. WAN Acceleration Service is available for use only on Underlying Services; that is, only on AT&amp;T network managed services approved by AT&amp;T for use with the APM Service. Approved Underlying Services are; Managed AT&amp;T VPN; AT&amp;T</p> |

| <b>Line Item</b> | <b>Feature Name</b> | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|---------------------|------------------------------------|---|
|                  |                     |                                    | Managed Router Solution ("MRS"), Essential or Complete, using either IPeFR or AT&T VPN as transport. Not all Services' features or capabilities are fully compatible with APM, including for example but without limitation, VoIP, Multicast, IP v6, and CoS effectiveness. For instance, there may be service degradation risks to Customers using Voice over IP, including to VoEVPN Customers. All customers should carefully evaluate their network prior to ordering APM for use with potentially incompatible services. Can only be used in conjunction with services in this Category. |

| <b>Line Item</b> | <b>Feature Name</b>       | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|---------------------------|------------------------------------|--|
| 319              | WAS- Medium Site – Set up | WAS204                             | <p>AT&amp;T Owned Riverbed Devices. WAN Acceleration offers a hardware and software based solution to improve application performance by better utilization of WAN bandwidth. Enables the customer to be SDWAN Ready. WAN Acceleration requires an approved Appliance at both ends of the network. Each customer must order a Central Manager device to configure and manage the WAN Acceleration service. AT&amp;T will configure each designated WAN Acceleration Appliance using either inline or Web Cache Control Protocol ("WCCP") WAN acceleration, at AT&amp;T's option. For inline WAN acceleration, the Appliance is directly in line or in the path of the network traffic; all traffic flows through the acceleration Appliance, and is accelerated based on the configurations of the Appliance. For WCCP WAN acceleration, AT&amp;T configures the Underlying Service routers with IP Access Control lists or other traffic redirect instructions designed to redirect select traffic to the acceleration Appliance. WAN Acceleration Service is available for use only on Underlying Services; that is, only on AT&amp;T network managed services approved by AT&amp;T for use with the APM Service. Approved Underlying Services are; Managed AT&amp;T VPN; AT&amp;T</p> |

| <b>Line Item</b> | <b>Feature Name</b> | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|---------------------|------------------------------------|--|
|                  |                     |                                    | <p>Managed Router Solution ("MRS"), Essential or Complete, using either IPeFR or AT&amp;T VPN as transport. Not all Services' features or capabilities are fully compatible with APM, including for example but without limitation, VoIP, Multicast, IP v6, and CoS effectiveness. For instance, there may be service degradation risks to Customers using Voice over IP, including to VoEVPN Customers. All customers should carefully evaluate their network prior to ordering APM for use with potentially incompatible services. Can only be used in conjunction with services in this Category.</p> |

| <b>Line Item</b> | <b>Feature Name</b>           | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|-------------------------------|------------------------------------|--|
| 320              | WAS- Medium Site – Management | WAS214                             | <p>AT&amp;T Owned Riverbed Devices. WAN Acceleration offers a hardware and software based solution to improve application performance by better utilization of WAN bandwidth. Enables the customer to be SDWAN Ready. WAN Acceleration requires an approved Appliance at both ends of the network. Each customer must order a Central Manager device to configure and manage the WAN Acceleration service. AT&amp;T will configure each designated WAN Acceleration Appliance using either inline or Web Cache Control Protocol ("WCCP") WAN acceleration, at AT&amp;T's option. For inline WAN acceleration, the Appliance is directly in line or in the path of the network traffic; all traffic flows through the acceleration Appliance, and is accelerated based on the configurations of the Appliance. For WCCP WAN acceleration, AT&amp;T configures the Underlying Service routers with IP Access Control lists or other traffic redirect instructions designed to redirect select traffic to the acceleration Appliance. WAN Acceleration Service is available for use only on Underlying Services; that is, only on AT&amp;T network managed services approved by AT&amp;T for use with the APM Service. Approved Underlying Services are; Managed AT&amp;T VPN; AT&amp;T</p> |

| <b>Line Item</b> | <b>Feature Name</b> | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|---------------------|------------------------------------|--|
|                  |                     |                                    | <p>Managed Router Solution ("MRS"), Essential or Complete, using either IPeFR or AT&amp;T VPN as transport. Not all Services' features or capabilities are fully compatible with APM, including for example but without limitation, VoIP, Multicast, IP v6, and CoS effectiveness. For instance, there may be service degradation risks to Customers using Voice over IP, including to VoEVPN Customers. All customers should carefully evaluate their network prior to ordering APM for use with potentially incompatible services. Can only be used in conjunction with services in this Category.</p> |

| <b>Line Item</b> | <b>Feature Name</b>      | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|--------------------------|------------------------------------|--|
| 321              | WAS- Large Site – Set Up | WAS205                             | <p>AT&amp;T Owned Riverbed Devices. WAN Acceleration offers a hardware and software based solution to improve application performance by better utilization of WAN bandwidth. Enables the customer to be SDWAN Ready. WAN Acceleration requires an approved Appliance at both ends of the network. Each customer must order a Central Manager device to configure and manage the WAN Acceleration service. AT&amp;T will configure each designated WAN Acceleration Appliance using either inline or Web Cache Control Protocol ("WCCP") WAN acceleration, at AT&amp;T's option. For inline WAN acceleration, the Appliance is directly in line or in the path of the network traffic; all traffic flows through the acceleration Appliance, and is accelerated based on the configurations of the Appliance. For WCCP WAN acceleration, AT&amp;T configures the Underlying Service routers with IP Access Control lists or other traffic redirect instructions designed to redirect select traffic to the acceleration Appliance. WAN Acceleration Service is available for use only on Underlying Services; that is, only on AT&amp;T network managed services approved by AT&amp;T for use with the APM Service. Approved Underlying Services are; Managed AT&amp;T VPN; AT&amp;T</p> |

| <b>Line Item</b> | <b>Feature Name</b> | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|---------------------|------------------------------------|---|
|                  |                     |                                    | Managed Router Solution ("MRS"), Essential or Complete, using either IPeFR or AT&T VPN as transport. Not all Services' features or capabilities are fully compatible with APM, including for example but without limitation, VoIP, Multicast, IP v6, and CoS effectiveness. For instance, there may be service degradation risks to Customers using Voice over IP, including to VoEVPN Customers. All customers should carefully evaluate their network prior to ordering APM for use with potentially incompatible services. Can only be used in conjunction with services in this Category. |

| <b>Line Item</b> | <b>Feature Name</b>          | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|------------------------------|------------------------------------|--|
| 322              | WAS- Large Site – Management | WAS215                             | <p>AT&amp;T Owned Riverbed Devices. WAN Acceleration offers a hardware and software based solution to improve application performance by better utilization of WAN bandwidth. Enables the customer to be SDWAN Ready. WAN Acceleration requires an approved Appliance at both ends of the network. Each customer must order a Central Manager device to configure and manage the WAN Acceleration service. AT&amp;T will configure each designated WAN Acceleration Appliance using either inline or Web Cache Control Protocol ("WCCP") WAN acceleration, at AT&amp;T's option. For inline WAN acceleration, the Appliance is directly in line or in the path of the network traffic; all traffic flows through the acceleration Appliance, and is accelerated based on the configurations of the Appliance. For WCCP WAN acceleration, AT&amp;T configures the Underlying Service routers with IP Access Control lists or other traffic redirect instructions designed to redirect select traffic to the acceleration Appliance. WAN Acceleration Service is available for use only on Underlying Services; that is, only on AT&amp;T network managed services approved by AT&amp;T for use with the APM Service. Approved Underlying Services are; Managed AT&amp;T VPN; AT&amp;T</p> |

| <b>Line Item</b> | <b>Feature Name</b> | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|---------------------|------------------------------------|--|
|                  |                     |                                    | <p>Managed Router Solution ("MRS"), Essential or Complete, using either IPeFR or AT&amp;T VPN as transport. Not all Services' features or capabilities are fully compatible with APM, including for example but without limitation, VoIP, Multicast, IP v6, and CoS effectiveness. For instance, there may be service degradation risks to Customers using Voice over IP, including to VoEVPN Customers. All customers should carefully evaluate their network prior to ordering APM for use with potentially incompatible services. Can only be used in conjunction with services in this Category.</p> |

| <b>Line Item</b> | <b>Feature Name</b>               | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|-----------------------------------|------------------------------------|--|
| 323              | WAS- XL Data Center Site – Set Up | WAS206                             | <p>AT&amp;T Owned Riverbed Devices. WAN Acceleration offers a hardware and software based solution to improve application performance by better utilization of WAN bandwidth. Enables the customer to be SDWAN Ready. WAN Acceleration requires an approved Appliance at both ends of the network. Each customer must order a Central Manager device to configure and manage the WAN Acceleration service. AT&amp;T will configure each designated WAN Acceleration Appliance using either inline or Web Cache Control Protocol ("WCCP") WAN acceleration, at AT&amp;T's option. For inline WAN acceleration, the Appliance is directly in line or in the path of the network traffic; all traffic flows through the acceleration Appliance, and is accelerated based on the configurations of the Appliance. For WCCP WAN acceleration, AT&amp;T configures the Underlying Service routers with IP Access Control lists or other traffic redirect instructions designed to redirect select traffic to the acceleration Appliance. WAN Acceleration Service is available for use only on Underlying Services; that is, only on AT&amp;T network managed services approved by AT&amp;T for use with the APM Service. Approved Underlying Services are; Managed AT&amp;T VPN; AT&amp;T</p> |

| <b>Line Item</b> | <b>Feature Name</b> | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|---------------------|------------------------------------|---|
|                  |                     |                                    | Managed Router Solution ("MRS"), Essential or Complete, using either IPeFR or AT&T VPN as transport. Not all Services' features or capabilities are fully compatible with APM, including for example but without limitation, VoIP, Multicast, IP v6, and CoS effectiveness. For instance, there may be service degradation risks to Customers using Voice over IP, including to VoEVPN Customers. All customers should carefully evaluate their network prior to ordering APM for use with potentially incompatible services. Can only be used in conjunction with services in this Category. |

| <b>Line Item</b> | <b>Feature Name</b>                   | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|---------------------------------------|------------------------------------|--|
| 324              | WAS- XL Data Center Site – Management | WAS216                             | <p>AT&amp;T Owned Riverbed Devices. WAN Acceleration offers a hardware and software based solution to improve application performance by better utilization of WAN bandwidth. Enables the customer to be SDWAN Ready. WAN Acceleration requires an approved Appliance at both ends of the network. Each customer must order a Central Manager device to configure and manage the WAN Acceleration service. AT&amp;T will configure each designated WAN Acceleration Appliance using either inline or Web Cache Control Protocol ("WCCP") WAN acceleration, at AT&amp;T's option. For inline WAN acceleration, the Appliance is directly in line or in the path of the network traffic; all traffic flows through the acceleration Appliance, and is accelerated based on the configurations of the Appliance. For WCCP WAN acceleration, AT&amp;T configures the Underlying Service routers with IP Access Control lists or other traffic redirect instructions designed to redirect select traffic to the acceleration Appliance. WAN Acceleration Service is available for use only on Underlying Services; that is, only on AT&amp;T network managed services approved by AT&amp;T for use with the APM Service. Approved Underlying Services are; Managed AT&amp;T VPN; AT&amp;T</p> |

| <b>Line Item</b> | <b>Feature Name</b> | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|---------------------|------------------------------------|--|
|                  |                     |                                    | <p>Managed Router Solution ("MRS"), Essential or Complete, using either IPeFR or AT&amp;T VPN as transport. Not all Services' features or capabilities are fully compatible with APM, including for example but without limitation, VoIP, Multicast, IP v6, and CoS effectiveness. For instance, there may be service degradation risks to Customers using Voice over IP, including to VoEVPN Customers. All customers should carefully evaluate their network prior to ordering APM for use with potentially incompatible services. Can only be used in conjunction with services in this Category.</p> |

| <b>Line Item</b> | <b>Feature Name</b>           | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|-------------------------------|------------------------------------|--|
| 325              | WAS- Central Manager – Set Up | WAS207                             | <p>AT&amp;T Owned Riverbed Devices. WAN Acceleration offers a hardware and software based solution to improve application performance by better utilization of WAN bandwidth. Enables the customer to be SDWAN Ready. WAN Acceleration requires an approved Appliance at both ends of the network. Each customer must order a Central Manager device to configure and manage the WAN Acceleration service. AT&amp;T will configure each designated WAN Acceleration Appliance using either inline or Web Cache Control Protocol ("WCCP") WAN acceleration, at AT&amp;T's option. For inline WAN acceleration, the Appliance is directly in line or in the path of the network traffic; all traffic flows through the acceleration Appliance, and is accelerated based on the configurations of the Appliance. For WCCP WAN acceleration, AT&amp;T configures the Underlying Service routers with IP Access Control lists or other traffic redirect instructions designed to redirect select traffic to the acceleration Appliance. WAN Acceleration Service is available for use only on Underlying Services; that is, only on AT&amp;T network managed services approved by AT&amp;T for use with the APM Service. Approved Underlying Services are; Managed AT&amp;T VPN; AT&amp;T</p> |

| <b>Line Item</b> | <b>Feature Name</b> | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|---------------------|------------------------------------|---|
|                  |                     |                                    | Managed Router Solution ("MRS"), Essential or Complete, using either IPeFR or AT&T VPN as transport. Not all Services' features or capabilities are fully compatible with APM, including for example but without limitation, VoIP, Multicast, IP v6, and CoS effectiveness. For instance, there may be service degradation risks to Customers using Voice over IP, including to VoEVPN Customers. All customers should carefully evaluate their network prior to ordering APM for use with potentially incompatible services. Can only be used in conjunction with services in this Category. |

| <b>Line Item</b> | <b>Feature Name</b>               | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|-----------------------------------|------------------------------------|--|
| 326              | WAS- Central Manager – Management | WAS217                             | <p>AT&amp;T Owned Riverbed Devices. WAN Acceleration offers a hardware and software based solution to improve application performance by better utilization of WAN bandwidth. Enables the customer to be SDWAN Ready. WAN Acceleration requires an approved Appliance at both ends of the network. Each customer must order a Central Manager device to configure and manage the WAN Acceleration service. AT&amp;T will configure each designated WAN Acceleration Appliance using either inline or Web Cache Control Protocol ("WCCP") WAN acceleration, at AT&amp;T's option. For inline WAN acceleration, the Appliance is directly in line or in the path of the network traffic; all traffic flows through the acceleration Appliance, and is accelerated based on the configurations of the Appliance. For WCCP WAN acceleration, AT&amp;T configures the Underlying Service routers with IP Access Control lists or other traffic redirect instructions designed to redirect select traffic to the acceleration Appliance. WAN Acceleration Service is available for use only on Underlying Services; that is, only on AT&amp;T network managed services approved by AT&amp;T for use with the APM Service. Approved Underlying Services are; Managed AT&amp;T VPN; AT&amp;T</p> |

| <b>Line Item</b> | <b>Feature Name</b> | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|---------------------|------------------------------------|--|
|                  |                     |                                    | <p>Managed Router Solution ("MRS"), Essential or Complete, using either IPeFR or AT&amp;T VPN as transport. Not all Services' features or capabilities are fully compatible with APM, including for example but without limitation, VoIP, Multicast, IP v6, and CoS effectiveness. For instance, there may be service degradation risks to Customers using Voice over IP, including to VoEVPN Customers. All customers should carefully evaluate their network prior to ordering APM for use with potentially incompatible services. Can only be used in conjunction with services in this Category.</p> |

| <b>Line Item</b> | <b>Feature Name</b>       | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|---------------------------|------------------------------------|--|
| 327              | WAS- Move, Add, or Change | WAS208                             | <p>AT&amp;T Owned Riverbed Devices. WAN Acceleration offers a hardware and software based solution to improve application performance by better utilization of WAN bandwidth. Enables the customer to be SDWAN Ready. WAN Acceleration requires an approved Appliance at both ends of the network. Each customer must order a Central Manager device to configure and manage the WAN Acceleration service. AT&amp;T will configure each designated WAN Acceleration Appliance using either inline or Web Cache Control Protocol ("WCCP") WAN acceleration, at AT&amp;T's option. For inline WAN acceleration, the Appliance is directly in line or in the path of the network traffic; all traffic flows through the acceleration Appliance, and is accelerated based on the configurations of the Appliance. For WCCP WAN acceleration, AT&amp;T configures the Underlying Service routers with IP Access Control lists or other traffic redirect instructions designed to redirect select traffic to the acceleration Appliance. WAN Acceleration Service is available for use only on Underlying Services; that is, only on AT&amp;T network managed services approved by AT&amp;T for use with the APM Service. Approved Underlying Services are; Managed AT&amp;T VPN; AT&amp;T</p> |

| <b>Line Item</b> | <b>Feature Name</b>                    | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|--|------------------------------------|---|
|                  |  |                                    | Managed Router Solution ("MRS"), Essential or Complete, using either IPeFR or AT&T VPN as transport. Not all Services' features or capabilities are fully compatible with APM, including for example but without limitation, VoIP, Multicast, IP v6, and CoS effectiveness. For instance, there may be service degradation risks to Customers using Voice over IP, including to VoEVPN Customers. All customers should carefully evaluate their network prior to ordering APM for use with potentially incompatible services. Can only be used in conjunction with services in this Category. |
| 328              | AT&T Business WiFi Service             |                                    | All Sites require at least one Access Point (AP), and Sites of any significant size generally require multiple APs to ensure appropriate coverage. The AP connects to the LAN infrastructure providing the Wi-Fi Network signal.  |
| 329              | AT&T Business Wi-Fi SMALL (1-7 APs)    |                                    | AT&T Business Wi-Fi SMALL deployment supports up to 7 Access Points(AP).  |
| 330              | AT&T Business WiFi Small 8 Port Switch | MWSMSW                             | Aruba 2930F 8 Port Switch or successor model. Includes power cord. Requires AT&T Professional installation.   |

| <b>Line Item</b> | <b>Feature Name</b>                           | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|---|------------------------------------|---|
| 331              | AT&T Business WiFi Small Access Point         | MWSMAP                             | Aruba AP-305/AP-304 or successor model. Includes mount bracket, console cable. Requires AT&T Professional installation.                                 |
| 332              | AT&T Business WiFi Small AP antenna option 1  | MWSMAN1                            | Antenna option 1 for MWSMAP. Three are required for AP-304. Accessory available only as required for installation of AT&T Business Wi-Fi network.       |
| 333              | AT&T Business WiFi Small AP antenna option 2  | MWSMAN2                            | MIMO technology Antenna option 2 for MWSMAP. Required for AP-304. Accessory available only as required for installation of AT&T Business Wi-Fi network. |
| 334              | AT&T Business Wi-Fi MEDIUM (8-23 APs)         |                                    | AT&T Business Wi-Fi MEDIUM deployment supports between 8 and 23 Access Points(AP).  |
| 335              | AT&T Business WiFi Medium 24 Port Switch      | MWMDSW                             | Aruba 2930F 24 Port Switch or successor model. Includes power cord. Requires AT&T Professional installation.  |
| 336              | AT&T Business WiFi Medium Access Point        | MWMDAP                             | Aruba AP-515/AP-514 or successor model. Includes mount bracket & console cable. Requires AT&T Professional installation.                                |
| 337              | AT&T Business WiFi Medium AP antenna option 1 | MWMDAN1                            | Antenna option 1 for MWMDAP. Four required for AP-514. Accessory available only as required for installation of AT&T Business Wi-Fi network.            |
| 338              | AT&T Business WiFi Medium AP antenna option 2 | MWMDAN2                            | MIMO technology Antenna option 2 for MWMDAP. Required for AP-514. Accessory available only as required for installation of AT&T Business Wi-Fi network. |
| 339              | AT&T Business Wi-Fi LARGE (24+ APs)           |                                    | AT&T Business Wi-Fi LARGE deployment supports 24 or more Access Points(AP).   |

| <b>Line Item</b> | <b>Feature Name</b>                              | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|--|------------------------------------|---|
| 340              | AT&T Business Wi-Fi Large 24 Port Switch         | MWLGSW                             | Aruba 2930M 24 Port Switch or successor model. Includes dual power supply and power plugs. Requires AT&T Professional installation.                     |
| 341              | AT&T Business Wi-Fi Large Access Point           | MWLGAP                             | Aruba AP-535/AP-534 or successor model. Includes mount bracket & console cable. Requires AT&T Professional installation.                                |
| 342              | AT&T Business Wi-Fi Large AP antenna option 1    | MWLGAN1                            | Antenna option 1 for MWLGAP. Four required for AP-534. Accessory available only as required for installation of AT&T Business Wi-Fi network.            |
| 343              | AT&T Business Wi-Fi Large AP antenna option 2    | MWLGAN2                            | MIMO technology Antenna option 2 for MWLGAP. Required for AP-534. Accessory available only as required for installation of AT&T Business Wi-Fi network. |
| 344              | AT&T Business Wi-Fi Large 2-port Stacking Module | MWLGSM                             | Aruba 2930 2-port Stacking Module. Accessory available only as required for installation of AT&T Business Wi-Fi network.                                |
| 345              | AT&T Business Wi-Fi Large 0.5m Stacking Cable    | MWLGSC1                            | Aruba 2920/2930M 0.5m Stacking Cable. Accessory available only as required for installation of AT&T Business Wi-Fi network.                             |
| 346              | AT&T Business Wi-Fi Large 1m Stacking Cable      | MWLGSC2                            | Aruba 2920/2930M 1m Stacking Cable. Accessory available only as required for installation of AT&T Business Wi-Fi network.                               |
| 347              | AT&T Business Wi-Fi Large 3m Stacking Cable      | MWLGSC3                            | Aruba 2920/2930M 3m Stacking Cable. Accessory available only as required for installation of AT&T Business Wi-Fi network.                               |
| 348              | AT&T Business Wi-Fi Additional Features          |                                    | AT&T Business Wi-Fi Additional Features   |

| <b>Line Item</b> | <b>Feature Name</b>                                      | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|--|------------------------------------|---|
| 349              | AT&T Business Wi-Fi 10G SFP+ LC SR 300m MMF Transceiver  | MWTR1                              | Aruba 10G SFP+ LC SR 300m MMF Transceiver. Accessory available only as required for installation of AT&T Business Wi-Fi network.  |
| 350              | AT&T Business Wi-Fi 10G SFP+ LC LR 10km SMF Transceiver  | MWTR2                              | Aruba 10G SFP+ LC LR 10km SMF Transceiver. Accessory available only as required for installation of AT&T Business Wi-Fi network.  |
| 351              | AT&T Business Wi-Fi 100M SFP LC FX 2km MMF Transceiver   | MWTR3                              | Aruba 100M SFP LC FX 2km MMF Transceiver. Accessory available only as required for installation of AT&T Business Wi-Fi network.   |
| 352              | AT&T Business Wi-Fi 10G SFP+ to SFP+ 1m DAC Cable        | MWTR4                              | Aruba 10G SFP+ to SFP+ 1m DAC Cable. Accessory available only as required for installation of AT&T Business Wi-Fi network.        |
| 353              | AT&T Business Wi-Fi 10G SFP+ to SFP+ 3m DAC Cable        | MWTR5                              | Aruba 10G SFP+ to SFP+ 3m DAC Cable. Accessory available only as required for installation of AT&T Business Wi-Fi network.        |
| 354              | AT&T Business Wi-Fi 1G SFP RJ45 T 100m Cat5e Transceiver | MWTR6                              | Aruba 1G SFP RJ45 T 100m Cat5e Transceiver. Accessory available only as required for installation of AT&T Business Wi-Fi network. |
| 355              | AT&T Business Wi-Fi 1G SFP LC SX 500m MMF Transceiver    | MWTR7                              | Aruba 1G SFP LC SX 500m MMF Transceiver. Accessory available only as required for installation of AT&T Business Wi-Fi network.    |
| 356              | AT&T Business Wi-Fi 1G SFP LC LX 10km SMF Transceiver    | MWTR8                              | Aruba 1G SFP LC LX 10km SMF Transceiver. Accessory available only as required for installation of AT&T Business Wi-Fi network.    |
| 357              | AT&T Business WiFi Sensor                                | MWUXI                              | Aruba UXI Service Level Sensor. Requires AT&T Professional installation.  |

| <b>Line Item</b> | <b>Feature Name</b>                                     | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|---|------------------------------------|--|
| 358              | AT&T Business Wi-Fi Installation charge for first AP    | MWIN1                              | Installation charge for first AP. Includes cabling. Includes installation of one switch or POE injector. AT&T assumes customer has adequate pathways. Equipment will be placed in locations up to 10 feet working height above the floor. Installation will not occur on Sundays and holidays. Only to be used for installation in conjunction with AT&T Business Wi-Fi.   |
| 359              | Installation charge for each additional AP              | MWIN2                              | Installation charge for each additional AP. Includes cabling. Above 12 APs, includes installation of one switch for every 12 installed APs. AT&T assumes customer has adequate pathways. Equipment will be placed in locations up to 10 feet working height above the floor. Installation will not occur on Sundays and holidays. The labor rate is for work performed during regular hours. Only to be used for installation in conjunction with AT&T Business Wi-Fi. |
| 360              | AP Mounting Bracket: suspended ceiling rail, flat 9/16  | MWBR1                              | AP Mounting Bracket: suspended ceiling rail, flat 9/16. Accessory available only as required for installation of AT&T Business Wi-Fi network. Only to be used in conjunction with AT&T Business Wi-Fi.   |
| 361              | AP Mounting Bracket: suspended ceiling rail, flat 15/16 | MWBR2                              | AP Mounting Bracket: suspended ceiling rail, flat 15/16. Accessory available only as required for installation of AT&T Business Wi-Fi network. Only to be used in  |

| <b>Line Item</b> | <b>Feature Name</b>                                       | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|---|------------------------------------|---|
|                  |   |                                    | conjunction with AT&T Business Wi-Fi.   |
| 362              | AP Mounting Bracket: suspended ceiling rail, profile 9/16 | MWBR3                              | AP Mounting Bracket: suspended ceiling rail, profile 9/16. Accessory available only as required for installation of AT&T Business Wi-Fi network. Only to be used in conjunction with AT&T Business Wi-Fi.   |
| 363              | AP Mounting Bracket: solid surface                        | MWBR4                              | AP Mounting Bracket: solid surface. Accessory available only as required for installation of AT&T Business Wi-Fi network. Only to be used in conjunction with AT&T Business Wi-Fi.  |
| 364              | AP Mounting Bracket: wall-box                             | MWBR5                              | AP Mounting Bracket: wall-box. Accessory available only as required for installation of AT&T Business Wi-Fi network. Only to be used in conjunction with AT&T Business Wi-Fi.   |
| 365              | AT&T Business WiFi On-site survey, 1 day max              | MWSS1                              | On-Site Survey, 1 day max. Generally covers sites up to ~25,000 sq ft depending on site complexity. On-Site Survey requires the Customer to provide scalable floor plans before the Site visit. Customer must provide access to all areas where coverage is required including restricted areas, which may require an escort. Deliverables include a heat map, fully measured Service network design, and an associated bill of materials. Only to be used in conjunction with AT&T Business Wi-Fi. |

| <b>Line Item</b> | <b>Feature Name</b>                          | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|--|------------------------------------|---|
| 366              | AT&T Business WiFi On-site survey, 2 day max | MWSS2                              | On-Site Survey, 2 day max. Generally covers sites up to ~50,000 sq ft depending on site complexity. On-Site Survey requires the Customer to provide scalable floor plans before the Site visit. Customer must provide access to all areas where coverage is required including restricted areas, which may require an escort. Deliverables include a heat map, fully measured Service network design, and an associated bill of materials. Only to be used in conjunction with AT&T Business Wi-Fi. |
| 367              | AT&T Business WiFi On-site survey, 3 day max | MWSS3                              | On-Site Survey, 3 day max. Generally covers sites up to ~75,000 sq ft depending on site complexity. On-Site Survey requires the Customer to provide scalable floor plans before the Site visit. Customer must provide access to all areas where coverage is required including restricted areas, which may require an escort. Deliverables include a heat map, fully measured Service network design, and an associated bill of materials. Only to be used in conjunction with AT&T Business Wi-Fi. |
| 368              | AT&T Professional and Technical Services     |                                    | Supplemental Engineering and Technical activities, including but not limited to training, ingress porting, network re-design and re-configuration to support additional protocols, re-addressing of the network and other agreed upon network changes. These activities will be defined on a per Customer   |

| Line Item | Feature Name  | Bidder's Product Identifier | Bidder's Product Description, Restrictions and Limitations   |
|-----------|---|-----------------------------|--|
|           |   |                             | basis (detailed Scope of Work required) with the defined deliverable being a design/configuration document. Pricing is based on the below Professional services rates. These services do not include physical or logical changes to a managed network device. Can only be sold in conjunction with services supported on CALNET.   |
| 369       | AT&T Technical Services Support I - Standard Hours/Regular Rate (8am - 5pm local time)  | ATTFE1                      | Basic Network Skillset -Standard Hours: Pre or Post implementation site survey and network support. Provides basic Networking skills. For Example: Installs equipment, powers up equipment. Performs Cross Connects. Places Phone sets. Inventory equipment. Can only be sold in conjunction with services supported on CALNET.    |
| 370       | AT&T Technical Services Support I - Non-Standard Hours                                  | ATTFE12                     | Basic Network Skillset -Non Standard Hours Pre or Post implementation site survey and network support. Provides basic Networking skills. For Example: Installs equipment, powers up equipment. Performs Cross Connects. Places Phone sets. Inventory equipment. Can only be sold in conjunction with services supported on CALNET. |
| 371       | AT&T Technical Services Support II - Standard Hours/Regular Rate (8am - 5pm local time) | ATTFE2                      | Basic Plus Network Skillset - Standard Hours: Pre or Post-implementation site survey and network design. Provides advanced networking skills. For example Conducts assessments for complex installations or network  |

| <b>Line Item</b> | <b>Feature Name</b>  | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>   |
|------------------|--|------------------------------------|---|
|                  |  |                                    | solutions. Network configurations of router, switches and firewalls. Can only be sold in conjunction with services supported on CALNET.   |
| 372              | AT&T Technical Services Support II - Non-Standard Hours                    | ATTFE22                            | Basic Plus Network Skillset -Non Standard Hours: Pre or Post-implementation site survey and network design. Provides advanced networking skills. For example Conducts assessments for complex installations or network solutions. Network configurations of router, switches. Can only be sold in conjunction with services supported on CALNET.        |
| 373              | AT&T Network Engineer - Standard Hours/Regular Rate (8am - 5pm local time) | ATTNC1                             | Advanced Network Engineering Skillset- Standard Hours: Pre or Post-implementation site survey and network design. Performs advanced on-site installation and tests interoperability with other products For example Network configurations of router, switches, Firewall & VoIP. Can only be sold in conjunction with services supported on CALNET.     |
| 374              | AT&T Network Engineer - Non-Standard Hours                                 | ATTNC12                            | Advanced Network Engineering Skillset- Non-Standard Hours: Pre or Post-implementation site survey and network design. Performs advanced on-site installation and tests interoperability with other products For example Network configurations of router, switches, Firewall & VoIP. Can only be sold in conjunction with services supported on CALNET. |

| <b>Line Item</b> | <b>Feature Name</b>   | <b>Bidder's Product Identifier</b> | <b>Bidder's Product Description, Restrictions and Limitations</b>  |
|------------------|---|------------------------------------|--|
| 375              | AT&T Network Engineer II - Standard Hours/Regular Rate (8am - 5pm local time)                     | ATTNC2                             | Advanced Plus Network Engineering Skillset - Standard Hours: Pre or Post-implementation site survey and network design. Performs advanced on-site installation and tests interoperability with other products For example Complex Network configurations of router, switches, Firewall & VoIP. Skillset to understand MPLS and SDN. Can only be sold in conjunction with services supported on CALNET.     |
| 376              | AT&T Network Engineer II - Non-Standard Hours   | ATTNC22                            | Advanced Plus Network Engineering Skillset - Non-Standard Hours: Pre or Post-implementation site survey and network design. Performs advanced on-site installation and tests interoperability with other products For example Complex Network configurations of router, switches, Firewall & VoIP. Skillset to understand MPLS and SDN. Can only be sold in conjunction with services supported on CALNET. |
| 377              | AT&T Professional Services - Senior Engineer - Standard Hours/Regular Rate (8am - 5pm local time) | ATTSC                              | Professional Network Engineer: Person may hold a degree or industry certifications in specific specialization. Security, cyber security, disaster recovery and business continuity and Advanced networking specific to manufacturer. Can only be sold in conjunction with services supported on CALNET.  |

| Line Item | Feature Name   | Bidder's Product Identifier | Bidder's Product Description, Restrictions and Limitations  |
|-----------|--|-----------------------------|---|
| 378       | AT&T Professional Services Principle Architect I - Standard Hours/Regular Rate (8am - 5pm local time)    | ATTPA                       | Multi-Skillset Individual providing Network oversight: Pre or Post-implementation site survey and network design. Provides highly advanced consulting skills across multiple disciplines. For Example, Security, Networking, MPLS, Standards and best practices Conducts assessments, design, and overall technical oversight for highly complex installations involving multiple technologies. Can only be sold in conjunction with services supported on CALNET.  |
| 379       | AT&T Professional Services - Principal Architect II - Standard Hours/Regular Rate (8am - 5pm local time) | ATTPA2                      | Multi-Skillset Individual providing network design function and oversight. Pre or Post-implementation site survey and network design. Provides highly advanced consulting skills across multiple disciplines. For Example, Security, Networking, MPLS, Standards and best practices. Works with customer to integrate legacy technology, Conducts assessments, design, and overall technical oversight for highly complex installations involving multiple technologies. Can only be sold in conjunction with services supported on CALNET. |

## 20.3 OTHER SERVICES

### 20.3.1 Hourly Rates for Services

The hourly classifications of hours worked for services described in this Section will be as follows:

---

1. Regular Hours – Hours worked between 8:00AM and 4:59PM, Monday through Friday.
2. Overtime Hours – Hours worked between 5:00PM and 7:59AM, Monday through Friday and all day Saturday.
3. Sunday and Holiday Hours – Any hours worked on Sunday or State of California holidays.

When coordinated scheduling for projects between the State and the Contractor occurs, the State and the Contractor may mutually agree that hours worked between 5:00PM and 7:59AM, Monday through Friday and all day Saturday and any hours worked on Sunday or State of California holidays can be classified as Regular Hours in accordance with the State of California Department of Industrial Relations.

**Bidder understands this Requirement and shall meet or exceed it? Yes**

#### 20.3.2 Services Related Infrastructure (SRI)

The Contractor shall offer infrastructure service as defined below.

##### 20.3.2.1 Extended Demarcation Wiring Services

The Contractor shall provide Extended Demarcation (Extended Demarc) wiring to support the services covered by this IFB Category for all of the Customer occupied buildings where services under this Contract are being offered. Extended Demarc wiring includes wire/cable related activities required to extend the demarcation point to the Customer defined termination location or cross-connect point from the Contractor's Minimum Point of Entry (MPOE).

**Bidder understands this Requirement and shall meet or exceed it? Yes**

Extended Demarc wiring shall include the necessary wire/cable, connectors, jumpers, panel, and jack. Extended Demarc wiring shall also include associated trouble shooting, testing and labeling. Extended Demarc wiring is limited to the following:

1. Installation of cabling for extending services from the MPOE location to the Customer's point of utilization;
2. Installation of cross-connects or rearrangement of existing jumpers;
3. Identification and testing of existing cabling beyond the MPOE to the Customer's Equipment location; and,

---

4. Installation intervals shall be in accordance with the timeframes identified for the services that this cabling will support, and shall be subject to the SLAs associated with that service.

**Bidder understands this Requirement and shall meet or exceed it? Yes**

The Contractor shall not be required to complete Extended Demarc wiring from the MPOE to the extended Demarc location if:

1. The wire/cable pathway is blocked, and cannot be cleared without significant effort or damage to the Customer site;
2. The wire/cable pathway is in an asbestos or other environment hazardous to the Contractor's personnel, or where such work would be hazardous to the public or to the Customer's staff; or,
3. Upon written release provided by either the Customer or by the CALNET Program.

The Bidder shall provide a price in the Cost Worksheets for all labor and materials required for Extended Demarc wiring necessary to complete the provisioning of one Demarc extension as described herein. The Bidder shall provide one price for each media identified.

Wiring will be installed according to industry Standards and cabling recommendations published in the State Telecommunications Management Manual (STMM), Facilities Management Chapter, and Uniform Building Cabling/Wiring current at the time of this IFB and as periodically updated by the CALNET Program. Additionally, all wiring installation and maintenance activities will be in accordance with all applicable EIA/TIA, BICSI, and ITU-T recommended standards current at the time of installation or maintenance.

**Bidder understands this Requirement and shall meet or exceed it? Yes**

Bidder shall provide the Extended Demarcation Wiring Services described in Table 20.3.2.1

Table 20.3.2.1 – Extended Demarcation Wiring Services

| Line Item | Feature Name                                  | Feature Description  | Bidder's Product Description, Restrictions and Limitations | Bidder's Product Identifier | Bidder Meets or Exceeds? Yes or No |
|-----------|---|--|--|-----------------------------|------------------------------------|
| 1         | Extended Demarcation -Copper – Regular Hours  | Wiring services to extend Facilities from the Customer's MPOE to the Customer's point of utilization from a copper trunk or trunking equipment. Includes 300 feet of four-pair cable and an RJ48 or equivalent jack. | AT&T assumes customer has adequate pathways.               | EDCR                        | Yes                                |
| 2         | Extended Demarcation -Copper – Overtime Hours | Wiring services to extend Facilities from the Customer's MPOE to the Customer's point of utilization from a copper trunk or trunking equipment. Includes 300 feet of four-pair cable and an RJ48 or equivalent jack. | AT&T assumes customer has adequate pathways.               | EDCO                        | Yes                                |

| Line Item | Feature Name  | Feature Description  | Bidder's Product Description, Restrictions and Limitations | Bidder's Product Identifier | Bidder Meets or Exceeds? Yes or No |
|-----------|---|--|--|-----------------------------|------------------------------------|
| 3         | Extended Demarcation -Copper – Sunday and Holiday Hours | Wiring services to extend Facilities from the Customer's MPOE to the Customer's point of utilization from a copper trunk or trunking equipment. Includes 300 feet of four-pair cable and an RJ48 or equivalent jack. | AT&T assumes customer has adequate pathways.               | EDCH                        | Yes                                |

|   |  |   |  |        |     |
|---|--|---|--|--------|-----|
| 4 | Extended Demarcation -Copper 25 Pair – Regular Hours | Wiring services to extend Facilities from the Customer's MPOE to the Customer's point of utilization from a copper trunk or trunking equipment. Includes 300 feet or less of Category 5 25-pair CMP cable, one patch panel and mounting hardware. Ten Category 5e, three meter jumpers; one 24-port patch panel to be provided in the MPOE and Intermediate Distribution Frame (IDF) for all circuits being extended. Includes associated troubleshooting, testing, and labeling. | AT&T assumes customer has adequate pathways. | EDC25R | Yes |
| 5 | Extended Demarcation -Copper 25 Pair –               | Wiring services to extend Facilities from the Customer's MPOE to the  | AT&T assumes customer has adequate pathways. | EDC25O | Yes |

| Line Item | Feature Name   | Feature Description  | Bidder's Product Description, Restrictions and Limitations | Bidder's Product Identifier | Bidder Meets or Exceeds? Yes or No |
|-----------|----------------|--|--|-----------------------------|------------------------------------|
|           | Overtime Hours | Customer's point of utilization from a copper trunk or trunking equipment. Includes 300 feet or less of Category 5 25-pair CMP cable, one patch panel and mounting hardware. Ten Category 5e, three meter jumpers; one 24-port patch panel to be provided in the MPOE and Intermediate Distribution Frame (IDF) for all circuits being extended. Includes associated troubleshooting, testing, and labeling. |  |                             |                                    |

|   |   |   |  |        |     |
|---|---|---|--|--------|-----|
| 6 | Extended Demarcation -Copper 25 Pair – Sunday and Holiday Hours | Wiring services to extend Facilities from the Customer's MPOE to the Customer's point of utilization from a copper trunk or trunking equipment. Includes 300 feet or less of Category 5 25-pair CMP cable, one patch panel and mounting hardware. Ten Category 5e, three meter jumpers; one 24-port patch panel to be provided in the MPOE and Intermediate Distribution Frame (IDF) for all circuits being extended. Includes associated troubleshooting, testing, and labeling. | AT&T assumes customer has adequate pathways. | EDC25H | Yes |
| 7 | Extended Demarcation - Optical Fiber Link –                     | Wiring services to extend Facilities from the Customer's MPOE to the  | AT&T assumes customer has adequate pathways. | EDOR   | Yes |

| Line Item | Feature Name  | Feature Description   | Bidder's Product Description, Restrictions and Limitations | Bidder's Product Identifier | Bidder Meets or Exceeds? Yes or No |
|-----------|---------------|---|--|-----------------------------|------------------------------------|
|           | Regular Hours | Customer's point of utilization from a fiber trunk or trunking equipment, Strand count required to provision one/each service only. Includes up to 1,000 feet of 62.5/125 – or 50/125 – micron, two-strand CMP fiber drop cable with adapters, enclosures, connectors, and two SC-SC duplex patch cords for each single circuit extension. Includes associated troubleshooting, testing and labeling. |  |                             |                                    |

|   |  |  |  |      |     |
|---|--|--|--|------|-----|
| 8 | Extended Demarcation - Optical Fiber Link – Overtime Hours | Wiring services to extend Facilities from the Customer's MPOE to the Customer's point of utilization from a fiber trunk or trunking equipment, Strand count required to provision one/each service only. Includes up to 1,000 feet of 62.5/125 – or 50/125 – micron, two-strand CMP fiber drop cable with adapters, enclosures, connectors, and two SC-SC duplex patch cords for each single circuit extension. Includes associated troubleshooting, testing and labeling. | AT&T assumes customer has adequate pathways. | EDOO | Yes |
| 9 | Extended Demarcation - Optical Fiber Link –                | Wiring services to extend Facilities from the Customer's   | AT&T assumes customer has adequate pathways. | EDOH | Yes |

| Line Item | Feature Name             | Feature Description   | Bidder's Product Description, Restrictions and Limitations | Bidder's Product Identifier | Bidder Meets or Exceeds? Yes or No |
|-----------|--------------------------|---|--|-----------------------------|------------------------------------|
|           | Sunday and Holiday Hours | MPOE to the Customer's point of utilization from a fiber trunk or trunking equipment, Strand count required to provision one/each service only. Includes up to 1,000 feet of 62.5/125 – or 50/125 – micron, two-strand CMP fiber drop cable with adapters, enclosures, connectors, and two SC-SC duplex patch cords for each single circuit extension. Includes associated troubleshooting, testing and labeling. |  |                             |                                    |

#### 20.3.2.2 Unsolicited Services Related Infrastructure

Bidder may offer additional unsolicited Services Related Infrastructure in Table 20.3.2.2.

Table 20.3.2.2 – Unsolicited Services Related Infrastructure

| Line Item | Feature Name | Bidder's Product Identifier | Bidder's Product Description, Restrictions and Limitations |
|-----------|--------------|-----------------------------|--|
|-----------|--------------|-----------------------------|--|

#### 20.3.3 Services Related Hourly Support

The Contractor shall provide labor for the diagnosis and/or repair of services listed in this Contract and all costs for repair are the responsibility of the service provider unless it is specifically determined that the cause of service failure is outside the scope of the Contractors responsibilities. Work performed under this Section is authorized only for situations where the Contractor has dispatched personnel to diagnose a service problem that is discovered to be caused by factors outside the responsibility of the Contractor or no trouble is found.

**Bidder understands this Requirement and shall meet or exceed it? Yes**

In Cost Worksheet 20.3.3, the Contractor shall provide a fixed hourly rate schedule for the labor classifications required to diagnose and/or repair the contracted services. The rates identified shall only be used for the diagnosis and/or repair of contracted services and no materials shall be included in the rates. The total amount of labor hours permitted to be performed is ten hours per dispatch/occurrence.

**Bidder understands this Requirement and shall meet or exceed it? Yes**

The Contractor shall offer emergency restoration services as detailed in Table 20.3.3

Table 20.3.3 – Services Related Hourly Support

| Line Item | Feature Name                                  | Feature Description  | Bidder's Product Description, Restrictions and Limitations   | Bidder's Product Identifier | Bidder Meets or Exceeds? Yes or No |
|-----------|---|--|--|-----------------------------|------------------------------------|
| 1         | Field Service Repair Technician Regular Hours | Field technician properly trained to an expert level for the service being dispatched to diagnose and/or repair a CALNET DNCS service problem that turns out to be caused by factors outside the responsibility of the Contractor. | Field technician properly trained to an expert level for the service being dispatched to diagnose and/or repair a CALNET DNCS service problem that turns out to be caused by factors outside the responsibility of the Contractor. | MVV                         | Yes                                |

| Line Item | Feature Name                                   | Feature Description  | Bidder's Product Description, Restrictions and Limitations   | Bidder's Product Identifier | Bidder Meets or Exceeds? Yes or No |
|-----------|--|--|--|-----------------------------|------------------------------------|
| 2         | Field Service Repair Technician Overtime Hours | Field technician properly trained to an expert level for the service being dispatched to diagnose and/or repair a CALNET DNCS service problem that turns out to be caused by factors outside the responsibility of the Contractor. | Field technician properly trained to an expert level for the service being dispatched to diagnose and/or repair a CALNET DNCS service problem that turns out to be caused by factors outside the responsibility of the Contractor. | MVVO                        | Yes                                |

| Line Item | Feature Name   | Feature Description  | Bidder's Product Description, Restrictions and Limitations   | Bidder's Product Identifier | Bidder Meets or Exceeds? Yes or No |
|-----------|--|--|--|-----------------------------|------------------------------------|
| 3         | Field Service Repair Technician Sunday and Holiday Hours | Field technician properly trained to an expert level for the service being dispatched to diagnose and/or repair a CALNET DNCS service problem that turns out to be caused by factors outside the responsibility of the Contractor. | Field technician properly trained to an expert level for the service being dispatched to diagnose and/or repair a CALNET DNCS service problem that turns out to be caused by factors outside the responsibility of the Contractor. | MVVH                        | Yes                                |

## 20.4 SERVICE LEVEL AGREEMENTS (SLA)

The Contractor shall provide Service Level Agreements (SLAs) as defined below. The intent of this Section is to provide Customers, CALNET Program and the Contractor with requirements that define and assist in the management of the SLAs. This Section includes the SLA formats, general requirements, stop clock conditions, and the Technical SLAs for the services identified in this solicitation.

### 20.4.1 Service Level Agreement Format

The Contractor shall adhere to the following format and include the content as described below for each Technical SLA added by the Contractor throughout the Term of the Contract:

1. SLA Name – Each SLA Name must be unique;

---

- 2. Definition - Describes what performance metric will be measured;
- 3. Measurements Process - Provides instructions how the Contractor will continuously monitor and measure SLA performance to ensure compliance. The Contractor shall provide details describing how and what will be measured. Details should include source of data and define the points of measurement within the system, application, or network;
- 4. Service(s) - All applicable services will be listed in each SLA;
- 5. Objective(s) – Defines the SLA performance goal/parameters; and,
- 6. Rights and Remedies
- 7. Per Occurrence: Rights and remedies are paid on a per event basis during the bill cycle; and,
- 8. Monthly Aggregated Measurements: Rights and remedies are paid once during the bill cycle based on an aggregate of events over a defined period of time.

The Contractor shall proactively apply a credit or refund when a SLA objective is not met. CALNET SLA Rights and Remedies do not require the Customer to submit a request for credit or refund.

**Bidder understands this Requirement and shall meet or exceed it? Yes**

#### 20.4.2 Technical Requirements versus SLA Objectives

Sections 20.2 (MPLS Services) and 20.3 (Other Services) define the technical requirements for each service. These requirements are the minimum parameters each Bidder must meet in order to qualify for Contract award. Upon Contract award the committed technical requirements will be maintained throughout the remainder of the Contract.

Committed SLA objectives are minimum parameters which the Contractor shall be held accountable for all rights and remedies throughout Contract Term.

**Bidder understands this Requirement and shall meet or exceed it? Yes**

#### 20.4.3 Methods of Outage Reporting: Customer or Contractor

There are two methods in which CALNET service failures or quality of service issues may be reported and Contractor trouble tickets opened: Customer reported or Contractor reported.

The first method of outage reporting results from a Customer reporting service trouble to the Contractor's Customer Service Center via phone call or opening of

---

a trouble ticket using the on-line Trouble Ticket Reporting Tool (SOW Business Requirements Section G.10.4, Trouble Ticket Reporting Tool (TTRT)).

The second method of outage reporting occurs when the Contractor opens a trouble ticket as a result of network/system alarm or other method of service failure identification. In each instance the Contractor shall open a trouble ticket using the Trouble Ticket Reporting Tool (SOW Business Requirements Section G.10.4) and monitor and report to Customer until service is restored.

**Bidder understands this Requirement and shall meet or exceed it? Yes**

#### 20.4.4 Bidder Response to Service Level Agreements

Many of the Service Level Agreements described below include multiple objective levels – Basic, Standard and Premier. Bidders shall indicate one specific objective level they are committing to for each service in space provided in the “Objective” Section of each SLA description.

**Bidder understands this Requirement and shall meet or exceed it? Yes**

#### 20.4.5 Contractor SLA Management Plan

Within 90 calendar days of Contract award, the Contractor shall provide CALNET CMO with a detailed SLA Management Plan that describes how the Contractor will manage the Technical SLAs for services in this IFB. The SLA Management plan shall provide processes and procedures to be implemented by the Contractor. The SLA Management Plan shall define the following:

1. Contractor SLA Manager and supporting staff responsibilities;
2. Contractor's process for measuring objectives for each SLA. The process shall explain how the Contractor will continuously monitor and measure SLA performance to ensure compliance. The Contractor shall provide details describing how and what will be measured. Details should include source of data and define the points of measurement within the system, application, or network;
3. Creation and delivery of SLA Reports (SOW Business Requirements Section G.10.5). The Contractor shall include a sample report in accordance with SOW Business Requirements Section G.10.5, SLA Reports for the following: SLA Service Performance Report (SOW Business Requirements Section G.10.5.1), SLA Provisioning Report (SOW Business Requirements Section G.10.5.2), SLA Catastrophic Outage Reports (SOW Business Requirements Section G.10.5.3), and Trouble Ticket and Provisioning/SLA Credit Report (SOW Business Requirements Section

---

G.10.5.4). The Contractor shall commit to a monthly due date. The reports shall be provided to the CALNET Program via the Private Oversight Website (SOW Business Requirements Section G.10.2);

4. SLA invoicing credit and refund process;
5. Contractor SLA problem resolution process for SLA management and SLA reporting. The Contractor shall provide a separate process for Customers and CALNET Program; and,
6. Contractor SLA Manager to manage all SLA compliance and reporting. The Contractor shall include SLA Manager contact information for SLA inquiries and issue resolution for Customer and CALNET Program.

**Bidder understands this Requirement and shall meet or exceed it? Yes**

#### 20.4.6 Technical SLA General Requirements

The Contractor shall adhere to the following general requirements which apply to all CALNET Technical SLAs (Section 20.4.8):

1. With the exception of the Provisioning SLA (Section 20.4.8.9), the total SLA rights and remedies for any given month shall not exceed the sum of 100% of the Total Monthly Recurring Charges (TMRC). Services with usage charges shall apply the Average Daily Usage Charge (ADUC) in addition to any applicable TMRC rights and remedies;
2. If a circuit or service fails to meet one or more of the performance objectives, only the SLA with the largest monthly Rights and Remedies will be credited to the Customer, per event;
3. The Contractor shall apply CALNET SLAs and remedies for services provided by Subcontractors and/or Affiliates;
4. The Definition, Measurement Process, Objectives, and Rights and Remedies shall apply to all services identified in each SLA. If a Category or Subcategory is listed in the SLA, then all services under that Category or Subcategory are covered under the SLA. Exceptions must be otherwise stated in the SLA; and,
5. TMRC rights and remedies shall include the service, option(s), and feature(s) charges.

**Bidder understands this requirement and shall meet or exceed it? Yes**

6. The Contractor shall proactively and continuously monitor and measure all Technical SLA objectives.

**Bidder understands this requirement and shall meet or exceed it? Yes**

---

7. The Contractor shall proactively credit all rights and remedies to the Customer within 60 calendar days of the trouble resolution date on the trouble ticket or within 60 calendar days of the Due Date on the Service Request for the Provisioning SLA.

**Bidder understands this requirement and shall meet or exceed it? Yes**

8. To the extent that Contractor offers additional SLAs, or SLAs with more advantageous rights and/or remedies for same or similar services offered through tariffs, online service guides, or other similarly situated government contracts (Federal, State, County, City), The State will be entitled to the same rights and/or remedies therein. The Contractor shall present the SLAs to CALNET Program for possible inclusion via amendments;
9. The Contractor shall apply CALNET DNCS SLAs and remedies to services provided in all areas the Contractor provides service and/or open to competition (as defined by the CPUC). Any SLAs and remedies negotiated between Contractor and Incumbent Local Exchange Carriers in territories closed to competition shall be passed through to the CALNET DNCS Customer;
10. The election by CALNET Program of any SLA remedy covered by this Contract shall not exclude or limit CALNET Program or any Customer's rights and remedies otherwise available within the Contract or at law or equity;
11. The Contractor shall apply rights and remedies when a service fails to meet the SLA objective even when backup or protected services provide Customer with continuation of services;
12. The Contractor shall act as the single point of contact in coordinating all entities to meet the State's needs for provisioning, maintenance, restoration and resolution of service issues or that of their Subcontractors, Affiliates or resellers under this Contract;
13. The Customer Escalation Process and/or the CALNET CMO Escalation Process shall be considered an additional right and remedy if the Contractor fails to resolve service issues within the SLA objective(s);
14. Trouble reporting and restoration shall be provided 24x7 for CALNET services;

**Bidder understands this requirement and shall meet or exceed it? Yes**

15. SLAs apply 24x7 unless SLA specifies an exception;

---

16. Contractor invoices shall clearly cross reference the SLA credit to the service Circuit ID in accordance with SOW Business Requirements Section G.6 (Billing and Invoicing);

**Bidder understands this requirement and shall meet or exceed it? Yes**

17. The Contractor shall provide a CALNET DNCS SLA Manager responsible for CALNET DNCS SLA compliance. The SLA Manager shall attend regular meetings and be available upon request to address CALNET Program SLA oversight, report issues, and problem resolution concerns. The CALNET DNCS SLA Manager shall also coordinate SLA support for Customer SLA inquiries and issue resolution;

18. The Contractor shall provide Customer and CALNET Program support for SLA inquiries and issue resolution; and,

19. Any SLAs and remedies negotiated between Contractor and third party service provider in territories closed to competition shall be passed through to the CALNET DNCS Customer.

**Bidder understands the requirements and shall meet or exceed them? Yes**

#### 20.4.7 Trouble Ticket Stop Clock Conditions

Only the following conditions shall be allowed to stop the duration of the Service Level Agreements. The Contractor shall document durations using the Stop Clock Condition (SCC) listed in Table 20.4.7.a, which must include start and stop time stamps in the Contractor's Trouble Ticket Reporting Tool (SOW Business Requirements Section G.10.4) or Customer provisioning Service Request for each application of an SCC.

**Bidder understands this requirement and shall meet or exceed it? Yes**

The Contractor shall not consider "cleared while testing" or "no trouble found" as a SCC.

**Bidder understands this requirement and shall meet or exceed it? Yes**

Contractor observation timeframes, not requested by End-User, after incident resolution shall not be included in Outage Duration reporting.

**Bidder understands this requirement and shall meet or exceed it? Yes**

Note: The Glossary (SOW Appendix A) defines term "End-User" as the "individual within an Entity that is receiving services and/or features provided under the Contract."

Table 20.4.7.a – Stop Clock Conditions

| Line Item | Stop Clock Condition (SCC) | SCC Definition  |
|-----------|----------------------------|---|
| 1         | END-USER REQUEST           | Periods when a restoration or testing effort is delayed at the specific request of the End-User. The SCC shall exist during the period the Contractor was delayed, provided that the End-User's request is documented and time stamped in the Contractor's trouble ticket or Service Request system and shows efforts are made to contact the End-User during the applicable Stop Clock period.   |
| 2         | OBSERVATION                | Time after a service has been restored but End-User request ticket is kept open for observation. If the service is later determined by the End-User to not have been restored, the Stop Clock shall continue until the time the End-User notifies the Contractor that the Service has not been restored.  |
| 3         | END-USER NOT AVAILABLE     | Time after a service has been restored but End-User is not available to verify that the Service is working. If the service is later determined by the End-User to not have been restored, the Stop Clock shall apply only for the time period between Contractor's reasonable attempt to notify the End-User that Contractor believes the service has been restored and the time the End-User notifies the Contractor that the Service has not been restored. |
| 4         | WIRING                     | Restoration cannot be achieved because the problem has been isolated to wiring that is not maintained by Contractor or any of its Subcontractors or Affiliates. If it is later determined the wiring is not the cause of failure, the SCC shall not apply.  |
| 5         | POWER                      | Trouble caused by a power problem outside of the responsibility of the Contractor.  |

| Line Item | Stop Clock Condition (SCC)  | SCC Definition  |
|-----------|-----------------------------|---|
| 6         | CUSTOMER PROVISIONING DELAY | Delays to Provisioning caused by lack of Customer's building entrance Facilities, conduit structures that are the Customer's responsibilities or Extended demarcation wiring. If the Service Providing Contractor has been contracted by the Customer for extended demarcation, this SCC shall not apply to missed dates/times. The Customer Provisioning Delay SCC is restricted to Provisioning SLAs only.  |
| 7         | ACCESS                      | <p>Limited access or contact with End-User provided the Contractor documents in the trouble ticket several efforts to contact End-User for the following:</p> <ul style="list-style-type: none"> <li data-bbox="768 967 1454 1121">a. Access necessary to correct the problem is not available because access has not been arranged by site contact or End-User representative;</li> <li data-bbox="768 1191 1454 1269">b. Site contact refuses access to technician who displays proper identification;</li> <li data-bbox="768 1339 1454 1613">c. Customer provides incorrect site contact information which prevents access, provided that Contractor takes reasonable steps to notify End-User of the improper contact information and takes steps to obtain the correct information; or,</li> <li data-bbox="768 1691 1454 1803">d. Site has limited hours of business that directly impacts the Contractor's ability to resolve the problem.</li> </ul> |

| Line Item | Stop Clock Condition (SCC) | SCC Definition   |
|-----------|----------------------------|--|
|           |                            | If it is determined later that the cause of the problem was not at the site in question, then the Access SCC shall not apply.  |
| 8         | STAFF                      | Any problem or delay to the extent caused by End-User's staff that prevents or delays Contractor's resolution of the problem. In such event, Contractor shall make a timely request to End-User staff to correct the problem or delay and document in trouble ticket.  |
| 9         | APPLICATION                | End-User software applications that interfere with repair of the trouble.  |
| 10        | CPE                        | Repair/replacement of Customer Premise Equipment (CPE) not provided by Contractor if the problem has been isolated to the CPE. If determined later that the CPE was not the cause of the service outage, the CPE SCC will not apply.   |
| 11        | NO RESPONSE                | Failure of the trouble ticket originator or responsible End-User to return a call from Contractor's technician for on-line close of trouble tickets after the Service has been restored as long as Contractor can provide documentation in the trouble ticket substantiating the communication from Contractor's technician. |

| Line Item | Stop Clock Condition (SCC) | SCC Definition   |
|-----------|----------------------------|--|
| 12        | MAINTENANCE                | An outage directly related to any properly performed scheduled maintenance or upgrade scheduled for CALNET DNCS service. Any such stop clock condition shall not extend beyond the scheduled period of the maintenance or upgrade. SLAs shall apply for any maintenance caused outage beyond the scheduled maintenance period. Outages occurring during a scheduled maintenance or upgrade period and not caused by the scheduled maintenance shall not be subject to the Maintenance SCC. |
| 13        | THIRD PARTY                | Any problem or delay caused by a third party not under the control of Contractor, not preventable by Contractor, including, at a minimum, cable cuts not caused by the Contractor. Contractor's Subcontractors and Affiliates shall be deemed to be under the control of Contractor with respect to the equipment, services, or Facilities to be provided under this Contract.   |
| 14        | FORCE MAJEURE              | Force Majeure events, as defined in the eVAQ General Provisions - Telecommunications, Section 28 (Force Majeure).  |
| 15        | CUSTOMER ENVIRONMENTAL     | An outage directly caused by customer premise environmental conditions, which are outside the control and responsibility of the Contractor. This includes a non-secured location, excessive heat or lack of cooling. If determined later that the environmental conditions were not the cause of the service outage, or a result of the Contractor modifying Contractor provided equipment without Customer's approval, the Customer Environmental SCC will not apply.                     |

**Bidder understands the requirements and shall meet or exceed them? Yes**

---

The Contractor shall provide and manage the following Technical SLAs.

#### 20.4.8 Technical Service Level Agreements (SLAs)

##### 20.4.8.1 Availability (M-S)

**SLA Name:** Availability

**Definition:**

The percentage of time a CALNET MPLS Data Networks service is fully functional and available for use each calendar month.

**Measurement Process:**

The monthly Availability Percentage shall be based on the accumulative total of all Unavailable Time derived from all trouble tickets closed, for the individual affected service (per Circuit ID or Service ID), per calendar month. The monthly Availability Percentage equals the Scheduled Uptime per month less Unavailable Time per month divided by Scheduled Uptime per month multiplied by 100. Scheduled Uptime is based on 24 x number of days in the month. All Unavailable Time applied to other SLAs, which results in a remedy, will be excluded from the monthly accumulated total.

**Services:**

MPLS

**Objective A:**

The objective will be based on the access type identified in the table below:

| Service Type | Basic (B) | Standard (S) | Premier (P) | Bidder's Objective Commitment (B, S or P) |
|--------------|-----------|--------------|-------------|---|
| DS1          | ≥ 99.2%   | ≥ 99.5%      | ≥ 99.8%     | S   |
| DS3          | ≥ 99.7%   | ≥ 99.8%      | ≥ 99.9%     | S   |
| Ethernet     | ≥ 99.2%   | ≥ 99.5%      | ≥ 99.8%     | S   |

**Rights and Remedies:**

1. Per Occurrence:

- N/A

2. Monthly Aggregated Measurements:

- First month to fail to meet the committed SLA objective shall result in a 15% credit or refund of the TMRC.
- The second consecutive month to fail to meet the committed SLA objective shall result in a 30% credit or refund of TMRC.
- Each additional consecutive month to fail to meet the committed SLA objective shall result in a 50% credit or refund of the TMRC.

**Bidder understands this requirement and shall meet or exceed it? Yes**

**20.4.8.2 Catastrophic Outage 1 (CAT 1) (M-S)**

**SLA Name:** Catastrophic Outage 1 (CAT 1)

**Definition:**

The total loss of service at a single address based on a common cause resulting in one or more of the following:

- Failure of two or more service types, or
- Failure of ten access circuits, or
- Failure of a single MPLS port or access circuit with a transport speed greater than or equal to 200 Mbps.

**Measurement Process:**

The Outage Duration begins when a network alarm is received by the Contractor from an outage-causing event or the opening of a trouble ticket by a Customer, or the Contractor, whichever occurs first. The Contractor shall open a trouble ticket for each service (Circuit ID or Service ID) affected by the common cause. Each End-User service is deemed out of service from the first notification until the Contractor determines the End-User service (Circuit ID or Service ID) is restored minus SCC. Any service reported by a Customer as not having been restored shall have the outage time adjusted to the actual restoration time.

**Services:**

MPLS  
ANIRA  
Network Based Firewall  
Netbond  
VSAT  
Managed Router Service  
WAN Acceleration Service  
AT&T Business WiFi Service

**Objectives:**

The objective restoral time will be:

| Access Type                | Basic (B) | Standard (S) | Premier (P) | Bidder's Objective Commitment (B, S or P) |
|----------------------------|-----------|--------------|-------------|---|
| MPLS                       | ≤ 3 hours | ≤ 2 hours    | ≤ 1 hour    | S   |
| ANIRA                      |           | ≤ 2 hours    |             | S   |
| Network Based Firewall     |           | ≤ 2 hours    |             | S   |
| Netbond                    |           | ≤ 2 hours    |             | S   |
| VSAT                       |           | ≤ 2 hours    |             | S   |
| Managed Router Service     |           | ≤ 2 hours    |             | S   |
| WAN Acceleration Service   |           | ≤ 2 hours    |             | S   |
| AT&T Business WiFi Service |           | ≤ 2 hours    |             | S   |

**Rights and Remedies:**

1. Per Occurrence:

- 100% credit or refund of the TMRC for each End-User service not meeting the committed objective for each CAT 1 fault.

---

2. Monthly Aggregated Measurements:

- N/A

**Bidder understands this requirement and shall meet or exceed it? Yes**

**20.4.8.3 Catastrophic Outage 2 (CAT 2) (M-S)**

**SLA Name:** Catastrophic Outage 2 (CAT 2)

**Definition:**

Any service affecting failure in the Contractor's (or Subcontractor's or Affiliate's) network up to and including the Provider Edge (PE) equipment.

**Measurement Process:**

The Outage Duration begins when a network alarm is received by the Contractor from the outage-causing event or the opening of a trouble ticket by the Customer or Contractor, whichever occurs first. Upon notification from the Customer or network alarm, the Contractor shall compile a list for each End-User service affected by the common cause for tracking and reporting of the SLA rights and remedies. Outage Duration shall be measured on a per-End-User service (Circuit ID or Service ID) basis from information recorded from the network equipment/system or a Customer reported trouble ticket. Each End-User service (Circuit ID or Service ID) is deemed out of service from the first notification until the Contractor determines the End-User service is restored. Any End-User service reported by the End-User/Customer as not having been restored shall have the outage time adjusted to the actual restoration time.

**Services:**

MPLS  
ANIRA  
Network Based Firewall  
Netbond  
VSAT  
Managed Router Service  
WAN Acceleration Service  
AT&T Business WiFi Service

**Objectives:**

The objective restoral time will be:

| <b>Access Type</b>         | <b>Basic (B)</b> | <b>Standard (S)</b> | <b>Premier (P)</b> | <b>Bidder's Objective Commitment (B, S or P)</b> |
|----------------------------|------------------|---------------------|--------------------|--|
| MPLS                       | ≤ 1 Hour         | ≤ 30 Minutes        | ≤ 15 Minutes       | P  |
| ANIRA                      |                  |                     | ≤ 15 Minutes       | P  |
| Network Based Firewall     |                  |                     | ≤ 15 Minutes       | P  |
| Netbond                    |                  |                     | ≤ 15 Minutes       | P  |
| VSAT                       |                  |                     | ≤ 15 Minutes       | P  |
| Managed Router Service     |                  |                     | ≤ 15 Minutes       | P  |
| WAN Acceleration Service   |                  |                     | ≤ 15 Minutes       | P  |
| AT&T Business WiFi Service |                  |                     | ≤ 15 Minutes       | P  |

**Rights and Remedies:**

1. Per Occurrence:

- 100% credit or refund of the TMRC for each End-User service not meeting the committed objective for each CAT 2 fault.

2. Monthly Aggregated Measurements:

- N/A

**Bidder understands this requirement and shall meet or exceed it? Yes**

20.4.8.4 Catastrophic Outage 3 (CAT 3) (M-S)

---

**SLA Name:** Catastrophic Outage 3 (CAT 3)

**Definition:**

The total loss of more than one CALNET DNCS service type in a central office, or the loss of any service type on a system wide basis.

**Measurement Process:**

The Outage Duration begins when a network alarm is received by the Contractor from an outage-causing event or the opening of a trouble ticket by the Customer or the Contractor, whichever occurs first. Upon notification from the Customer or network alarm, the Contractor shall open a trouble ticket and compile a list for each End-User service (Circuit ID or Service ID) affected by the common cause for tracking and reporting of the SLA rights and remedies. Outage Duration shall be measured on a per-End-User service (Circuit ID or Service ID) basis from information recorded from the network equipment/system or trouble ticket. Each End-User service (Circuit ID or Service ID) is deemed out of service from the first notification until the Contractor determines the End-User service is restored. Any End-User service reported by the End-User/Customer as not having been restored shall have the outage time adjusted to the actual restoration time.

**Services:**

- MPLS
- ANIRA
- Network Based Firewall
- Netbond
- VSAT
- Managed Router Service
- WAN Acceleration Service
- AT&T Business WiFi Service

**Objectives:**

The objective restoral time will be:

| Access Type                | Basic (B)    | Standard (S) | Premier (P)  | Bidder's Objective Commitment (B or P) |
|----------------------------|--------------|--------------|--------------|--|
| MPLS                       | ≤ 30 Minutes | N/A          | ≤ 15 Minutes | P                                      |
| ANIRA                      |              |              | ≤ 15 Minutes | P                                      |
| Network Based Firewall     |              |              | ≤ 15 Minutes | P                                      |
| Netbond                    |              |              | ≤ 15 Minutes | P                                      |
| VSAT                       |              |              | ≤ 15 Minutes | P                                      |
| Managed Router Service     |              |              | ≤ 15 Minutes | P                                      |
| WAN Acceleration Service   |              |              | ≤ 15 Minutes | P                                      |
| AT&T Business WiFi Service |              |              | ≤ 15 Minutes | P                                      |

**Rights and Remedies:**

1. Per Occurrence:

- 100% credit or refund of the TMRC for each service (Circuit ID or Service ID) not meeting the committed objective for each Cat 3 fault.

2. Monthly Aggregated Measurements:

- N/A

**Bidder understands this requirement and shall meet or exceed it? Yes**

**20.4.8.5 Delay – Round Trip Transmission for MPLS Services (M-S)**

**SLA Name:** Delay – Round Trip Transmission for MPLS Services

**Definition:**

The average round trip transfer delay measured from the Customer Edge (CE) to the remote CE back to CE (Site A to Site Z to Site A) within the geographic confines of the state of California.

**Measurement Process:**

The End-User/Customer is responsible for opening a trouble ticket with the Contractor's Customer Service Center (helpdesk) when the Customer suspects the delay is not meeting the committed level. CALNET CMO shall determine the sample interval, provided that a minimum of 100 pings or more shall constitute a test. The Contractor shall provide timely verification, consistent with industry standards. Trouble tickets opened as Delay – Round Trip Transmission for MPLS Services shall not count in availability or Time to Repair measurements unless and until the End-User reports service as unusable.

**Service(s):**

MPLS

**Objective(s):**

Based on a 1,000 byte ping:

| <b>Access Type</b>                  | <b>Basic<br/>(B)</b> | <b>Standard<br/>(S)</b> | <b>Premier<br/>(P)</b> | <b>Bidder's<br/>Objective<br/>Commitment<br/>(B or P)</b> |
|-------------------------------------|----------------------|-------------------------|------------------------|---|
| MPLS $\geq$ 1.536 Mbps to < 10 Mbps | < 400ms              | N/A                     | < 340ms                | P   |
| MPLS $\geq$ 11 Mbps to < 100 Mbps   | < 400ms              | N/A                     | < 340ms                | P   |
| MPLS $\geq$ 100 Mbps                | < 400ms              | N/A                     | < 340ms                | P   |

**Rights and Remedies:**

1. Per Occurrence:

- N/A

---

2. Monthly Aggregated Measurements:

- 25% credit or refund of the TMRC per occurrence for the reported service.
- The second consecutive month service fails to meet the committed SLA objectives shall result in a 35% rebate of TMRC.
- Each additional consecutive month service fails to meet the committed SLA objective shall result in a 50% rebate of the TMRC.

**Bidder understands this requirement and shall meet or exceed it? Yes**

#### 20.4.8.6 Excessive Outage (M-S)

**SLA Name:** Excessive Outage

**Definition:**

Any failure that prevents full functionality of the service that remains unresolved for more than the committed objective level.

**Measurement Process:**

This SLA is based on trouble ticket Unavailable Time. The circuit or service is not fully functional during the time the trouble ticket is reported as opened until restoration of the service, minus SCC. If the Customer reports a partial or complete service that is not fully functional and remains unresolved after the closure of the trouble ticket by the Contractor, the Unavailable Time shall be adjusted to the actual restoration time.

**Services:**

MPLS  
ANIRA  
Network Based Firewall  
Netbond  
VSAT  
Managed Router Service  
WAN Acceleration Service  
AT&T Business WiFi Service

**Objectives:**

The Unavailable Time objective shall not exceed:

| Access Type                | Basic (B) | Standard (S) | Premier (P) | Bidder's Objective Commitment (B, S or P) |
|----------------------------|-----------|--------------|-------------|---|
| MPLS                       | 16 Hours  | 12 Hours     | 8 Hours     | S   |
| ANIRA                      |           | 12 Hours     |             | S   |
| Network Based Firewall     |           | 12 Hours     |             | S   |
| Netbond                    |           | 12 Hours     |             | S   |
| VSAT                       |           | 12 Hours     |             | S   |
| Managed Router Service     |           | 12 Hours     |             | S   |
| WAN Acceleration Service   |           | 12 Hours     |             | S   |
| AT&T Business WiFi Service |           | 12 Hours     |             | S   |

**Rights and Remedies:**

1. Per Occurrence:

- 100% credit or refund of the TMRC for each service (Circuit ID or Service ID) out of service for a period greater than the committed objective level.
- Upon request from the Customer or the CALNET Program, the Contractor shall provide a briefing on the excessive outage restoration.

2. Monthly Aggregated Measurements:

- N/A

**Bidder understands this requirement and shall meet or exceed it? Yes**

**20.4.8.7 Managed Service Proactive Notification (M-S)**

**SLA Name:** Managed Service Proactive Notification

---

**Definition:**

The proactive outage notification provides credits if the Contractor fails to open a trouble ticket and notify Customer of an Outage for a managed router or managed IP enabled device service. Notification to the Customer shall occur through means agreed to by Contractor and CALNET CMO.

An Outage is defined as an unscheduled period in which the managed router service is interrupted and unavailable for use by Customer for 60 continuous seconds or more than 60 cumulative seconds within a 15-minute period measured by the Contractor.

**Measurement Process:**

The Outage Duration start shall be determined by the first Contractor network alarm resulting from the outage-causing event or the opening of a trouble ticket by the Customer, whichever occurs first. The Contractor has fifteen minutes (Notification Period) to notify the Customer from the start point of the first network alarm. The Contractor is in compliance with the proactive outage notification SLA if the Customer opened the trouble ticket prior to the network alarm or Customer is notified by the Contractor within the Notification Period.

**Services:**

MPLS Access Transport Speeds  
MPLS Port Transport Speeds  
MPLS Port, Access and Layer 3 Bundled Transport Speeds

**Objectives:**

15 Minutes

**Rights and Remedies:****1. Per Occurrence:**

- Customer will receive a credit or refund equal to 10% of the TMRC for each Contractor Managed Service (Circuit ID) that was impacted during an outage if the Customer was not proactively notified within the notification period.

**2. Monthly Aggregated Measurements:**

- N/A

---

**Bidder understands this requirement and shall meet or exceed it? Yes**

#### 20.4.8.8 Notification

**SLA Name:** Notification

**Definition:**

The Contractor notification to the CALNET Program and designated stakeholders in the event of a CAT 2 or CAT 3 failure, terrorist activity, threat of natural disaster, or actual natural disaster which results in a significant loss of telecommunication services to CALNET DNCS End-Users or has the potential to impact services in a general or statewide area. The State understands initial information requiring the nature of the outage may be limited.

**Measurement Process:**

The Contractor shall adhere to the Network Outage Response requirements (SOW Business Requirements Section G.3.3, Network Outage Response) and notify the CALNET Program and designated stakeholders for all CAT 2 and CAT 3 Outages or for network outages resulting in a significant loss of service. Notification objectives will be based on the start time of the outage failure determined by the opening of a trouble ticket or network alarm, whichever occurs first. For events based on information such as terrorist activity or threat of natural disaster, the Contractor shall notify the CALNET Program and designated stakeholder when information is available for dissemination to the Customers.

**Services:**

All services

**Objectives:**

Within 60 minutes of the above mentioned failures' start time, the Contractor shall notify the CALNET Program and designated stakeholders using a method defined in SOW Business Requirements, Network Outage Response.

At 60-minute intervals, updates shall be given on the above-mentioned failures via the method defined in SOW Business Requirements, Network Outage Response.

This objective is the same for Basic, Standard and Premier Commitments.

---

**Rights and Remedies:**

1. Per Occurrence:
  - Senior Management Escalation
2. Monthly Aggregated Measurements:
  - N/A

**Bidder understands this requirement and shall meet or exceed it? Yes**

**20.4.8.9 Provisioning (M-S)**

**SLA Name:** Provisioning

**Definition:**

Provisioning shall include new services, moves, adds and changes, completed by the Contractor on or before the due dates. The Provisioning SLA shall be based on committed installation intervals established in this SLA or due dates negotiated between the Customer and the Contractor documented on the Contractor's order confirmation notification or Contracted Project Work SOW in accordance with SOW Business Requirements Section G.2.5.4, Provisioning and Implementation. The Contractor shall meet the committed interval dates or due date negotiated with the Customer. If the Customer agrees to a negotiated due date, the negotiated due date supersedes the committed interval. At the Customer's discretion, if the scope of the Service Request(s) meets the Coordinated or Managed Project criteria, negotiated due dates will be established and documented in the Project Timeline per SOW Business Requirements Section G.8, Contracted Service Project Work.

**Provisioning SLAs have two objectives:**

Objective 1: Individual service installation; and,  
Objective 2: Successful Install Monthly Percentage by service type.  
Note: Provisioning timelines include extended demarcation wiring when appropriate.

**Measurement Process:**

Objective 1: Individual Service Installations: Install intervals are based on the committed installation intervals established in this SLA or due dates negotiated between the Customer and the Contractor. This objective

requires the Contractor to meet the due date for each individual service installation. This includes individual circuit/service level installations for Coordinated and Managed Projects.

Objective 2: Successful Install Monthly Percentage per Service Type: The Contractor shall sum all individual installations per service, as listed below, meeting the objective in the measurement period and divide by the sum of all individual service installations due per service in the measurement period and multiply by 100 to equal the percentage of service installations completed on time. The Contractor must meet or exceed the objective below in order to avoid the rights and remedies.

**Services:**

Features must be installed in conjunction with the service except when listed below:

| <b>Service (Features must be installed with service except when listed below.)</b> | <b>Committed Interval Days</b> | <b>Coordinated/Managed Project</b> |
|--|--------------------------------|------------------------------------|
| MPLS Access Transport Speeds   | 35                             | Coordinated/Managed Project        |
| MPLS Port Transport Speeds   | 35                             | Coordinated/Managed Project        |
| MPLS Port, Access and Layer 3 Bundled Transport Speeds                             | 45                             | Coordinated/Managed Project        |
| ANIRA  | 45                             | Coordinated/Managed Project        |
| Network Based Firewall   | 45                             | Coordinated/Managed Project        |
| Netbond  | 45                             | Coordinated/Managed Project        |
| VSAT   | 45                             | Coordinated/Managed Project        |
| Managed Router Service   | 45                             | Coordinated/Managed Project        |
| WAN Acceleration Service   | 45                             | Coordinated/Managed Project        |
| AT&T Business WiFi Service   | 45                             | Coordinated/Managed Project        |

**Objectives:**

Objective 1: Individual service installation: Service provisioned on or before the due date per installation Service Request.

Objective 2: Monthly Average percent by service type:

| <b>Access Type</b>                                     | <b>Basic<br/>(B)</b> | <b>Standard<br/>(S)</b> | <b>Premier<br/>(P)</b> | <b>Bidder's<br/>Objective<br/>Commitment<br/>(B or P)</b> |
|--|----------------------|-------------------------|------------------------|---|
| MPLS Access Transport Speeds                           | ≥ 90%                | N/A                     | ≥ 95%                  | P   |
| MPLS Port Transport Speeds                             | ≥ 90%                | N/A                     | ≥ 95%                  | P   |
| MPLS Port, Access and Layer 3 Bundled Transport Speeds | ≥ 90%                | N/A                     | ≥ 95%                  | P   |
| ANIRA  |                      |                         | ≥ 95%                  | P   |
| Network Based Firewall                                 |                      |                         | ≥ 95%                  | P   |
| Netbond  |                      |                         | ≥ 95%                  | P   |
| VSAT   |                      |                         | ≥ 95%                  | P   |
| Managed Router Service                                 |                      |                         | ≥ 95%                  | P   |
| WAN Acceleration Service                               |                      |                         | ≥ 95%                  | P   |
| AT&T Business WiFi Service                             |                      |                         | ≥ 95%                  | P   |

**Rights and Remedies:**

1. Per Occurrence:

- Objective 1: Individual service installations: 50% of installation fee credited to the Customer for any missed committed objective.

2. Monthly Aggregated Measurements:

- Objective 2: 100% of the installation fee credited to the Customer for all service installations (per service type) that did not complete within the committed objective during the month if the Successful Install Monthly Percentage is below the committed objective.

**Bidder understands this requirement and shall meet or exceed it? Yes**

---

### 20.4.8.10 Time to Repair (TTR) (M-S)

**SLA Name:** Time To Repair (TTR)

**Definition:**

Any failure that prevents full functionality of the service that remains unresolved for more than the committed objective level.

**Measurement Process:**

This SLA is based on trouble ticket Unavailable Time. The circuit or service is not fully functional during the time the trouble ticket is reported as opened until restoration of the service, minus SCC. If the Customer reports a partial or complete service that is not fully functional and remains unresolved after the closure of the trouble ticket by the Contractor, the Unavailable Time shall be adjusted to the actual restoration time.

**Services:**

MPLS  
ANIRA  
Network Based Firewall  
Netbond  
VSAT  
Managed Router Service  
WAN Acceleration Service  
AT&T Business WiFi Service

**Objectives:**

The Unavailable Time objective shall not exceed:

| <b>Access Type</b> | <b>Basic (B)</b> | <b>Standard (S)</b> | <b>Premier (P)</b> | <b>Bidder's Objective Commitment (B, S or P)</b> |
|--------------------|------------------|---------------------|--------------------|--|
| MPLS               | 6 Hours          | 5 Hours             | 4 Hours            | P  |
| ANIRA              |                  |                     | 4 Hours            | P  |

| Access Type                | Basic (B) | Standard (S) | Premier (P) | Bidder's Objective Commitment (B, S or P) |
|----------------------------|-----------|--------------|-------------|---|
| Network Based Firewall     |           |              | 4 Hours     | P   |
| Netbond                    |           |              | 4 Hours     | P   |
| VSAT                       |           |              | 4 Hours     | P   |
| Managed Router Service     |           |              | 4 Hours     | P   |
| WAN Acceleration Service   |           |              | 4 Hours     | P   |
| AT&T Business WiFi Service |           |              | 4 Hours     | P   |

**Rights and Remedies:**

1. Per Occurrence:

- First month the service fails to meet the committed SLA objective shall result in a 25% credit or refund of TMRC for each service (Circuit ID or Service ID) out of service for a period greater than the committed objective level.

2. Monthly Aggregated Measurements:

- N/A

**Bidder understands this requirement and shall meet or exceed it? Yes**

**20.4.8.11 Unsolicited Service Enhancement SLAs**

All unsolicited service enhancements shall be considered a feature of the service, and therefore shall be included as such under the SLAs as defined in this Section.

**Bidder understands this requirement and shall meet or exceed it? Yes**

**20.4.8.12 Proposed Unsolicited Offerings**

---

The Contractor shall provide SLAs as defined in SLA Section 20.3.8 for each unsolicited offering determined by the CALNET Program not to be a feature of a service or a component of an unbundled service identified in the technical requirements. SLA tables shall be amended after Contract award to include all new unsolicited services.

**Bidder understands this requirement and shall meet or exceed it? Yes**

#### 20.4.8.13 Contract Amendment Service Enhancement SLAs

All Contract amendment service enhancements shall be considered a feature of the service, therefore included as such under the SLAs as defined in Section 20.4.8.

**Bidder understands this requirement and shall meet or exceed it? Yes**