



AT&T

IFB STPD 12-001-B, C3-B-12-10-TS-01

CalNet 3, Subcategory 4.2: SONET Point-to-Point Connectivity

Volume 2: Response to Unique Category or Subcategory Requirements
SOW Technical Requirements Response

Amendment #1, Rev. June 4, 2015

Mark Roese
Executive Sales Director
AT&T
2700 Watt Ave
Sacramento, CA 95821
916-972-3297 (phone)
916-468-8418 (cell)
mark.roese@att.com



This Page was Intentionally Left Blank



Table of Contents

Exhibit 8: Contractor’s License Information..... 1

Exhibit 10: Bidding Preferences and Incentives 5

Exhibit 11: STD 843, DVBE Declarations 9

Exhibit 12: GSPD 05-105, Bidder Declaration..... 11

Exhibit 13: STD 830, TACPA Preference Request..... 13

Exhibit 14: Commercially Useful Function Statement..... 15

Subcategory 4.2 – SONET Point-to-Point Connectivity..... 19

 4.2.1 Overview..... 19

 4.2.2 Synchronous Optical Network (SONET) 20

 4.2.3 SONET Network Disaster/Operational Recovery 46

 4.2.4 Other Services 47

 4.2.5 Service Level Agreements (SLA) 55





This Page was Intentionally Left Blank



Exhibit 8: Contractor's License Information

Attached is Exhibit 8: Contractor's License Information.



This Page was Intentionally Left Blank



EXHIBIT 8: CONTRACTOR’S LICENSE INFORMATION

(Installation Services Only)

For Category/Subcategory: 4.2: SONET Point-to-Point Connectivity

Name of Bidder: AT&T Corp.

Bidder shall complete the applicable Contractor’s license information below in accordance with the Contractor’s State License Board, Department of Consumer Affairs. A Contractor’s license of appropriate Class C-7, Low Voltage Systems Contractor, is required before any Bidder can contract business (e.g. submit a bid) which includes the installation of cable and wiring, and minor electrical modification. In addition, if structural modifications are required, a Class B, General Building Contractor, license is required. Licensee must be in the name of the firm or a Responsible Managing Employee. See IFB Section 2.3.6, Contractor’s License.

CONTRACTOR

Class C-7 and C-10 License No: 760249
 Licensee: Pacific Bell Telephone Company Expiration Date: 03/31/2015
 Relationship of Licensee to Contractor: Wholly Owned Subsidiary

SUBCONTRACTOR 1

Class _____ License No: _____
 Licensee: _____ Expiration Date: _____
 Relationship of Licensee to Subcontractor: _____

SUBCONTRACTOR 2

Class _____ License No: _____
 Licensee: _____ Expiration Date: _____
 Relationship of Licensee to Subcontractor: _____

(Use additional sheets if necessary.)





This Page was Intentionally Left Blank



Exhibit 10: Bidding Preferences and Incentives

Attached is the completed and signed Exhibit 10.



This Page was Intentionally Left Blank



Exhibit 10: BIDDING PREFERENCES AND INCENTIVES

For Category/Subcategory: 4.2: SONET Point-to-Point Connectivity

ALL BIDDERS: COMPLETE ALL SECTIONS BELOW AND SUBMIT WITH YOUR PROPOSAL.

1. SMALL BUSINESS PREFERENCE

Bidder must check the appropriate box from the choices below.

- I am a DGS certified Small Business and claim the Small Business Preference.
My DGS Small Business certification number is: _____
- I have recently filed for DGS Small Business preference but have not yet received certification, but I am claiming the Small Business preference.
- I am not a DGS certified Small Business, but 25% or more of the revenue from the award will go to DGS certified Small Business Subcontractors performing a Commercially Useful Function and therefore I am claiming the preference.
Bidder must complete and submit Exhibit 12, GSPD-05-105 Bidder Declaration, indicating the percentage of the revenue that will be received by each DGS certified Small Business Subcontractor.
Bidder must complete and submit an Exhibit 14, Commercially Useful Function Statement, for each Small Business subcontractor.
- I am not claiming the DGS Small Business preference.

2. DVBE INCENTIVE

Bidder must check the appropriate box from the choices below.

- I am a DGS certified DVBE. A copy of my STD. form 843 is attached.
- I have recently filed for DGS DVBE certification, but have not yet received certification.
- I am not a DGS certified DVBE, but a percentage of the revenue will be going to DGS certified DVBE Subcontractors performing a Commercially Useful Function, and therefore I am claiming the DVBE incentive.
Bidder must submit a complete Exhibit 12, GSPD-05-105, Bidder Declaration, indicating the percentage of the revenue that will be received by each DGS certified DVBE Subcontractor.
Bidder must also submit an Exhibit 11, STD 843 DVBE Declarations, for each DVBE Subcontractor, signed by the DVBE owner/manager.
Bidder must complete and submit an Exhibit 14, Commercially Useful Function Statement, for each DVBE subcontractor or supplier.
- I am not claiming the DVBE incentive.



EXHIBIT 10, CONTINUED

3. ADDITIONAL BIDDING PREFERENCES

The Bidder shall check the appropriate box or boxes from the choices below.

- I am not claiming the TACPA preference, the EZA preference, or the LAMBRA preference.
- I am claiming the TACPA bidding preference.
Bidder must submit Exhibit 13, STD 830.

Name of Bidder: AT&T Corp.

Signature and Date: Mark Rame February 18, 2014



Exhibit 11: STD 843, DVBE Declarations

AT&T is not claiming a DVBE incentive



This Page was Intentionally Left Blank



Exhibit 12: GSPD 05-105, Bidder Declaration

AT& is not claiming SB preference using Subcontractors, nor claiming a DVBE incentive, nor will have any Subcontractors that will receive 15% or more revenue.



This Page was Intentionally Left Blank



Exhibit 13: STD 830, TACPA Preference Request

AT&T is not claiming TACPA preference.



This Page was Intentionally Left Blank



Exhibit 14: Commercially Useful Function Statement

Attached is a copy of AT&T's completed Exhibit 14.



This Page was Intentionally Left Blank



EXHIBIT 14: COMMERCIALY USEFUL FUNCTION STATEMENT

All certified small business, micro business, and/or DVBE Contractors, subcontractors or suppliers must meet the commercially useful function requirements under Government Code (GC) Section 14837(d)(4)(A) (for SB) and Military and Veterans Code (MVC) Section 999(b)(5)(B) (for DVBE).

Please answer the following questions, as they apply to your company for the goods and services being acquired in this solicitation.

CALNET 3 Category or Subcategory being bid: Subcategory 4.2

Subcontractor Name:

Mark all that apply: DVBE: Small Business: Micro Business:

| | | | |
|----|---|------------------------------|-----------------------------|
| 1. | Will the subcontractor be responsible for the execution of a distinct element of the resulting CALNET Contract? | Yes <input type="checkbox"/> | No <input type="checkbox"/> |
| 2. | Will this subcontractor be actually performing, managing, or supervising an element of the resulting CALNET Contract? | Yes <input type="checkbox"/> | No <input type="checkbox"/> |
| 3. | Will this subcontractor be performing work on the resulting CALNET Contract that is normal for its business, services, and functions? | Yes <input type="checkbox"/> | No <input type="checkbox"/> |
| 4. | Will there be any further subcontracting that is greater than that expected to be subcontracted by normal industry practices for the resulting CALNET Contract? | Yes <input type="checkbox"/> | No <input type="checkbox"/> |
| 5. | Will this subcontractor be responsible, with respect to products, inventories, materials, and supplies required for the contract, for negotiating price, determining quality and quantity, ordering, installing, if applicable, and making payment? | Yes <input type="checkbox"/> | No <input type="checkbox"/> |

A response of “No” in questions 1 - 3 or a response of ”Yes” in question 4, may result in your claim for Small Business Preference or DVBE Incentive being deemed non-responsive and disqualified.

The bidder must provide a written statement below detailing the role, services and goods the subcontractor(s) will provide to meet the commercially useful function requirement.

AT&T is not using any DVBE, Small Business, and Micro Business Contractors, subcontractors or suppliers in the delivery of services related to this subcategory.



At the State’s option prior to award, bidders may be required to submit additional written clarifying information.

Per MVC Section 999.9(a)(6) and GC 14842.5 (a)(6) it is unlawful for a person to knowingly and with intent to defraud, fraudulently represent that a commercially useful function is being performed by a disabled veteran business enterprise in order to obtain or retain a bid preference or a state contract, and that doing so shall subject the person to the penalties stated in MVC Section 999.9 and GC 14842.5.

By signing this form, the undersigned bidder certifies that the Certified Small Business or DVBE satisfies the Commercially Useful Function requirement, and will provide the role, services, and/or goods stated above.

Signature of Company
Representative:

Printed/Typed Name and Title of
Company Representative:

Mark Roese, Executive Sales Director



Subcategory 4.2 – SONET Point-to-Point Connectivity

4.2.1 Overview

This Subcategory 4.2 IFB provides the State's solicitation for best value solutions for SONET point-to-point connectivity. This IFB describes the CALNET 3 technical requirements necessary to support the CALNET 3 program requirements.

This IFB will be awarded to Bidders that meet the award criteria as described in IFB Section 4. The CALNET 3 Contract(s) that result from the award of this IFB will be managed on a day-to-day basis by the CALNET 3 Contract Management and Oversight (CALNET 3 CMO).

4.2.1.1 Bidder Response Requirements

Throughout this IFB, Bidders are required to acknowledge acceptance of the requirements described herein by responding to one (1) of the following:

Example A (for requirements that require confirmation that the Bidder understands and accepts the requirement):

"Bidder understands the Requirement and shall meet or exceed it? Yes_____ No_____"

Or,

Example B (for responses that require the Bidder to provide a description or written response to the requirement):

"Bidder understands the requirements in Section xxx and shall meet or exceed them? Yes_____ No_____"

Description:"

4.2.1.2 Designation of Requirements

All Technical Requirements specified in this IFB Section are Mandatory and must be responded to as identified in IFB Section 3.4.2.5 by the Bidder. Additionally, some Mandatory requirements are "Mandatory-Scorable" and are designated as "(M-S)". The State will have the option of whether or not to include each item in the Contract, based on the best interest of the State. Furthermore, Customers will have the option whether or not to order services or features included in the Contract. Service Requests for some CALNET 3 services or features may require CALNET 3 CMO approval.



Costs associated with services shall be included in the prices provided by the Bidder for the individual items included in the Cost Worksheets. Items not listed in the Cost Worksheets will not be billable by the Contractor. If additional unsolicited items include the features described in the IFB and are not included as billable in the Cost Worksheets, the cost associated with the features shall not be included in the unsolicited price.

Services and features included in the Cost Worksheets are those that the Bidder must provide. All Bidders must provide individual prices as indicated in the Cost Worksheets in the Bidder's Final Proposal. Items submitted with no price will be considered as offered at no cost.

4.2.1.3 Pacific Time Zone

Unless specific otherwise, all times stated herein are times in the Pacific Time Zone.

4.2.2 Synchronous Optical Network (SONET)

Contractor shall provide Synchronous Optical Network (SONET) service for high bandwidth communication paths in a point-to-point configuration.

Bidders shall describe in detail the SONET service that will be deployed to satisfy this requirement for high bandwidth communication paths in a bi-directional and self-healing configuration.

*Bidder understands the requirements in Section 4.2.2 and shall meet or exceed them? Yes X
No _____*

Description:

Optical Carrier Network (OCN) Point-to-Point SONET Service

The Optical Point-to-Point service will provide a transport service that is designed to connect customer locations and AT&T wire centers in a linear (point to point) configuration.

The two components of OCN Point-to-Point Service are Local Distribution Channel and Interoffice Transport.

Local Distribution Channel (LDC)

The Local Distribution Channel (LDC) (same as Channel Termination (CT)) provides for the communications path between a customer designated premise and the serving wire center of that premise. LDCs are only offered without Add Drop Multiplexing (ADM) equipment at the



customers designated premises and will hand-off basic 2- fiber optic cables. One LDC is provided per customer circuit at the designated premises at which the channel is terminated.

OC-3/OC-3c, OC-12/OC-12c, OC-48/OC-48c and OC-192/OC-192c LDCs provide point-to-point optical interconnection between the AT&T Serving Wire Center (SWC) and the customer premises.

The customer is required to provide an ADM that is compatible with the AT&T central office ADM as is described in Technical Publication GR-253-CORE.

Both LDCs comprising a circuit must have the same terminating bit rate.

Interoffice Transport

Interoffice Transport facilities provide the transmission paths between Serving Wire Centers associated with two customer designated premises. Four interoffice transport types are available.

- OC-3/OC-3c LDCs are interconnected to OC-3/OC-3c transport.
- OC-12/OC-12c LDCs are interconnected to OC-12/OC-12c transport.
- OC-48/OC-48c LDCs are interconnected to OC-48/OC-48c transport.
- OC-192/OC-192c LDCs are interconnected to OC-192/OC-192c transport.

Optical Transmission paths for OC-3/OC-3c, OC-12/OC-12c, OC-48/OC-48c and OC 192/OC-192c differentiated by bit rate and the quality of transmission is as delineated by the Optical Interface definitions in the appropriate technical reference publication(s) for the service ordered.

4.2.2.1.1 Standards Based Interfaces

The Contractor shall support commercially available optical interfaces and shall comply with ANSI, Telcordia, ITU, and IEEE Standards. Service handoffs for SONET shall be synchronous at OC-3, OC3-c (concatenated), OC-12, OC-12c, OC-48, and OC-48c. Asynchronous services at T1 and DS3 shall be carried over SONET in 51 Mbps Synchronous Transport Signal Level1 (STS/1) packages.

Bidders shall describe all of the commercially available optical interfaces that are supported by their solution.



Bidder understands the requirements in Section 4.2.2.1.1 and shall meet or exceed them? Yes X No _____

Description:

OCN Point-to-Point channels provide high speed synchronous optical fiber-based full duplex data transmission capabilities between two points. These services provide optical data transmission with the following characteristics:

- OC-3/OC-3c provides channels operating at the terminating bit rate of 155.52 Mbps;
- OC-12/OC-12c provides channels operating at the terminating bit rate of 622.08 Mbps;
- OC-48/OC-48c provides channels operating at the terminating bit rate of 2488.32 Mbps;
- OC-192/OC-192c provides channels operating at the terminating bit rate of 9953.28 Mbps;

Optical Transmission paths for OC-3/OC-3c, OC-12/OC-12c, OC-48/OC-48c and OC 192/OC-192c differentiated by bit rate and the quality of transmission is as delineated by the Optical Interface definitions in the appropriate technical reference publication(s) for the service ordered.

4.2.2.1.2 Packet Delivery

The monthly average packet delivery shall be greater than 99.9 percent throughput for each circuit. The monthly average percentage shall be derived from the total number of packets/cells/frames output at the network egress port divided by the total number of packets/cells/frames input at the ingress port within the subscribed rate, multiplied by 100.

Bidder understands the Requirement and shall meet or exceed it? Yes X No _____

4.2.2.1.3 Equipment and Environment

The Contractor shall provide and install all network terminating equipment (NTE) in State provided Telecommunication Closet MPOE locations utilizing State provided building entrance facilities. All Contractor Equipment shall adhere to the Telcordia Network Equipment Building System (NEBS).

Bidder understands the Requirement and shall meet or exceed it? Yes X No _____

4.2.2.2 SONET Point-to-Point Service (SPPS)

The Contractor shall provide Point-to-point SONET on a circuit-by-circuit basis using the Contractors interoffice SONET infrastructure.



Point-to-point channels shall provide high-speed synchronous optical fiber-based full duplex data transmission capabilities between two (2) points.

OC-3, OC-12, and OC-48 channels shall be able to connect:

1. Customer-designated premise to another Customer-designated premise, without add/drop multiplexing capability;
2. Customer-designated premise to a serving wire center where add/drop multiplexing and add/drop functions are performed; and,
3. IntraLATA and InterLATA connectivity where commercially available.

Bidder understands the Requirement and shall meet or exceed it? Yes X No _____

4.2.2.2.1 SPPS Data Transmission Channel Terminating Bit Rate

SPPS services shall provide optical data transmission with the following characteristics:

1. OC-3/OC-3c provides channels operating at the terminating bit rate of 155.52 Mbps
2. OC-12/OC-12c provides channels operating at the terminating bit rate of 622.08 Mbps
3. OC-48/OC-48c provides channels operating at the terminating bit rate of 2,488.32 Mbps

Bidder understands the Requirement and shall meet or exceed it? Yes X No _____



4.2.2.2.2 SPPS Services and Features

The Contractor shall offer SPPS services and features detailed in Table 4.2.2.2.a.

Table 4.2.2.2.a – SPPS Services and Features

| | Feature Name | Feature Description | Bidder Meets or Exceeds? Y N | | Bidder's Product Identifier |
|--|---------------------------------|---|------------------------------|--|-----------------------------|
| 1 | SPPS Local Loop Service (OC-3) | Point-to-point service at OC-3 speed service provides point-to-point optical interconnection between the telephone company serving wire center (SWC) and the Customer premise. Customer is required to provide an add/drop multiplexer (ADM) that is compatible with the Contractor's central office ADM as described in the Technical Publication GR-253-CORE. Mileage charges apply if the two (2) end points are in different SWC nodes. Two (2) local loops are required. | Y | | SON01 |
| Bidder's Product Description: Point-to-point service at OC-3 speed service provides point-to-point optical interconnection between the telephone company serving wire center (SWC) and the Customer premise. Customer is required to provide an add/drop multiplexer (ADM) that is compatible with the Contractor's central office ADM as described in the Technical Publication GR-253-CORE. Mileage charges apply if the two (2) end points are in different SWC nodes. Two (2) local loops are required. | | | | | |
| 2 | SPPS Local Loop Service (OC-12) | Point-to-point service at OC-12 speed service provides point-to-point optical interconnection between the telephone company serving wire center (SWC) and the Customer premise. Customer is required to provide an ADM that is compatible with the Contractor's central office ADM as described in the Technical Publication GR-253-CORE. Mileage charges apply if the two (2) end points are in different SWC nodes. Two (2) local loops are required. | Y | | SON02 |





IFB STPD 12-001-B, C3-B-12-10-TS-01
Vol. 2, SOW Technical Requirements Response, Subcategory 4.2 –
SONET Point-to-Point Connectivity
Amendment #1, Rev. June 4, 2015

| | Feature Name | Feature Description | Bidder Meets or Exceeds? Y N | Bidder's Product Identifier |
|---|--|---|---------------------------------|-----------------------------|
| | Bidder's Product Description: Point-to-point service at OC-12 speed service provides point-to-point optical interconnection between the telephone company serving wire center (SWC) and the Customer premise. Customer is required to provide an ADM that is compatible with the Contractor's central office ADM as described in the Technical Publication GR-253-CORE. Mileage charges apply if the two (2) end points are in different SWC nodes. Two (2) local loops are required. | | | |
| 3 | SPPS Local Loop Service (OC-48) | Point-to-point service at OC-48 speed service provides point-to-point optical interconnection between the telephone company serving wire center (SWC) and the Customer premise. Customer is required to provide an ADM that is compatible with the Contractor's central office ADM as described in the Technical Publication GR-253-CORE. Mileage charges apply if the two (2) end points are in different SWC nodes. Two (2) local loops are required. | Y | SON03 |
| | Bidder's Product Description: Point-to-point service at OC-48 speed service provides point-to-point optical interconnection between the telephone company serving wire center (SWC) and the Customer premise. Customer is required to provide an ADM that is compatible with the Contractor's central office ADM as described in the Technical Publication GR-253-CORE. Mileage charges apply if the two (2) end points are in different SWC nodes. Two (2) local loops are required. | | | |
| 4 | SPPS IntraLATA OC-3 Point-Point Circuit Mileage | OC-3 Point-to-Point Service interoffice mileage for OC-3 circuits with the endpoints in different serving wire centers. Mileage is calculated using the vertical and horizontal (V&H) coordinate method. | Y | SON05 |
| | Bidder's Product Description: OC-3 Point-to-Point Service interoffice mileage for OC-3 circuits with the endpoints in different serving wire centers. Mileage is calculated using the vertical and horizontal (V&H) coordinate method. | | | |
| 5 | SPPS IntraLATA OC-12 Point-Point Circuit Mileage | OC-12 Point-to-Point Service interoffice mileage for OC-12 circuits with the endpoints in different serving wire centers. Mileage is calculated using the V&H coordinate method. | Y | SON06 |





| | Feature Name | Feature Description | Bidder Meets or Exceeds? Y N | | Bidder's Product Identifier |
|---|---|--|---------------------------------|--|-----------------------------|
| | Bidder's Product Description: OC-12 Point-to-Point Service interoffice mileage for OC-12 circuits with the endpoints in different serving wire centers. Mileage is calculated using the V&H coordinate method. | | | | |
| 6 | SPPS IntraLATA OC-48 Point- Point Circuit Mileage | OC-48 Point-to-Point Service interoffice mileage for OC-48 circuits with the endpoints in different serving wire centers. Mileage is calculated using the V&H coordinate method. | Y | | SON07 |
| | Bidder's Product Description: OC-48 Point-to-Point Service interoffice mileage for OC-48 circuits with the endpoints in different serving wire centers. Mileage is calculated using the V&H coordinate method. | | | | |
| 7 | SPPS InterLATA OC- 3 Channel 1 – 100 miles | SONET InterLATA service at OC-3/OC-3c point-to-point interoffice channel between InterLATA POPs at OC-3 speed. 1-100 miles | Y | | SON09 |
| | Bidder's Product Description: SONET InterLATA service at OC-3/OC-3c point-to-point interoffice channel between InterLATA POPs at OC-3 speed. 1-100 miles | | | | |
| 8 | SPPS InterLATA OC- 3 Channel 101 – 1200 miles | SONET InterLATA service at OC-3/OC-3c point-to-point interoffice channel between InterLATA POPs at OC-3 speed. 101-1200 miles | Y | | SON10 |
| | Bidder's Product Description: SONET InterLATA service at OC-3/OC-3c point-to-point interoffice channel between InterLATA POPs at OC-3 speed. 101-1200 miles | | | | |
| 9 | SPPS InterLATA OC- 3 Channel Over 1200 miles | SONET InterLATA service at OC-3/OC-3c point-to-point interoffice channel between InterLATA POPs at OC-3 speed. | Y | | SON11 |





| | Feature Name | Feature Description | Bidder Meets or Exceeds? Y N | Bidder's Product Identifier |
|----|--|---|------------------------------|-----------------------------|
| | Bidder's Product Description: SONET InterLATA service at OC-3/OC-3c point-to-point interoffice channel between InterLATA POPs at OC-3 speed. Over 1200 miles. | | | |
| 10 | SPPS InterLATA OC-3 Mileage | Interoffice mileage for OC-3 circuits with the endpoints in different LATAs. Mileage is calculated using the V&H coordinate method. | Y | SON12 |
| | Bidder's Product Description: Interoffice mileage for OC-3 circuits with the endpoints in different LATAs. Mileage is calculated using the V&H coordinate method. | | | |
| 11 | SPPS InterLATA OC-12 Channel 1 – 100 miles | SONET InterLATA service at OC-12/OC-12c point-to-point interoffice channel between InterLATA POPs at OC-12 speed. 1 – 100 miles | Y | SON13 |
| | Bidder's Product Description: SONET InterLATA service at OC-12/OC-12c point-to-point interoffice channel between InterLATA POPs at OC-12 speed. 1 – 100 miles | | | |
| 12 | SPPS InterLATA OC-12 Channel 101 – 1200 miles | SONET InterLATA service at OC-12/OC-12c point-to-point interoffice channel between InterLATA POPs at OC-12 speed. 101 – 1200 miles | Y | SON14 |
| | Bidder's Product Description: SONET InterLATA service at OC-12/OC-12c point-to-point interoffice channel between InterLATA POPs at OC-12 speed. 101 – 1200 miles | | | |
| 13 | SPPS InterLATA OC-12 Channel Over 1200 miles | SONET InterLATA service at OC-12/OC-12c point-to-point interoffice channel between InterLATA POPs at OC-12 speed. Over 1200 miles | Y | SON15 |
| | Bidder's Product Description: SONET InterLATA service at OC-12/OC-12c point-to-point interoffice channel between InterLATA POPs at OC-12 speed. Over 1200 miles | | | |





| | Feature Name | Feature Description | Bidder Meets or Exceeds? Y N | | Bidder's Product Identifier |
|---|------------------------------|--|------------------------------|--|-----------------------------|
| 14 | SPPS InterLATA OC-12 Mileage | Interoffice mileage for OC-12 circuits with the endpoints in different LATAs. Mileage is calculated using the V&H coordinate method. | Y | | SON16 |
| Bidder's Product Description: Interoffice mileage for OC-12 circuits with the endpoints in different LATAs. Mileage is calculated using the V&H coordinate method. | | | | | |
| 15 | SPPS InterLATA OC-48 Channel | SONET InterLATA service at OC-48. Point-to-point interoffice channel (IOC) between InterLATA POPs at OC-48 speed. | Y | | SON17 |
| Bidder's Product Description: SONET InterLATA service at OC-48. Point-to-point interoffice channel (IOC) between InterLATA POPs at OC-48 speed. | | | | | |
| 16 | SPPS InterLATA OC-48 Mileage | Interoffice mileage for OC-48 circuits with the endpoints in different LATAs. Mileage is calculated using the V&H coordinate method. | Y | | SON18 |
| Bidder's Product Description: Interoffice mileage for OC-48 circuits with the endpoints in different LATAs. Mileage is calculated using the V&H coordinate method. | | | | | |

The Contractor may offer additional unsolicited SPPS services and features in Table 4.2.2.2.2.b.

Table 4.2.2.2.2.b Unsolicited SPPS Services and Features

| | Feature Name | Feature Description | Bidder's Product Identifier |
|--|--------------|---------------------|-----------------------------|
|--|--------------|---------------------|-----------------------------|





| | Feature Name | Feature Description | Bidder's Product Identifier |
|---|---|--|-----------------------------|
| 1 | SPPS Local Loop Service (OC-192) | Point-to-point service at OC-192 speed service provides point-to-point optical interconnection between the telephone company serving wire center (SWC) and the Customer premise. Customer is required to provide an ADM that is compatible with the Contractor's central office ADM as described in the Technical Publication GR-253-CORE. Mileage charges apply if the two (2) end points are in different SWC nodes. Two (2) local loops are required. | SON04 |
| | Bidder's Product Description: Point-to-point service at OC-192 speed service provides point-to-point optical interconnection between the telephone company serving wire center (SWC) and the Customer premise. Customer is required to provide an ADM that is compatible with the Contractor's central office ADM as described in the Technical Publication GR-253-CORE. Mileage charges apply if the two (2) end points are in different SWC nodes. Two (2) local loops are required. | | |
| 2 | SPPS IntraLATA OC-192 Point-Point Circuit Mileage | OC-192 Point-to-Point Service interoffice mileage for OC-192 circuits with the endpoints in different serving wire centers. Mileage is calculated using the V&H coordinate method. | SON08 |
| | Bidder's Product Description: OC-192 Point-to-Point Service interoffice mileage for OC-192 circuits with the endpoints in different serving wire centers. Mileage is calculated using the V&H coordinate method. | | |
| 3 | SPPS InterLATA OC-192 InterLATA Channel | SONET InterLATA service at OC-192. Point-to-point interoffice channel between InterLATA POPs at OC-192 speed. | SON19 |
| | Bidder's Product Description: SONET InterLATA service at OC-192. Point-to-point interoffice channel between InterLATA POPs at OC-192 speed. | | |
| 4 | SPPS InterLATA OC-192 Mileage | Interoffice mileage for OC-192 circuits with the endpoints in different LATAs. Mileage is calculated using the V&H coordinate method. | SON20 |
| | Bidder's Product Description: Interoffice mileage for OC-192 circuits with the endpoints in different LATAs. Mileage is calculated using the V&H coordinate method. | | |





4.2.2.3 SPPS Geographic Requirements

Table 4.2.2.3.a provides a listing of cities in California. Bidders shall indicate the geographic locations where Contractor will provide SPPS Local Loop, IntraLATA and InterLATA services in Table 4.2.2.3.a where Contractor’s facilities are available. All bandwidths must be available in the service locations identified by the Bidder. By entering “X”, the Bidder commits to provide service in that specific location.

Table 4.2.2.3.a Bidder’s SPPS Local Loop, IntraLATA and InterLATA Service Locations

| | Service Location | SPPS Local Loop Service (Intra-office) | SPPS IntraLATA (Inter-office) | SPPS InterLATA (Inter-office) |
|----|------------------|--|-------------------------------|-------------------------------|
| 1 | Adelanto | | | |
| 2 | Agoura Hills | X | X | X |
| 3 | Alameda | X | X | X |
| 4 | Albany | X | X | X |
| 5 | Alhambra | X | X | X |
| 6 | Aliso Viejo | X | X | X |
| 7 | Alturas | | | |
| 8 | Amador | | | |
| 9 | American Canyon | X | X | X |
| 10 | Anaheim | X | X | X |
| 11 | Anderson | X | X | X |
| 12 | Angels Camp | | | |
| 13 | Antioch | X | X | X |
| 14 | Apple Valley | | | |
| 15 | Arcadia | X | X | X |
| 16 | Arcata | X | X | X |
| 17 | Arroyo Grande | X | X | X |
| 18 | Artesia | | | |
| 19 | Arvin | X | X | X |
| 20 | Atascadero | X | X | X |
| 21 | Atherton | X | X | X |
| 22 | Atwater | X | X | X |
| 23 | Auburn | X | X | X |
| 24 | Avalon | X | X | X |





| | Service Location | SPPS Local Loop Service (Intra-office) | SPPS IntraLATA (Inter-office) | SPPS InterLATA (Inter-office) |
|----|------------------|--|-------------------------------|-------------------------------|
| 25 | Avenal | X | X | X |
| 26 | Azusa | | | |
| 27 | Bakersfield | X | X | X |
| 28 | Baldwin Park | X | X | X |
| 29 | Banning | | | |
| 30 | Barstow | | | |
| 31 | Beaumont | | | |
| 32 | Bell | X | X | X |
| 33 | Bell Gardens | | | |
| 34 | Bellflower | X | X | X |
| 35 | Belmont | X | X | X |
| 36 | Belvedere | X | X | X |
| 37 | Benicia | X | X | X |
| 38 | Berkeley | X | X | X |
| 39 | Beverly Hills | X | X | X |
| 40 | Big Bear Lake | | | |
| 41 | Biggs | X | X | X |
| 42 | Bishop | | | |
| 43 | Blue Lake | X | X | X |
| 44 | Blythe | | | |
| 45 | Bradbury | | | |
| 46 | Brawley | X | X | X |
| 47 | Brea | X | X | X |
| 48 | Brentwood | X | X | X |
| 49 | Brisbane | X | X | X |
| 50 | Buellton | | | |
| 51 | Buena Park | X | X | X |
| 52 | Burbank | X | X | X |
| 53 | Burlingame | X | X | X |
| 54 | Calabasas | X | X | X |
| 55 | Calexico | X | X | X |



IFB STPD 12-001-B, C3-B-12-10-TS-01
Vol. 2, SOW Technical Requirements Response, Subcategory 4.2 –
SONET Point-to-Point Connectivity
Amendment #1, Rev. June 4, 2015

| | Service Location | SPPS Local Loop Service (Intra-office) | SPPS IntraLATA (Inter-office) | SPPS InterLATA (Inter-office) |
|----|-------------------|--|-------------------------------|-------------------------------|
| 56 | California City | | | |
| 57 | Calimesa | | | |
| 58 | Calipatria | X | X | X |
| 59 | Calistoga | X | X | X |
| 60 | Camarillo | X | X | X |
| 61 | Campbell | X | X | X |
| 62 | Canyon Lake | | | |
| 63 | Capitola | X | X | X |
| 64 | Carlsbad | X | X | X |
| 65 | Carmel-By-The-Sea | X | X | X |
| 66 | Carpinteria | | | |
| 67 | Carson | X | X | X |
| 68 | Cathedral City | | | |
| 69 | Ceres | X | X | X |
| 70 | Cerritos | | | |
| 71 | Chico | X | X | X |
| 72 | Chino | X | X | X |
| 73 | Chino Hills | | | |
| 74 | Chowchilla | X | X | X |
| 75 | Chula Vista | X | X | X |
| 76 | Citrus Heights | X | X | X |
| 77 | Claremont | X | X | X |
| 78 | Clayton | X | X | X |
| 79 | Clearlake | X | X | X |
| 80 | Cloverdale | X | X | X |
| 81 | Coachella | | | |
| 82 | Coalinga | X | X | X |
| 83 | Colfax | | | |
| 84 | Colma | X | X | X |
| 85 | Colton | X | X | X |
| 86 | Colusa | | | |





| | Service Location | SPPS Local Loop Service (Intra-office) | SPPS IntraLATA (Inter-office) | SPPS InterLATA (Inter-office) |
|-----|--------------------|--|-------------------------------|-------------------------------|
| 87 | Commerce | X | X | X |
| 88 | Compton | X | X | X |
| 89 | Concord | X | X | X |
| 90 | Corcoran | | | |
| 91 | Corning | X | X | X |
| 92 | Corona | X | X | X |
| 93 | Coronado | X | X | X |
| 94 | Corte Madera | X | X | X |
| 95 | Costa Mesa | X | X | X |
| 96 | Cotati | X | X | X |
| 97 | Covina | | | |
| 98 | Crescent City | | | |
| 99 | Cudahy | X | X | X |
| 100 | Culver City | X | X | X |
| 101 | Cupertino | X | X | X |
| 102 | Cypress | X | X | X |
| 103 | Daly City | X | X | X |
| 104 | Dana Point | X | X | X |
| 105 | Danville | X | X | X |
| 106 | Davis | X | X | X |
| 107 | Del Mar | X | X | X |
| 108 | Del Rey Oaks | X | X | X |
| 109 | Delano | X | X | X |
| 110 | Desert Hot Springs | | | |
| 111 | Diamond Bar | X | X | X |
| 112 | Dinuba | X | X | X |
| 113 | Dixon | X | X | X |
| 114 | Dorris | | | |
| 115 | Dos Palos | | | |
| 116 | Downey | X | X | X |
| 117 | Duarte | | | |





| | Service Location | SPPS Local Loop Service (Intra-office) | SPPS IntraLATA (Inter-office) | SPPS InterLATA (Inter-office) |
|-----|-------------------|--|-------------------------------|-------------------------------|
| 118 | Dublin | X | X | X |
| 119 | Dunsmuir | X | X | X |
| 120 | East Palo Alto | X | X | X |
| 121 | El Cajon | X | X | X |
| 122 | El Centro | X | X | X |
| 123 | El Cerrito | X | X | X |
| 124 | El Monte | X | X | X |
| 125 | El Paso De Robles | X | X | X |
| 126 | El Segundo | X | X | X |
| 127 | Elk Grove | X | X | X |
| 128 | Emeryville | X | X | X |
| 129 | Encinitas | X | X | X |
| 130 | Escalon | X | X | X |
| 131 | Escondido | X | X | X |
| 132 | Etna | | | |
| 133 | Eureka | X | X | X |
| 134 | Exeter | | | |
| 135 | Fairfax | X | X | X |
| 136 | Fairfield | X | X | X |
| 137 | Farmersville | X | X | X |
| 138 | Ferndale | | | |
| 139 | Fillmore | X | X | X |
| 140 | Firebaugh | X | X | X |
| 141 | Folsom | X | X | X |
| 142 | Fontana | X | X | X |
| 143 | Fort Bragg | X | X | X |
| 144 | Fort Jones | | | |
| 145 | Fortuna | X | X | X |
| 146 | Foster City | X | X | X |
| 147 | Fountain Valley | X | X | X |
| 148 | Fowler | | | |





| | Service Location | SPPS Local Loop Service (Intra-office) | SPPS IntraLATA (Inter-office) | SPPS InterLATA (Inter-office) |
|-----|------------------|--|-------------------------------|-------------------------------|
| 149 | Fremont | X | X | X |
| 150 | Fresno | X | X | X |
| 151 | Fullerton | X | X | X |
| 152 | Galt | X | X | X |
| 153 | Garden Grove | X | X | X |
| 154 | Gardena | X | X | X |
| 155 | Gilroy | X | X | X |
| 156 | Glendale | X | X | X |
| 157 | Glendora | X | X | X |
| 158 | Goleta | | | |
| 159 | Gonzales | X | X | X |
| 160 | Grand Terrace | X | X | X |
| 161 | Grass Valley | X | X | X |
| 162 | Greenfield | X | X | X |
| 163 | Gridley | X | X | X |
| 164 | Grover Beach | X | X | X |
| 165 | Guadalupe | | | |
| 166 | Gustine | X | X | X |
| 167 | Half Moon Bay | X | X | X |
| 168 | Hanford | X | X | X |
| 169 | Hawaiian Gardens | | | |
| 170 | Hawthorne | X | X | X |
| 171 | Hayward | X | X | X |
| 172 | Healdsburg | X | X | X |
| 173 | Hemet | | | |
| 174 | Hercules | X | X | X |
| 175 | Hermosa Beach | X | X | X |
| 176 | Hesperia | | | |
| 177 | Hidden Hills | X | X | X |
| 178 | Highland | X | X | X |
| 179 | Hillsborough | X | X | X |



| | Service Location | SPPS Local Loop Service (Intra-office) | SPPS IntraLATA (Inter-office) | SPPS InterLATA (Inter-office) |
|-----|----------------------|--|-------------------------------|-------------------------------|
| 180 | Hollister | X | X | X |
| 181 | Holtville | X | X | X |
| 182 | Hughson | X | X | X |
| 183 | Humboldt | | | |
| 184 | Huntington Beach | X | X | X |
| 185 | Huntington Park | X | X | X |
| 186 | Huron | X | X | X |
| 187 | Imperial | X | X | X |
| 188 | Imperial Beach | X | X | X |
| 189 | Indian Wells | | | |
| 190 | Indio | | | |
| 191 | Industry | | | |
| 192 | Inglewood | X | X | X |
| 193 | Inyo | | | |
| 194 | lone | X | X | X |
| 195 | Irvine | X | X | X |
| 196 | Irwindale | | | |
| 197 | Isleton | | | |
| 198 | Jackson | X | X | X |
| 199 | Kerman | | | |
| 200 | Kern | | | |
| 201 | King City | X | X | X |
| 202 | Kings | | | |
| 203 | Kingsburg | X | X | X |
| 204 | La Canada Flintridge | X | X | X |
| 205 | La Habra | X | X | X |
| 206 | La Habra Heights | | | |
| 207 | La Mesa | X | X | X |
| 208 | La Mirada | X | X | X |
| 209 | La Palma | | | |



| | Service Location | SPPS Local Loop Service (Intra-office) | SPPS IntraLATA (Inter-office) | SPPS InterLATA (Inter-office) |
|-----|------------------|--|-------------------------------|-------------------------------|
| 210 | La Puente | X | X | X |
| 211 | La Quinta | | | |
| 212 | La Verne | | | |
| 213 | Lafayette | X | X | X |
| 214 | Laguna Beach | X | X | X |
| 215 | Laguna Hills | X | X | X |
| 216 | Laguna Niguel | X | X | X |
| 217 | Laguna Woods | X | X | X |
| 218 | Lake | | | |
| 219 | Lake Elsinore | X | X | X |
| 220 | Lake Forest | X | X | X |
| 221 | Lakeport | X | X | X |
| 222 | Lakewood | X | X | X |
| 223 | Lancaster | X | X | X |
| 224 | Larkspur | X | X | X |
| 225 | Lassen | | | |
| 226 | Lathrop | | | |
| 227 | Lawndale | | | |
| 228 | Lemon Grove | X | X | X |
| 229 | Lemoore | X | X | X |
| 230 | Lincoln | X | X | X |
| 231 | Lindsay | | | |
| 232 | Live Oak | X | X | X |
| 233 | Livermore | X | X | X |
| 234 | Livingston | X | X | X |
| 235 | Lodi | X | X | X |
| 236 | Loma Linda | | | |
| 237 | Lomita | X | X | X |
| 238 | Lompoc | | | |
| 239 | Long Beach | X | X | X |
| 240 | Loomis | X | X | X |





IFB STPD 12-001-B, C3-B-12-10-TS-01
Vol. 2, SOW Technical Requirements Response, Subcategory 4.2 –
SONET Point-to-Point Connectivity
Amendment #1, Rev. June 4, 2015

| | Service Location | SPPS Local Loop Service (Intra-office) | SPPS IntraLATA (Inter-office) | SPPS InterLATA (Inter-office) |
|-----|------------------|--|-------------------------------|-------------------------------|
| 241 | Los Alamitos | X | X | X |
| 242 | Los Altos | X | X | X |
| 243 | Los Altos Hills | X | X | X |
| 244 | Los Angeles | X | X | X |
| 245 | Los Banos | X | X | X |
| 246 | Los Gatos | X | X | X |
| 247 | Loyalton | X | X | X |
| 248 | Lynwood | X | X | X |
| 249 | Madera | X | X | X |
| 250 | Malibu | | | |
| 251 | Mammoth Lakes | | | |
| 252 | Manhattan Beach | X | X | X |
| 253 | Manteca | | | |
| 254 | Maricopa | | | |
| 255 | Marina | X | X | X |
| 256 | Martinez | X | X | X |
| 257 | Marysville | X | X | X |
| 258 | Maywood | X | X | X |
| 259 | Mcfarland | | | |
| 260 | Mendota | X | X | X |
| 261 | Menlo Park | X | X | X |
| 262 | Merced | X | X | X |
| 263 | Mill Valley | X | X | X |
| 264 | Millbrae | X | X | X |
| 265 | Milpitas | X | X | X |
| 266 | Mission Viejo | X | X | X |
| 267 | Modesto | X | X | X |
| 268 | Monrovia | X | X | X |
| 269 | Montague | X | X | X |
| 270 | Montclair | X | X | X |
| 271 | Monte Sereno | | | |





| | Service Location | SPPS Local Loop Service (Intra-office) | SPPS IntraLATA (Inter-office) | SPPS InterLATA (Inter-office) |
|-----|------------------|--|-------------------------------|-------------------------------|
| 272 | Montebello | X | X | X |
| 273 | Monterey | X | X | X |
| 274 | Monterey Park | X | X | X |
| 275 | Moorpark | X | X | X |
| 276 | Moraga | X | X | X |
| 277 | Moreno Valley | | | |
| 278 | Morgan Hill | X | X | X |
| 279 | Morro Bay | X | X | X |
| 280 | Mount Shasta | X | X | X |
| 281 | Mountain View | X | X | X |
| 282 | Murrieta | | | |
| 283 | Napa | X | X | X |
| 284 | National City | X | X | X |
| 285 | Needles | | | |
| 286 | Nevada City | X | X | X |
| 287 | Newark | X | X | X |
| 288 | Newman | X | X | X |
| 289 | Newport Beach | X | X | X |
| 290 | Norco | X | X | X |
| 291 | Norwalk | X | X | X |
| 292 | Novato | X | X | X |
| 293 | Oakdale | X | X | X |
| 294 | Oakland | X | X | X |
| 295 | Oakley | X | X | X |
| 296 | Oceanside | X | X | X |
| 297 | Ojai | X | X | X |
| 298 | Ontario | X | X | X |
| 299 | Orange | X | X | X |
| 300 | Orange Cove | X | X | X |
| 301 | Orinda | X | X | X |
| 302 | Orland | X | X | X |



| | Service Location | SPPS Local Loop Service (Intra-office) | SPPS IntraLATA (Inter-office) | SPPS InterLATA (Inter-office) |
|-----|----------------------|--|-------------------------------|-------------------------------|
| 303 | Oroville | X | X | X |
| 304 | Oxnard | X | X | X |
| 305 | Pacific Grove | X | X | X |
| 306 | Pacifica | X | X | X |
| 307 | Palm Desert | | | |
| 308 | Palm Springs | | | |
| 309 | Palmdale | X | X | X |
| 310 | Palo Alto | X | X | X |
| 311 | Palos Verdes Estates | | | |
| 312 | Paradise | X | X | X |
| 313 | Paramount | X | X | X |
| 314 | Parlier | X | X | X |
| 315 | Pasadena | X | X | X |
| 316 | Patterson | | | |
| 317 | Perris | | | |
| 318 | Petaluma | X | X | X |
| 319 | Pico Rivera | X | X | X |
| 320 | Piedmont | X | X | X |
| 321 | Pinole | X | X | X |
| 322 | Pismo Beach | X | X | X |
| 323 | Pittsburg | X | X | X |
| 324 | Placentia | X | X | X |
| 325 | Placerville | X | X | X |
| 326 | Pleasant Hill | X | X | X |
| 327 | Pleasanton | X | X | X |
| 328 | Plymouth | X | X | X |
| 329 | Point Arena | X | X | X |
| 330 | Pomona | X | X | X |
| 331 | Port Hueneme | X | X | X |
| 332 | Porterville | X | X | X |



IFB STPD 12-001-B, C3-B-12-10-TS-01
Vol. 2, SOW Technical Requirements Response, Subcategory 4.2 –
SONET Point-to-Point Connectivity
Amendment #1, Rev. June 4, 2015

| | Service Location | SPPS Local Loop Service (Intra-office) | SPPS IntraLATA (Inter-office) | SPPS InterLATA (Inter-office) |
|-----|------------------------|--|-------------------------------|-------------------------------|
| 333 | Portola | X | X | X |
| 334 | Portola Valley | X | X | X |
| 335 | Poway | X | X | X |
| 336 | Rancho Cordova | X | X | X |
| 337 | Rancho Cucamonga | X | X | X |
| 338 | Rancho Mirage | | | |
| 339 | Rancho Palos Verdes | | | |
| 340 | Rancho Santa Margarita | X | X | X |
| 341 | Red Bluff | X | X | X |
| 342 | Redding | X | X | X |
| 343 | Redlands | | | |
| 344 | Redondo Beach | X | X | X |
| 345 | Redwood City | X | X | X |
| 346 | Reedley | | | |
| 347 | Rialto | X | X | X |
| 348 | Richmond | X | X | X |
| 349 | Ridgecrest | | | |
| 350 | Rio Dell | X | X | X |
| 351 | Rio Vista | | | |
| 352 | Ripon | X | X | X |
| 353 | Riverbank | X | X | X |
| 354 | Riverside | X | X | X |
| 355 | Rocklin | X | X | X |
| 356 | Rohnert Park | X | X | X |
| 357 | Rolling Hills | X | X | X |
| 358 | Rolling Hills Estates | | | |
| 359 | Rosemead | X | X | X |
| 360 | Roseville | X | X | X |
| 361 | Ross | X | X | X |





IFB STPD 12-001-B, C3-B-12-10-TS-01
Vol. 2, SOW Technical Requirements Response, Subcategory 4.2 –
SONET Point-to-Point Connectivity
Amendment #1, Rev. June 4, 2015

| | Service Location | SPPS Local Loop Service (Intra-office) | SPPS IntraLATA (Inter-office) | SPPS InterLATA (Inter-office) |
|-----|---------------------|--|-------------------------------|-------------------------------|
| 362 | Sacramento | X | X | X |
| 363 | Salinas | X | X | X |
| 364 | San Anselmo | X | X | X |
| 365 | San Bernardino | X | X | X |
| 366 | San Bruno | X | X | X |
| 367 | San Buenaventura | X | X | X |
| 368 | San Carlos | X | X | X |
| 369 | San Clemente | X | X | X |
| 370 | San Diego | X | X | X |
| 371 | San Dimas | | | |
| 372 | San Fernando | X | X | X |
| 373 | San Francisco | X | X | X |
| 374 | San Gabriel | X | X | X |
| 375 | San Jacinto | | | |
| 376 | San Joaquin | | | |
| 377 | San Jose | X | X | X |
| 378 | San Juan Bautista | X | X | X |
| 379 | San Juan Capistrano | X | X | X |
| 380 | San Leandro | X | X | X |
| 381 | San Luis Obispo | X | X | X |
| 382 | San Marcos | X | X | X |
| 383 | San Marino | X | X | X |
| 384 | San Mateo | X | X | X |
| 385 | San Pablo | X | X | X |
| 386 | San Rafael | X | X | X |
| 387 | San Ramon | X | X | X |
| 388 | Sand City | X | X | X |
| 389 | Sanger | | | |
| 390 | Santa Ana | X | X | X |
| 391 | Santa Barbara | | | |





IFB STPD 12-001-B, C3-B-12-10-TS-01
Vol. 2, SOW Technical Requirements Response, Subcategory 4.2 –
SONET Point-to-Point Connectivity
Amendment #1, Rev. June 4, 2015

| | Service Location | SPPS Local Loop Service (Intra-office) | SPPS IntraLATA (Inter-office) | SPPS InterLATA (Inter-office) |
|-----|------------------|--|-------------------------------|-------------------------------|
| 392 | Santa Clara | X | X | X |
| 393 | Santa Clarita | X | X | X |
| 394 | Santa Cruz | X | X | X |
| 395 | Santa Fe Springs | X | X | X |
| 396 | Santa Maria | X | X | X |
| 397 | Santa Monica | X | X | X |
| 398 | Santa Paula | | | |
| 399 | Santa Rosa | X | X | X |
| 400 | Santee | X | X | X |
| 401 | Saratoga | X | X | X |
| 402 | Sausalito | X | X | X |
| 403 | Scotts Valley | X | X | X |
| 404 | Seal Beach | | | |
| 405 | Seaside | X | X | X |
| 406 | Sebastopol | X | X | X |
| 407 | Selma | X | X | X |
| 408 | Shafter | X | X | X |
| 409 | Shasta Lake | X | X | X |
| 410 | Sierra Madre | | | |
| 411 | Signal Hill | | | |
| 412 | Simi Valley | X | X | X |
| 413 | Solana Beach | X | X | X |
| 414 | Soledad | X | X | X |
| 415 | Solvang | | | |
| 416 | Sonoma | X | X | X |
| 417 | Sonora | X | X | X |
| 418 | South El Monte | X | X | X |
| 419 | South Gate | X | X | X |
| 420 | South Lake Tahoe | X | X | X |
| 421 | South Pasadena | X | X | X |



| | Service Location | SPPS Local Loop Service (Intra-office) | SPPS IntraLATA (Inter-office) | SPPS InterLATA (Inter-office) |
|-----|---------------------|--|-------------------------------|-------------------------------|
| 422 | South San Francisco | X | X | X |
| 423 | St Helena | | | |
| 424 | Stanton | X | X | X |
| 425 | Stockton | X | X | X |
| 426 | Suisun City | X | X | X |
| 427 | Sunnyvale | X | X | X |
| 428 | Susanville | | | |
| 429 | Sutter Creek | X | X | X |
| 430 | Taft | | | |
| 431 | Tehachapi | X | X | X |
| 432 | Tehama | X | X | X |
| 433 | Temecula | | | |
| 434 | Temple City | X | X | X |
| 435 | Thousand Oaks | X | X | X |
| 436 | Tiburon | X | X | X |
| 437 | Torrance | X | X | X |
| 438 | Tracy | X | X | X |
| 439 | Trinidad | X | X | X |
| 440 | Truckee | X | X | X |
| 441 | Tulare | X | X | X |
| 442 | Tulelake | | | |
| 443 | Turlock | X | X | X |
| 444 | Tustin | X | X | X |
| 445 | Twentynine Palms | | | |
| 446 | Ukiah | X | X | X |
| 447 | Union City | X | X | X |
| 448 | Upland | X | X | X |
| 449 | Vacaville | X | X | X |
| 450 | Vallejo | X | X | X |
| 451 | Vernon | X | X | X |





| | Service Location | SPPS Local Loop Service (Intra-office) | SPPS IntraLATA (Inter-office) | SPPS InterLATA (Inter-office) |
|-----|------------------|--|-------------------------------|-------------------------------|
| 452 | Victorville | | | |
| 453 | Villa Park | X | X | X |
| 454 | Visalia | X | X | X |
| 455 | Vista | X | X | X |
| 456 | Walnut | | | |
| 457 | Walnut Creek | X | X | X |
| 458 | Wasco | X | X | X |
| 459 | Waterford | X | X | X |
| 460 | Watsonville | X | X | X |
| 461 | Weed | X | X | X |
| 462 | West Covina | X | X | X |
| 463 | West Hollywood | X | X | X |
| 464 | West Los Angeles | X | X | X |
| 465 | West Sacramento | X | X | X |
| 466 | Westlake Village | X | X | X |
| 467 | Westminster | X | X | X |
| 468 | Westmorland | X | X | X |
| 469 | Wheatland | X | X | X |
| 470 | Whittier | X | X | X |
| 471 | Williams | | | |
| 472 | Willits | X | X | X |
| 473 | Willows | X | X | X |
| 474 | Windsor | X | X | X |
| 475 | Winters | X | X | X |
| 476 | Woodlake | X | X | X |
| 477 | Woodland | X | X | X |
| 478 | Woodside | X | X | X |
| 479 | Yorba Linda | X | X | X |
| 480 | Yountville | X | X | X |
| 481 | Yreka | X | X | X |
| 482 | Yuba City | X | X | X |





| | Service Location | SPPS Local Loop Service (Intra-office) | SPPS IntraLATA (Inter-office) | SPPS InterLATA (Inter-office) |
|-----|------------------|--|-------------------------------|-------------------------------|
| 483 | Yucaipa | | | |
| 484 | Yucca Valley | | | |

Bidders shall identify any additional geographic locations where Contractor will provide SPPS services in Table 4.2.2.3.b.

If Bidder is unable to identify all service areas within Table 4.2.2.3.a, Bidder shall provide additional information in the form of a coverage map that includes unincorporated areas.

Table 4.2.2.3.b Bidder's Unsolicited SPPS Service Areas

| | Service Location | SPPS Local Loop Service | | SPPS IntraLATA | | SPPS InterLATA | |
|---|------------------|-------------------------|----|----------------|----|----------------|----|
| | | Yes | No | Yes | No | Yes | No |
| 1 | None | | | | | | |

4.2.3 SONET Network Disaster/Operational Recovery

4.2.3.1 Telecommunications Service Priority (TSP) Program

The Contractor shall comply with the Telecommunications Service Priority (TSP) Program, a Federal Communications Commission (FCC) mandate for prioritizing service requests by identifying those services critical to National Security and Emergency Preparedness (NS/EP) and be in compliance with all related CPUC and FCC requirements.

Bidder understands the Requirement and shall meet or exceed it? Yes No

4.2.3.2 Data Network Disaster/Operational Recovery

Public safety agencies, major data centers, agencies with supporting roles during disaster or emergency operations, and agencies with significant roles in post-disaster recovery have mission-critical needs to maintain network availability during disasters or emergencies.

Contractor shall restore service as soon as possible. It is essential that the services most critical to State operations remain operational during efforts to achieve full service recovery.

Bidder understands the Requirement and shall meet or exceed it? Yes No



4.2.4 Other Services

4.2.4.1 Hourly Rates for Services

The hourly classifications of hours worked for services described in this section will be as follows:

1. Regular Hours – Hours worked between 8:00AM and 4:59PM, Monday through Friday.
2. Overtime Hours – Hours worked between 5:00PM and 7:59AM, Monday through Friday and all day Saturday.
3. Sunday and Holiday Hours – Any hours worked on Sunday or State of California holidays.

4.2.4.2 Extended Demarcation Wiring Services

The Contractor shall provide Extended Demarcation (Extended Demarc) wiring to support the services covered by this IFB for all Customer occupied buildings where services under this Contract are being offered. Extended Demarc wiring includes wiring and cable related activities required to extend the service demarcation point to the Customer defined termination location or cross-connect point from the Contractor's Minimum Point of Entry (MPOE).

Extended Demarc wiring shall include all necessary hardware including wire and/or cable, connectors, jumpers, patch panels, minor materials and jacks. Extended Demarc wiring shall also include all necessary labor required to complete the provisioning of service including installation, testing, trouble shooting, labeling and documentation.

Extended Demarc wiring is limited to the following:

1. Installation of cabling for extending services from the MPOE location to the Customer's point of utilization;
2. Installation of cross-connects or rearrangement of existing jumpers;
3. Identification and testing of existing cabling beyond the MPOE to the Customer's equipment location; or,
4. Testing, trouble shooting, labeling and completing documentation.

The Contractor shall provide installations in accordance with the timeframes identified for the services that this cabling will support, and shall be subject to the SLAs detailed in Section 4.2.5.8.7 (Provisioning SLAs) associated with that service.

The Contractor shall not be required to complete Extended Demarc wiring from the MPOE to the extended Demarc location if:

1. The wire/cable pathway is blocked and cannot be cleared in less than 20 minutes or if the Contractor would cause damage to the Customer site or existing cabling in clearing the pathway;



2. The wire/cable pathway is in an asbestos environment or other environment hazardous to the Contractor's personnel, or where such work would be hazardous to the public or to the Customer's staff; or,
3. Written release of the responsibility to provide the Extended Demarc is provided by either the Customer or by CALNET 3 CMO.

Bidder shall provide a price in the Cost Worksheets for all labor and materials required for Extended Demarc wiring necessary to complete the provisioning of one (1) Demarc extension as described above. Bidder shall provide one (1) price for each media identified.

The Contractor shall install wiring according to industry standards and cabling recommendations published in the State Telecommunications Management Manual (STMM), Facilities Management Chapter, Uniform Building Cabling/Wiring current at the time of this IFB and as periodically updated by CALNET 3 CMO. Additionally, the Contractor shall install and maintain all wiring in accordance with all applicable EIA/TIA, BICSI, and ITU-T recommended standards current at the time of installation or maintenance.

The Contractor shall provide extended Demarcation Services limited to one (1) occurrence or installation for the specific telecommunications service the cabling is meant to support and must be ordered in conjunction with the service being provisioned. All other cabling will be the responsibility of the Customer and will be acquired through other procurement vehicles.

Bidder understands the Requirement and shall meet or exceed it? Yes X No _____



The Contractor shall offer the wiring services for extended demarcation detailed in Table 4.2.4.2.a.

Table 4.2.4.2.a. Extended Demarcation Wiring Services

| | Feature Name | Feature Description | Bidder Meets or Exceeds? Y N | | Bidder's Product Identifier |
|--|--|--|------------------------------|--|-----------------------------|
| 1 | Extended Demarcation – Copper four-Pair- Regular Hours | Wiring services to extend Facilities from the Customer's MPOE to the Customer's point of utilization from a copper trunk or trunking equipment as described above. Includes 300 feet of four-pair cable and an RJ48s or equivalent jack. | Y | | EDCR |
| Bidder's Product Description: The copper demarcation point extension is up to 300 feet. Extended termination wiring will include the necessary four-pair cable and an RJ48s or equivalent smart jack. To provide this service, AT&T assumes customer has adequate pathways. The labor rate is for work performed during regular hours. | | | | | |
| 2 | Extended Demarcation – Copper four-Pair – Overtime Hours | Wiring services to extend Facilities from the Customer's MPOE to the Customer's point of utilization from a copper trunk or trunking equipment as described above. Includes 300 feet of four-pair cable and an RJ48s or equivalent jack. | Y | | EDCO |
| Bidder's Product Description: The copper demarcation point extension is up to 300 feet. Extended termination wiring will include the necessary four-pair cable and an RJ48s or equivalent smart jack. To provide this service, AT&T assumes customer has adequate pathways. The labor rate is for work performed during overtime hours. | | | | | |
| 3 | Extended Demarcation – Copper four-Pair – Sunday and Holiday Hours | Wiring services to extend Facilities from the Customer's MPOE to the Customer's point of utilization from a copper trunk or trunking equipment as described above. Includes 300 feet of four-pair cable and an RJ48s or equivalent jack. | Y | | EDCH |
| Bidder's Product Description: The copper demarcation point extension is up to 300 feet. Extended termination wiring will include the necessary four-pair cable and an RJ48s or equivalent smart jack. To provide this service, AT&T assumes customer has adequate pathways. The labor rate is for work performed during Sunday and Holiday hours. | | | | | |





IFB STPD 12-001-B, C3-B-12-10-TS-01
Vol. 2, SOW Technical Requirements Response, Subcategory 4.2 –
SONET Point-to-Point Connectivity
Amendment #1, Rev. June 4, 2015

| | Feature Name | Feature Description | Bidder Meets or Exceeds? Y N | | Bidder's Product Identifier |
|--|--|---|------------------------------|--|-----------------------------|
| 4 | Extended Demarcation – Copper 25 Pair- Regular Hours | Wiring services to extend Facilities from the Customer's MPOE to the Customer's point of utilization from a copper trunk or trunking equipment as described above. Includes 300 feet or less of one (1) Category 5 25-pair CMP patch panels and mounting hardware. Ten (10) Category 5e, three (3) meter jumpers; one (1) 24-port patch panel to be provided in the MPOE and Intermediate Distribution Frame (IDF) for all circuits being extended. Includes associated troubleshooting, testing, and labeling. | Y | | EDC25R |
| Bidder's Product Description: The copper demarcation point extension is limited to 300 feet or less of one Category 5 25-pair CMP UTP cable with new 24-port Category 5 patch panels. Category 5e ten, three-meter jumpers, one 24-port patch panel to be provided in the MPOE and IDF for all circuits being extended. Associated troubleshooting, testing, and labeling are included. To provide this service, AT&T assumes customer has adequate pathways. The labor rate is for work performed during regular hours. | | | | | |
| 5 | Extended Demarcation – Copper 25 Pair – Overtime Hours | Wiring services to extend Facilities from the Customer's MPOE to the Customer's point of utilization from a copper trunk or trunking equipment as described above. Includes 300 feet or less of Category 5 25-pair CMP cable, one patch panel and mounting hardware. Ten (10) Category 5e, three (3) meter jumpers; one (1) 24-port patch panel to be provided in the MPOE and Intermediate Distribution Frame (IDF) for all circuits being extended. Includes associated troubleshooting, testing, and labeling. | Y | | EDC25O |
| Bidder's Product Description: The copper demarcation point extension is limited to 300 feet or less of one Category 5 25-pair CMP UTP cable with new 24-port Category 5 patch panels. Category 5e ten, three-meter jumpers, one 24-port patch panel to be provided in the MPOE and IDF for all circuits being extended. Associated troubleshooting, testing, and labeling are included. To provide this service, AT&T assumes customer has adequate pathways. The labor rate is for work performed during overtime hours. | | | | | |





IFB STPD 12-001-B, C3-B-12-10-TS-01
Vol. 2, SOW Technical Requirements Response, Subcategory 4.2 –
SONET Point-to-Point Connectivity
Amendment #1, Rev. June 4, 2015

| | Feature Name | Feature Description | Bidder Meets or Exceeds? Y N | | Bidder's Product Identifier |
|--|--|---|------------------------------|--|-----------------------------|
| 6 | Extended Demarcation – Copper 25 Pair – Sunday and Holiday Hours | Wiring services to extend Facilities from the Customer's MPOE to the Customer's point of utilization from a copper trunk or trunking equipment as described above. Includes 300 feet or less of Category 5 25-pair CMP cable, one patch panel and mounting hardware. Ten (10) Category 5e, three (3) meter jumpers; one (1) 24-port patch panel to be provided in the MPOE and Intermediate Distribution Frame (IDF) for all circuits being extended. Includes associated troubleshooting, testing, and labeling. | Y | | EDC25H |
| Bidder's Product Description: The copper demarcation point extension is limited to 300 feet or less of one Category 5 25-pair CMP UTP cable with new 24-port Category 5 patch panels. Category 5e ten, three-meter jumpers, one 24-port patch panel to be provided in the MPOE and IDF for all circuits being extended. Associated troubleshooting, testing, and labeling are included. To provide this service, AT&T assumes customer has adequate pathways. The labor rate is for work performed during Sunday and holiday hours. | | | | | |
| 7 | Extended Demarcation – Optical Fiber Link- Regular Hours | Wiring services to extend Facilities from the Customer's MPOE to the Customers point of utilization from a fiber trunk or trunking equipment as described above with strand count required to provision one (1) each service only. Includes up to 1,000 feet of 62.5/125 – or 50/125 – micron, two-strand CMP fiber drop cable with adapters, enclosures, connectors, and two (2) SC-SC duplex patch cords for each single circuit extension. Includes associated troubleshooting, testing and labeling. | Y | | EDOR |
| Bidder's Product Description: The pricing of this item includes up to 1,000 feet of 62.5/125- or 50/125-micron, two-strand CMP fiber drop cable with adapters, connectors, and two SC-SC duplex patch cords for each single circuit extension. Associated troubleshooting, testing, and labeling is included. To provide this service, AT&T assumes customer has adequate pathways. Enclosures are not included. The labor rate is for work performed during regular hours. | | | | | |





| | Feature Name | Feature Description | Bidder Meets or Exceeds? Y N | Bidder's Product Identifier |
|--|--|--|------------------------------|-----------------------------|
| 8 | Extended Demarcation – Optical Fiber Link – Overtime Hours | Wiring services to extend Facilities from the Customer's MPOE to the Customers point of utilization from a fiber trunk or trunking equipment as described above with strand count required to provision one (1) each service only. Includes up to 1,000 feet of 62.5/125 – or 50/125 – micron, two-strand CMP fiber drop cable with adapters, enclosures, connectors, and two (2) SC-SC duplex patch cords for each single circuit extension. Includes associated troubleshooting, testing and labeling. | Y | EDOO |
| Bidder's Product Description: The pricing of this item includes up to 1,000 feet of 62.5/125- or 50/125-micron, two-strand CMP fiber drop cable with adapters, connectors, and two SC-SC duplex patch cords for each single circuit extension. Associated troubleshooting, testing, and labeling is included. AT&T assumes customer has adequate pathways. Enclosures are not included. The labor rate is for work performed during overtime hours. | | | | |
| 9 | Extended Demarcation – Optical Fiber Link – Sunday and Holiday Hours | Wiring services to extend Facilities from the Customer's MPOE to the Customers point of utilization from a fiber trunk or trunking equipment as described above with strand count required to provision one (1) each service only. Includes up to 1,000 feet of 62.5/125 – or 50/125 – micron, two-strand CMP fiber drop cable with adapters, enclosures, connectors, and two (2) SC-SC duplex patch cords for each single circuit extension. Includes associated troubleshooting, testing and labeling. | Y | EDOH |
| Bidder's Product Description: The pricing of this item includes up to 1,000 feet of 62.5/125- or 50/125-micron, two-strand CMP fiber drop cable with adapters, connectors, and two SC-SC duplex patch cords for each single circuit extension. Associated troubleshooting, testing, and labeling is included. AT&T assumes customer has adequate pathways. Enclosures are not included. The labor rate is for work performed during Sunday and holiday hours. | | | | |

The Contractor may offer additional unsolicited extended demarcation wiring services in Table 4.2.4.2.b.

Table 4.2.4.2.b Unsolicited Extended Demarcation Wiring Services

| | Feature Name | Feature Description | Bidder's Product Identifier |
|--|--------------|---------------------|-----------------------------|
| | | | |





| | Feature Name | Feature Description | Bidder's Product Identifier |
|--|--------------|---------------------|-----------------------------|
| | | | |
| | | | |

4.2.4.3 Services Related Hourly Support

The Contractor shall provide labor for the diagnosis and/or repair of services listed in this Contract and all costs for repair are the responsibility of the service provider unless it is specifically determined that the cause of service failure is outside the scope of the Contractors responsibilities. Work performed under this Section 4.2.4.3 is authorized only for situations where the Contractor has dispatched personnel to diagnose a service problem that is discovered to be caused by factors outside the responsibility of the Contractor or no trouble is found.

In Cost Worksheet 4.2.4.3, the Contractor shall provide a fixed hourly rate schedule for the labor classifications required to diagnose and/or repair the contracted services. The rates identified shall only be used for the diagnosis and/or repair of contracted services and no materials shall be included in the rates. The total amount of labor hours permitted to be performed is ten (10) hours per dispatch/occurrence.

Bidder understands the Requirement and shall meet or exceed it? Yes X No _____

The Contractor shall offer emergency restoration services as detailed in Table 4.2.4.3.





Table 4.2.4.3 Services Related Hourly Support

| | Labor Classification Name | Classification Description | Bidder Meets or Exceeds? Y N | | Bidder's Product Identifier |
|---|---|---|------------------------------|--|-----------------------------|
| 1 | Field Service Repair Technician Regular Hours | Field technician properly trained to an expert level for the service being dispatched to diagnose and/or repair a CALNET 3 service problem that turns out to be caused by factors outside the responsibility of the Contractor. | Y | | MVV |
| Bidder's Product Description: Labor only: To assist in fault isolation, the AT&T field service repair technician can test circuits at the MPOE or to the network interface (NI) of an extended demarcation point. If trouble is found to be in the AT&T-provided circuit, service, or equipment under maintenance to AT&T, no service charge will apply. Dispatch In/Out (CPE, IEC, NTF). Bill from time of dispatch status to time tech completes job. The labor rate is for work performed during regular hours. | | | | | |
| 2 | Field Service Repair Technician Overtime Hours | Field technician properly trained to an expert level for the service being dispatched to diagnose and/or repair a CALNET 3 service problem that turns out to be caused by factors outside the responsibility of the Contractor. | Y | | MVV-O |
| Bidder's Product Description: Labor only: To assist in fault isolation, the AT&T Field Service Repair Technician can test circuits at the MPOE or to the network interface (NI) of an extended demarc. If trouble is found to be in the AT&T provided circuit, service or equipment under maintenance to AT&T, no service charge will apply. Dispatch In/Out (CPE,IEC,NTF). Bill from time of dispatch status to time tech completes job. The labor rate is for work performed during overtime hours. | | | | | |
| 3 | Field Service Repair Technician Sunday and Holiday Hours | Field technician properly trained to an expert level for the service being dispatched to diagnose and/or repair a CALNET 3 service problem that turns out to be caused by factors outside the responsibility of the Contractor. | Y | | MVV-H |
| Bidder's Product Description: Labor only: To assist in fault isolation, the AT&T Field Service Repair Technician can test circuits at the MPOE or to the network interface (NI) of an extended demarc. If trouble is found to be in the AT&T provided circuit, service or equipment under maintenance to AT&T, no service charge will apply. Dispatch In/Out (CPE,IEC,NTF). Bill from time of dispatch status to time tech completes job. The labor rate is for work performed during Sunday and holiday hours. | | | | | |





4.2.5 Service Level Agreements (SLA)

The Contractor shall provide Service Level Agreements (SLAs) as defined below. The intent of this section is to provide Customers, CALNET 3 CMO and the Contractor with requirements that define and assist in the management of the SLAs. This section includes the SLA formats, general requirements, stop clock conditions, and the Technical SLAs for the services identified in this solicitation.

4.2.5.1 Service Level Agreement Format

The Contractor shall adhere to the following format and include the content as described below for each Technical SLA added by the Contractor throughout the Term of the Contract:

1. SLA Name - Each SLA Name must be unique;
2. Definition - Describes what performance metric will be measured;
3. Measurements Process - Provides instructions how the Contractor will continuously monitor and measure SLA performance to ensure compliance. The Contractor shall provide details describing how and what will be measured. Details shall include source of data and define the points of measurement within the system, application, or network;
4. Service(s) - All applicable Categories or Subcategories will be listed in each SLA;
5. Objective(s) – Defines the SLA performance goal/parameters; and,
6. Rights and Remedies
 - a. Per Occurrence: Rights and remedies are paid on a per event basis during the bill cycle; and,
 - b. Monthly Aggregated Measurements: Rights and remedies are paid once during the bill cycle based on an aggregate of events over a defined period of time.

The Contractor shall proactively apply an invoice credit or refund when an SLA objective is not met. CALNET SLA Rights and Remedies do not require the Customer to submit a request for credit or refund.

Bidder understands the Requirement and shall meet or exceed it? Yes No

4.2.5.2 Technical Requirements Versus SLA Objectives

Sections 4.2.2 (SONET), 4.2.3 (SONET Network Disaster/Operational Recovery) and 4.2.4 (Other Services) define the technical requirements for each service. These requirements are the minimum parameters each Bidder must meet in order to qualify for Contract award. Upon Contract award the committed technical requirements will be maintained throughout the remainder of the Contract.



Committed SLA objectives are minimum parameters which the Contractor shall be held accountable for all rights and remedies throughout Contract Term.

Bidder understands the Requirement and shall meet or exceed it? Yes No

4.2.5.3 Two Methods of Outage Reporting: Customer or Contractor

There are two (2) methods in which CALNET 3 service failures or quality of service issues may be reported and Contractor trouble tickets opened: Customer reported or Contractor reported.

The first method of outage reporting results from a Customer reporting service trouble to the Contractor's Customer Service Center via phone call or opening of a trouble ticket using the on-line Trouble Ticket Reporting Tool (IFB STPD 12-001-B Business Requirements Section B.9.4).

The second method of outage reporting occurs when the Contractor opens a trouble ticket as a result of network/system alarm or other method of service failure identification. In each instance the Contractor shall open a trouble ticket using the Trouble Ticket Reporting Tool (IFB STPD 12-001-B Business Requirements Section B.9.4) and monitor and report to Customer until service is restored.

Bidder understands the Requirement and shall meet or exceed it? Yes No

4.2.5.4 Bidder Response to Service Level Agreements

Many of the Service Level Agreements described below include multiple objective levels – Basic, Standard and Premier. Bidders shall indicate one (1) specific objective level they are committing to for each service in space provided in the "Objective" section of each SLA description.

Bidder understands the Requirement and shall meet or exceed it? Yes No

4.2.5.5 Contractor SLA Management Plan

Within 90 calendar days of Contract award, the Contractor shall provide CALNET 3 CMO with a detailed SLA Management Plan that describes how the Contractor will manage the Technical SLAs for services in this IFB. The SLA Management plan shall provide processes and procedures to be implemented by the Contractor. The SLA Management Plan shall define the following:

1. Contractor SLA Manager and supporting staff responsibilities;
2. Contractor's process for measuring objectives for each SLA. The process shall explain how the Contractor will continuously monitor and measure SLA performance to ensure compliance. The Contractor shall



provide details describing how and what will be measured. Details should include source of data and define the points of measurement within the system, application, or network;

3. Creation and delivery of SLA Reports (IFB STPD 12-001-B Business Requirements Section B.9.5). The Contractor shall include a sample report in accordance with IFB STPD 12-001-B Business Requirements Section B.9.5 (SLA Reports) for the following: SLA Service Performance Report (Section IFB STPD 12-001-B Business Requirements Section B.9.5.1), SLA Provisioning Report (Section IFB STPD 12-001-B Business Requirements Section B.9.5.2), and SLA Catastrophic Outage Reports (Section IFB STPD 12-001-B Business Requirements Section). The Contractor shall commit to a monthly due date. The reports shall be provided to the CALNET 3 CMO via the Private Oversight Website (IFB STPD 12-001-B Business Requirements Section B.9.2);
4. SLA invoicing credit and refund process;
5. Contractor SLA problem resolution process for SLA management and SLA reporting. The Contractor shall provide a separate process for Customers and CALNET 3 CMO; and,
6. Contractor SLA Manager to manage all SLA compliance and reporting. The Contractor shall include SLA Manager contact information for SLA inquiries and issue resolution for Customer and CALNET 3 CMO.

Bidder understands the Requirement and shall meet or exceed it? Yes X No

4.2.5.6 Technical SLA General Requirements

The Contractor shall adhere to the following general requirements which apply to all CALNET 3 Technical SLAs (Section 4.2.5.8):

1. With the exception of the Provisioning SLA, the total SLA rights and remedies for any given month shall not exceed the sum of 100 percent of the Total Monthly Recurring Charges (TMRC). Services with usage charges shall apply the Average Daily Usage Charge (ADUC) in addition to any applicable TMRC rights and remedies;
2. If a circuit or service fails to meet one (1) or more of the performance objectives, only the SLA with the largest monthly Rights and Remedies will be credited to the Customer, per event;
3. The Contractor shall apply CALNET 3 SLAs and remedies for services provided by Subcontractors and/or Affiliates;
4. The Definition, Measurement Process, Objectives, and Rights and Remedies shall apply to all services identified in each SLA. If a Category or Subcategory is listed in the SLA, then all services under that Category or Subcategory are covered under the SLA. Exceptions must be otherwise stated in the SLA;
5. TMRC rights and remedies shall include the service, option(s), and feature(s) charges;
6. The Contractor shall proactively and continuously monitor and measure all Technical SLA objectives;



7. The Contractor shall proactively credit all rights and remedies to the Customer within 60 calendar days of the trouble resolution date on the trouble ticket or within 60 calendar days of the Due Date on the Service Request for the Provisioning SLA;
8. To the extent that Contractor offers additional SLAs, or SLAs with more advantageous rights and/or remedies for same or similar services offered through tariffs, online service guides, or other similarly situated government contracts (Federal, State, County, City), the State will be entitled to the same rights and/or remedies therein. The Contractor shall present the SLAs to CALNET 3 CMO for possible inclusion via amendments;
9. The Contractor shall apply CALNET 3 SLAs and remedies to services provided in geographic areas where the Contractor commits to provide service. Any SLAs and remedies negotiated between Contractor and Incumbent Local Exchange Carriers in territories closed to competition shall be passed through to the CALNET 3 Customer;
10. The election by CALNET 3 CMO of any SLA remedy covered by this Contract shall not exclude or limit CALNET 3 CMO's or any Customer's rights and remedies otherwise available within the Contract or at law or equity;
11. The Contractor shall apply rights and remedies when a service fails to meet the SLA objective even when backup or protected services provide Customer with continuation of services;
12. The Contractor shall act as the single point of contact in coordinating all entities to meet the State's needs for provisioning, maintenance, restoration and resolution of service issues or that of their Subcontractors, Affiliates or resellers under this Contract;
13. The Customer Escalation Process (IFB STPD 12-001-B Business Requirements Section B.3.4.2) and/or the CALNET 3 CMO Escalation Process (IFB STPD 12-001-B Business Requirements Section B.3.4.1) shall be considered an additional right and remedy if the Contractor fails to resolve service issues within the SLA objective(s);
14. Trouble reporting and restoration shall be provided 24x365 for CALNET 3 services;
15. SLAs apply 24x365 unless SLA specifies an exception;
16. Contractor invoices shall clearly cross reference the SLA credit to the service Circuit ID in accordance with IFB STPD 12-001-B Business Requirements Section B.5.1 (Billing and Invoicing Requirements, #14);
17. The Contractor shall provide a CALNET 3 SLA Manager responsible for CALNET 3 SLA compliance. The SLA Manager shall attend regular meetings and be available upon request to address CALNET 3 CMO SLA oversight, report issues, and problem resolution concerns. The CALNET 3 SLA Manager shall also coordinate SLA support for Customer SLA inquiries and issue resolution;
18. The Contractor shall provide Customer and CALNET 3 CMO support for SLA inquiries and issue resolution; and,



19. Any SLAs and remedies negotiated between Contractor and third party service provider in territories closed to competition shall be passed through to the CALNET 3 Customer.

Bidder understands the Requirement and shall meet or exceed it? Yes X No _____

4.2.5.7 Trouble Ticket Stop Clock Conditions

The following conditions shall be allowed to stop the trouble ticket Outage Duration for CALNET 3 Contractor trouble tickets. The Contractor shall document the trouble ticket Outage Duration using the Stop Clock Condition (SCC) listed in Table 4.2.5.7 and include start and stop time stamps in the Contractor’s Trouble Ticket Reporting Tool (IFB STPD 12-001-B Business Requirements Section B.9.4) for each application of a SCC.

Note: The Glossary (SOW Appendix A) defines term “End-User” as the “individual within an Entity that is utilizing the feature or service provided under the Contract.”

Stop Clock Conditions are limited to the conditions listed in Table 4.2.5.7.

Table 4.2.5.7 – Stop Clock Conditions (SCC)

| # | Stop Clock Condition (SCC) | SCC Definition |
|---|----------------------------|---|
| 1 | END-USER REQUEST | Periods when a restoration or testing effort is delayed at the specific request of the End-User. The SCC shall exist during the period the Contractor was delayed, provided that the End-User’s request is documented and time stamped in the Contractor’s trouble ticket or Service Request system and shows efforts are made to contact the End-User during the applicable Stop Clock period. |
| 2 | OBSERVATION | Time after a service has been restored but End-User request ticket is kept open for observation. If the service is later determined by the End-User to not have been restored, the Stop Clock shall continue until the time the End-User notifies the Contractor that the Service has not been restored. |
| 3 | END-USER NOT AVAILABLE | Time after a service has been restored but End-User is not available to verify that the Service is working. If the service is later determined by the End-User to not have been restored, the Stop Clock shall apply only for the time period between Contractor’s reasonable attempt to notify the End-User that Contractor believes the service has been restored and the time the End-User notifies the Contractor that the Service has not been restored. |
| 4 | WIRING | Restoration cannot be achieved because the problem has been isolated to wiring that is not maintained by Contractor or any of its Subcontractors or Affiliates. If it is later determined the wiring is not the cause of failure, the SCC shall not apply. |
| 5 | POWER | Trouble caused by a power problem outside of the responsibility of the Contractor. |



IFB STPD 12-001-B, C3-B-12-10-TS-01
Vol. 2, SOW Technical Requirements Response, Subcategory 4.2 –
SONET Point-to-Point Connectivity
Amendment #1, Rev. June 4, 2015

| # | Stop Clock Condition (SCC) | SCC Definition |
|----|----------------------------|--|
| 6 | FACILITIES | Lack of building entrance Facilities or conduit structure that are the End-User's responsibility to provide. |
| 7 | ACCESS | Limited access or contact with End-User provided the Contractor documents in the trouble ticket several efforts to contact End-User for the following: a. Access necessary to correct the problem is not available because access has not been arranged by site contact or End-User representative; b. Site contact refuses access to technician who displays proper identification; c. Customer provides incorrect site contact information which prevents access, provided that Contractor takes reasonable steps to notify End-User of the improper contact information and takes steps to obtain the correct information ; or, d. Site has limited hours of business that directly impacts the Contractor's ability to resolve the problem. If it is determined later that the cause of the problem was not at the site in question, then the Access SCC shall not apply. |
| 8 | STAFF | Any problem or delay to the extent caused by End-User's staff that prevents or delays Contractor's resolution of the problem. In such event, Contractor shall make a timely request to End-User staff to correct the problem or delay and document in trouble ticket. |
| 9 | APPLICATION | End-User software applications that interfere with repair of the trouble. |
| 10 | CPE | Repair/replacement of Customer Premise Equipment (CPE) not provided by Contractor if the problem has been isolated to the CPE. If determined later that the CPE was not the cause of the service outage, the CPE SCC will not apply. |
| 11 | NO RESPONSE | Failure of the trouble ticket originator or responsible End-User to return a call from Contractor's technician for on-line close-out of trouble tickets after the Service has been restored as long as Contractor can provide documentation in the trouble ticket substantiating the communication from Contractor's technician. |
| 12 | MAINTENANCE | An outage directly related to any properly performed scheduled maintenance or upgrade scheduled for CALNET 3 service. Any such stop clock condition shall not extend beyond the scheduled period of the maintenance or upgrade. SLAs shall apply for any maintenance caused outage beyond the scheduled maintenance period. Outages occurring during a scheduled maintenance or upgrade period and not caused by the scheduled maintenance shall not be subject to the Maintenance SCC. |
| 13 | THIRD PARTY | Any problem or delay caused by a third party not under the control of Contractor, not preventable by Contractor, including, at a minimum, cable cuts not caused by the Contractor. Contractor's Subcontractors and Affiliates shall be deemed to be under the control of Contractor with respect to the equipment, services, or Facilities to be provided under this Contract. |
| 14 | FORCE MAJEURE | Force Majeure events, as defined in the PMAC General Provisions - Telecommunications, Section 28 (Force Majeure). |





Bidder understands the Requirement and shall meet or exceed it? Yes X No _____

4.2.5.8 Technical Service Level Agreements

The Contractor shall provide and manage the following Technical SLAs.

4.2.5.8.1 Availability (M-S)

| | | | | | |
|--|--|--------------|-----------------|----------------|--|
| SLA Name: Availability | | | | | |
| Definition: The percentage of time a CALNET 3 service is fully functional and available for use each calendar month. | | | | | |
| Measurement Process: The monthly Availability Percentage shall be based on the accumulative total of all Unavailable Time derived from all trouble tickets closed, for the affected service (Per Circuit ID), per calendar month. The monthly Availability Percentage equals the Scheduled Uptime per month less Unavailable Time per month divided by Scheduled Uptime per month multiplied by 100. Scheduled Uptime is 24 x number of days in the month. All Unavailable Time applied to other SLAs, which results in a remedy, will be excluded from the monthly accumulated total. | | | | | |
| Services: | | | | | |
| SPPS | | | | | |
| Objective(s): The objective shall be based on the access type: | | | | | |
| | | Basic (B) | Standard (S) | Premier (P) | Bidder's Objective Commitment (B, S or P) |
| OCX | ≥ 99.7% | ≥ 99.8% | ≥ 99.9% | S | |
| Rights and Remedies | Per Occurrence: N/A | | | | |
| | Monthly Aggregated Measurements: First month the service fails to meet the committed SLA objective shall result in a 15 percent rebate of the TMRC. The second consecutive month the service fails to meet the committed SLA objective shall result in a 30 percent rebate of TMRC. Each additional consecutive month the service fails to meet the committed SLA objective shall result in a 50 percent rebate of the TMRC. | | | | |

Bidder understands the Requirement and shall meet or exceed it? Yes X No _____





4.2.5.8.2 Catastrophic Outage 1 (CAT 1) (M-S)

| | | | | | |
|--|--|--------------|-----------------|----------------|--|
| SLA Name: Catastrophic Outage 1 (CAT 1) | | | | | |
| Definition: Any SPPS service failure outside of the central office (or equivalent facility) that results in the total loss of service at a Customer site. | | | | | |
| Measurement Process: The Outage Duration begins when a network alarm is received by the Contractor from an outage-causing event or the opening of a trouble ticket by a Customer, or the Contractor, whichever occurs first. The Contractor shall open a trouble ticket for each service (Circuit ID) affected by a common cause. Each End-User service is deemed out of service from the first notification until the Contractor determines the End-User service (Circuit ID) is restored minus SCC. Any service reported by Customer as not having been restored shall have the outage time adjusted to the actual restoration time. | | | | | |
| Service(s): | | | | | |
| SPPS | | | | | |
| Objective (s): The objective restoral time shall be: | | | | | |
| | | Basic (B) | Standard (S) | Premier (P) | Bidder's Objective Commitment (B, S or P) |
| SPPS | ≤ 3 hours | ≤ 2 hours | ≤ 1 hour | S | |
| Rights and Remedies | Per Occurrence: 100 percent of the TMRC for each End-User service not meeting the committed objective for each CAT 1 fault | | | | |
| | Monthly Aggregated Measurements: N/A | | | | |

Bidder understands the Requirement and shall meet or exceed it? Yes X No _____





4.2.5.8.3 Catastrophic Outage 2 (CAT 2) (M-S)

| | | | | | |
|---|--|--------------|-----------------|-----------------|--|
| SLA Name: Catastrophic Outage 2 (CAT 2) | | | | | |
| Definition: A total failure of a service type in a central office (or equivalent facility), other than access, that results in a CALNET 3 service failure. Or, a backbone failure or failure of any part of the equipment associated with the backbone that causes a CALNET 3 service failure. | | | | | |
| Measurement Process: The Outage Duration begins when a network alarm is received by the Contractor from an outage-causing event or the opening of a trouble ticket by the Customer or Contractor, whichever occurs first. Upon notification from the Customer or network alarm, the Contractor shall compile a list for each End-User service affected by a common cause for tracking and reporting of the SLA rights and remedies. Outage Duration shall be measured on a per-End-User service (Circuit ID) basis from information recorded from the network equipment/system or Customer reported trouble ticket. Each End-User service (Circuit ID) is deemed out of service from the first notification until the Contractor determines the End-User service is restored. Any End-User service reported by the End-User/Customer as not having been restored shall have the outage time adjusted to the actual restoration time. | | | | | |
| Service(s): | | | | | |
| SPPS | | | | | |
| Objective (s): The objective restoral time shall be: | | | | | |
| | | Basic (B) | Standard (S) | Premier (P) | Bidder's Objective Commitment (B, S or P) |
| | SPPS | ≤ 1 hour | ≤ 30 minutes | ≤ 15 minutes | S |
| Rights and Remedies | Per Occurrence: 100 percent of the TMRC for each End-User service not meeting the committed objective for each CAT 2 fault | | | | |
| | Monthly Aggregated Measurements: N/A | | | | |

Bidder understands the Requirement and shall meet or exceed it? Yes No





4.2.5.8.4 Catastrophic Outage 3 (CAT 3) (M-S)

| | | | | | |
|--|---|--------------|-----------------|----------------|---|
| SLA Name: Catastrophic Outage 3 (CAT 3) | | | | | |
| Definition: The total loss of SPPS service on a system wide basis. | | | | | |
| Measurement Process: The Outage Duration begins when a network alarm is received by the Contractor from an outage-causing event or the opening of a trouble ticket by the Customer or Contractor, whichever occurs first. Upon notification from the Customer or network alarm, the Contractor shall compile a list for each End-User service affected by a common cause. Outage Duration shall be measured on a per-End-User service (Circuit ID) basis from information recorded from the network equipment/system or trouble ticket. Each End-User service (Circuit ID) is deemed out of service from the first notification until the Contractor determines the End-User service is restored. Any End-User service reported by the End-User/Customer as not having been restored shall have the outage time adjusted to the actual restoration time. | | | | | |
| Service(s): | | | | | |
| SPPS | | | | | |
| Objectives: | | | | | |
| The objective restoral time shall be: | | | | | |
| | | Basic (B) | Standard (S) | Premier (P) | Bidder's Objective Commitment (B or P) |
| SPPS | ≤ 30 minutes | N/A | ≤ 15 minutes | P | |
| Rights and Remedies | Per Occurrence: 100 percent of the TMRC for each End-User service not meeting the committed objective for each CAT 3 fault. | | | | |
| | Monthly Aggregated Measurements: N/A | | | | |

Bidder understands the Requirement and shall meet or exceed it? Yes No





4.2.5.8.5 Excessive Outage (M-S)

| | | | | | |
|---|---|--------------|-----------------|----------------|--|
| SLA Name: Excessive Outage | | | | | |
| Definition: A service failure that remains unresolved for more than the committed objective level. | | | | | |
| Measurement Process: This SLA is based on trouble ticket Unavailable Time. The circuit or service is unusable during the time the trouble ticket is reported as opened until restoration of the service, minus SCC. If Customer reports a service failure as unresolved after the closure of the trouble ticket by the Contractor, the Unavailable Time shall be adjusted to the actual restoration time. | | | | | |
| Service(s): | | | | | |
| SPPS | | | | | |
| Objective (s): The Unavailable Time objective shall not exceed: | | | | | |
| | | | | | |
| | | Basic (B) | Standard (S) | Premier (P) | Bidder's Objective Commitment (B, S or P) |
| SPPS | | 16 hours | 12 hours | 8 hours | S |
| Rights and Remedies | Per Occurrence: 100 percent of the TMRC for each service (Circuit ID) out of service for a period greater than the committed objective level. | | | | |
| | Upon request from the Customer or the CALNET 3 CMO, the Contractor shall provide a briefing on the excessive outage restoration. | | | | |
| | Monthly Aggregated Measurements: N/A | | | | |

Bidder understands the Requirement and shall meet or exceed it? Yes X No _____





4.2.5.8.6 Notification

| | |
|--|--|
| SLA Name: Notification | |
| <p>Definition: The Contractor notification to CALNET 3 CMO and designated stakeholders in the event of a CAT 2 or CAT 3 failure, Contractor, Subcontractor or Affiliate network event, terrorist activity, threat of natural disaster, or actual natural disaster which results in a significant loss of telecommunication services to CALNET 3 End-Users or has the potential to impact services in a general or statewide area. The State understands initial information regarding the nature of the outage may be limited.</p> | |
| <p>Measurement Process: The Contractor shall adhere to the Network Outage Response requirements (IFB STPD 12-001-B Business Requirements Section B.3.3) and notify the CALNET 3 CMO and designated stakeholders for all CAT 2 and CAT 3 Outages or for network outages resulting in a significant loss of service. Notification objectives will be based on the start time of the outage failure determined by the opening of a trouble ticket or network alarm, whichever occurs first. For events based on information such as terrorist activity or natural disaster, the Contractor shall notify CALNET 3 CMO and designated stakeholder when information is available.</p> | |
| Service(s): All Services | |
| <p>Objective (s): Within 60 minutes of the above mentioned failures' start time, the Contractor shall notify CALNET 3 CMO and designated stakeholders using a method defined in IFB STPD 12-001-B Business Requirements Section B.3.3 (Network Outage Response). At 60 minute intervals, updates shall be given on the above mentioned failures via the method defined in Section IFB STPD 12-001-B Business Requirements Section B.3.3 (Network Outage Response). This objective is the same for Basic, Standard and Premier commitments.</p> | |
| Rights and Remedies | Per Occurrence: Senior Management Escalation |
| | Monthly Aggregated Measurements: N/A |

Bidder understands the Requirement and shall meet or exceed it? Yes X No _____



4.2.5.8.7 Provisioning (M-S)

| | | | | |
|---|--------------------|---------------|-----------------------------|--|
| SLA Name: Provisioning | | | | |
| <p>Definition: Provisioning shall include new services, moves, adds and changes completed by the Contractor on or before the due dates. The Provisioning SLA shall be based on committed installation intervals established in this SLA or due dates negotiated between Customer and Contractor documented on the Contractor’s order confirmation notification or Contracted Service Project Work SOW in accordance with IFB STPD 12-001-B Business Requirements Section B.2.5.4 #7 (Provisioning and Implementation). The Contractor shall meet the committed interval dates or due date negotiated with the Customer. If the Customer agrees to a negotiated due date, the negotiated due date supersedes the committed interval. At the Customer’s discretion, if the scope of the Service Request(s) meets the Coordinated or Managed Project criteria, negotiated due dates will be established and documented in the Project Schedule per IFB STPD 12-001-B Business Requirements Section B.6 (Contracted Service Project Work).</p> <p>Provisioning SLAs have two (2) objectives:</p> <p>Objective 1: Individual Service Request; and</p> <p>Objective 2: Successful Install Monthly Percentage by Service Type.</p> <p>Note: Provisioning timelines include extended demarcation wiring, when appropriate.</p> | | | | |
| <p>Measurement Process:</p> <p><u>Objective 1: Individual Service Request:</u> Install intervals are based on the committed installation intervals established in this SLA or due dates negotiated between Customer and Contractor. This objective requires the Contractor to meet the due date for each individual Service Request.</p> <p><u>Objective 2: Successful Install Monthly Percentage per service Type:</u> The Contractor shall sum all individual Service Requests per service, as listed below, meeting the objective in the measurement period (per month) and divide by the sum of all individual Service Requests due per service in the measurement period and multiply by 100 to equal the percentage of Service Requests installed on time. The Contractor must meet or exceed the objective below in order to avoid the rights and remedies.</p> | | | | |
| Service (Features must be installed in conjunction with the service except when listed below) | Committed Interval | Calendar Days | Coordinated/Managed Project | |
| SPPS | | 45 | Coordinated/Managed Project | |
| <p>Objective (s):</p> <p>Objective 1: Individual Service Request: Service installed on or before the Committed Interval or negotiated due date.</p> <p>Objective 2: Successful Install Monthly Percentage per Service:</p> | | | | |
| | | | | |
| | Basic (B) | Standard (S) | Premier (P) | Bidder’s Objective Commitment (S or P) |
| SPPS | N/A | ≥ 90% | ≥ 95% | S |





| | |
|---------------------|---|
| Rights and Remedies | Per Occurrence: Objective 1: Individual Service Requests: 50 percent of installation fee credited to Customer for any missed committed objective. |
| | Monthly Aggregated Measurements: Objective 2: 100 percent of the installation fee credited to Customer for all Service Requests (per service type) that did not complete on time during the month if the Successful Install Monthly Percentage is below the committed objective. |

Bidder understands the Requirement and shall meet or exceed it? Yes X No _____

4.2.5.8.8 Unsolicited Service Enhancement SLAs

All unsolicited service enhancements shall be considered a feature of the service, and therefore shall be included as such under the SLAs as defined in this Section.

Bidder understands the Requirement and shall meet or exceed it? Yes X No _____

4.2.5.8.9 Proposed Unsolicited Offerings

The Contractor shall provide SLAs as defined in SLA Section 4.2.5 for each unsolicited offering determined by the CALNET 3 CMO not to be a feature of a service or a component of an unbundled service identified in the technical requirements. SLA tables shall be amended after Contract award to include all new unsolicited services.

Bidder understands the Requirement and shall meet or exceed it? Yes X No _____

4.2.5.8.10 Contract Amendment Service Enhancement SLAs

All Contract amendment service enhancements shall be considered a feature of the service, therefore included as such under the SLAs as defined in this Section 4.2.5.8.

Bidder understands the Requirement and shall meet or exceed it? Yes X No _____

